



Supplement of

Technical Note: Probabilistically constraining proxy age–depth models within a Bayesian hierarchical reconstruction model

J. P. Werner and M. P. Tingley

Correspondence to: J. P. Werner (johannes.werner@geo.uib.no)

- cp-11-533-2015-supplement-cover-letter.pdf
- BARCAST+AMS
 - README
 - example_data
 - * BARCASTINPUTvNewMeth1_ADMs.R
 - * PriorPars.RScript
 - fortran_branch
 - * BARCASTMainCode_Rmpi.R
 - * BARCAST_PreSampler.R
 - * BARCAST_PreSwitchSampler.R
 - * BARCAST_Sampler_MC3.R
 - * BARCAST_SetInitialValues.R
 - * CovariancePatterns.R
 - * InitialparvalsvNewModel.R
 - * Makefile
 - * PriorParsvNewModel.R
 - * Proxy_Time_Updater.R
 - * Proxy_Updater.f95
 - * T_Updater.f95
 - gpl.txt
 - helper_programs
 - * AreaWeightedData.R
 - * Common.R
 - * ConstructTestDatavNM.R
 - * CovPattern_COA.R
 - * Error_Measures.R

- * Eval_PPE.R
- * Eval_TimeUncertain_Recon.R
- * Field_Means.R
- * Gather_Temp_Data.R
- * HadCRUT_mean_cov.R
- * Normalise_Data.R
- * ReadCRNtoList.R
- * Read_HN_WSL_files.R
- * ScoringRules.R
- * create_t_test.R
- * readCRN.R
- local_libs
 - * Makefile
 - * blassm.f
 - * formats.f
 - * libskitlocal.a
 - * matvec.f
 - * random.f90
 - * tupdater_data.mod
 - * ziggurat.f90