



A comparison of drought information in early North American colonial documentary records and a high-resolution tree-ring-based reconstruction

Sam White

Department of History, Ohio State University, Columbus, OH 43125, USA

Correspondence: Sam White (white.2426@osu.edu)

Received: 4 January 2019 – Discussion started: 16 January 2019

Revised: 20 August 2019 – Accepted: 29 August 2019 – Published: 11 October 2019

Abstract. Historical documentary records contain valuable information on climate, weather, and their societal impacts during the pre-instrumental period, but it may be difficult to assess the objectivity and reliability of this information, particularly where the documentary record is incomplete or the reliability of the information it contains is uncertain. This article presents a comprehensive review of information relating to drought found in original written records concerning all early European expeditions (1510–1610 CE) into the present-day US and Canada, and compares this information with maps and time series of drought generated from the tree-ring-based North American Drought Atlas (NADA). The two sources mostly agree in the timing and location of droughts. This correspondence suggests that much of the information in these early colonial historical records is probably objective and reliable, and that tree-ring-based drought atlases can provide information relevant to local and regional human historical events, at least in locations where their reconstruction skill is particularly high. This review of drought information from written sources and tree-ring-based reconstructions also highlights the extraordinary challenges faced by early European explorers and colonists in North America due to climatic variability in an already unfamiliar and challenging environment.

1 Introduction

Regional climatic variability before the instrumental period, including the frequency and severity of historical droughts, may be reconstructed through analysis of proxies preserved in natural archives (paleoclimatology) or of proxies and de-

scriptions in written records (historical climatology). The latter approach has been employed with high reconstruction skill for regions and periods with abundant and consistent personal writings and official archives, including parts of Europe and China during the past six centuries. However, most historical regions and periods lack such abundant and consistent written records before the instrumental period. In these cases, historical observers tend to act as a “high-pass filter” recording mostly extreme events and/or as degraded archives preserving scattered periodic climate proxies and descriptions (Bradley, 2015). Nevertheless, these written records remain potentially valuable for climate history since they contain information unavailable from proxies in natural archives, including precisely located and dated climate and weather events from all seasons and their societal impacts (Brönniman et al., 2018).

The challenge of using information in historical written records becomes particularly acute in the case of early European overseas exploration and colonization, including overseas imperial exploration and invasion, early religious missions, merchant companies, and the slave trade. On the one hand, these activities left written records of major importance to climate and environmental history. For North America, Australia, and much of Africa and Latin America, they provide the earliest written records of any kind, including observations of climate and weather conditions as well as climatic impacts on indigenous societies and their adaptations. Early colonial observers were typically much more sensitive to climatic and environmental conditions than observers in their home countries and therefore more likely to record and disseminate information on these topics. On the other hand, these same observers were unfamiliar with their new colonial

environments and climates and at first lacked institutions and activities that could systematically record climate proxies and descriptions. The resulting records are typically too inconsistent to produce independent verifiable reconstructions of climate parameters. Even in cases where colonial activities continued into later periods and began to leave consistent records appropriate for standard historical climatology analysis and reconstruction – e.g., indices – one cannot assume that observations made during the unique conditions of these first colonial experiences were equally reliable or as objective as those made in later years and could therefore be calibrated in the same manner for climate reconstruction purposes (Pfister et al., 2018; Dobrovolný, 2018).

An alternative approach to examining the accuracy of climatic and other environmental information in these early colonial records is to compare their information on a defined parameter with a high-resolution reconstruction of that parameter based on proxies in a natural archive. This approach is particularly promising in the case of early colonial North America, here defined as the present-day United States and Canada (1510–1610 CE). Colonial activities during this period left a large, diverse, well-preserved, and accessible body of documentary evidence with considerable information on environmental and climatic conditions (Sect. 2.1). This information may be compared with the North American Drought Atlas (NADA): a highly spatially and temporally resolved gridded Palmer Drought Severity Index (PDSI) reconstruction covering the region and period under study (Sect. 2.2). Moreover, the NADA reconstruction indicates sharply contrasting wet and dry conditions during different colonial expeditions in this period, which should highlight (in)consistencies between information in the documentary record and the tree-ring-based reconstruction. As previous scholars have concluded, “the integration of the [NADA] PDSI reconstructions with historical information on environmental conditions and the activities of Euroamerican and Native American societies is a largely unexploited opportunity that promises significant new insight into American history and environmental change” (Stahle et al., 2007).

Thus, this study makes a systematic comparison of information concerning drought from the documentary record of early colonial America with the NADA PDSI reconstruction. The primary goal of this comparison is to examine the objectivity and reliability of climate and environmental information in early European colonial records and thus their potential use for historical climatology and environmental history. In addition, this study may assist the following goals: (1) to crosscheck the NADA reconstructions – including those for extreme events reconstructed during the 16th and early 17th centuries – and NADA’s applicability to the scale of local human historical events; (2) to gain further insights into the seasonality and severity of droughts in early colonial North America by combining the information from natural and human archives; and (3) to better understand the human impacts

of climate variability during this critical and vulnerable phase of North American exploration and colonization.

This study acknowledges three important limitations. First, NADA is primarily a reconstruction of soil moisture deficit (hydrological drought), while human observers mainly recorded deficits of rainfall (meteorological drought) and failures of crops attributed to lack of water (agricultural drought). Second, most written observations about climate and weather in early North American colonial records concern temperature and storms rather than drought. While it may be reasonable to infer that observations about drought were no more or less reliable and objective than observations about other climate and environmental conditions, there is no similarly robust and highly resolved proxy-based reconstruction of temperature or other parameters with which to make a similar comparison. Third, NADA cannot be regarded as a perfect reconstruction of drought conditions, and therefore discrepancy between NADA and the documentary record does not necessarily mean that one is “right” and the other “wrong.” Nevertheless, frequent disagreement between the documentary record and the NADA reconstruction should raise concerns about the reliability of the former or the precision of the latter, while consistent agreement should build confidence in both.

A recent review has identified North America as one of the least studied regions for the historical climatology of drought (Brázdil et al., 2018). Although there are abundant personal and official records dating back to the colonial period, many of the them containing information on weather and climate, few researchers have used them to reconstruct the frequency or severity of historical droughts (Mock, 2012; White, 2018). Archeologists have reviewed physical and written evidence for the impact of climate and extreme weather, including droughts, during the first century of European expeditions in several regional contexts, particularly the Chesapeake (Blanton, 2000, 2003, 2004; Rockman, 2010), the southeastern US (Burnett and Murray, 1993), Florida (Paar, 2009; Blanton, 2013), and New Mexico (van West et al., 2013). A few historians have begun to incorporate climatic perspectives into accounts of early North American exploration and colonies (Kupperman, 2007a; Grandjean, 2011; Wickman, 2015, 2018), and a 2017 monograph has provided a comprehensive narrative of the role of regional climate differences and climatic variability in early Spanish, French, and English exploration and colonization of the present-day US and Canada (White, 2017). These studies indicate that climatic factors, including drought, played a major role in the failure of several early colonial expeditions in North America and the discouragement or redirection of others, as well as conflict between European colonies and Native Americans. This article provides the first concise comprehensive overview of the evidence concerning drought from historical records and systematic comparison with the NADA drought reconstructions.

2 Sources and methods

2.1 The documentary record

A search was made for all primary historical records surviving from or directly relevant to every documented European colonial expedition that spent time in the present-day US and Canada from 1510 to 1610 CE. This search resulted in several thousand documents contained in several hundred printed volumes, as well as electronic collections and unpublished archival series in the Archivo General de Indias (Spain) and National Archives (UK), mostly available online (see the Supplement). The author read each of these personally and, where possible, in their entirety. Some documents were consulted in English translations, but in those cases almost all descriptions of weather, climate, or climatic impacts were read again in their original languages (French, Spanish, German, Italian, Latin, and Dutch) to correct any mistranslations and to ensure accuracy. All dates were converted from the Julian calendar into modern calendar dates with the new year beginning on 1 January. Descriptions of weather, climate, and climatic impacts were not simply extracted from their context and compiled separately but always considered contextually, meaning that the study took into account (1) the description's context within the individual document and its larger corpus; (2) the conditions of the observation and of its recording and publication; (3) the background of the author or authors, including their subjective sense of "normal" weather or climate; and (4) the genre of writing in which any description appeared. (For a complete book-length account of the historical context of climate observations in the course of early exploration and colonies, see White, 2017.)

The exploration and colonization of North America proceeded in sporadic, uncoordinated ventures by Spanish, French, and English companies until 1610 CE, by which date enduring colonies were established at St. Augustine (Florida), Santa Fe (New Mexico), Jamestown (Virginia), and Quebec (Quebec). Written first-hand observations potentially capable of providing useful information concerning the presence, absence, or impacts of droughts were left by members of colonial expeditions for the following regions and years: the southeastern US and Gulf Coast, principally Florida (1526, 1528–1529, 1539–1543, 1559–1560, 1560, 1562–1610); the southwestern US, principally New Mexico (1530–1535, 1540–1541, 1581, 1583, 1590, 1598–1610); Virginia and North Carolina (1570, 1585–1588, 1607–1610); the California coast (1542, 1587, 1595, 1596, 1602–1603); the New England coast (1524, 1602–1605, 1607–1608); Nova Scotia (1606–1607); and Quebec (1600–1601, 1608–1610).

The relevant surviving records fall broadly into six genres: private correspondence, official correspondence and memoranda, correspondence of religious orders, pamphlets, travelogues, and finally chronicles and other second-hand compilations of information, which were used only to supple-

ment first-hand information. Each of these genres has been used in historical climatology and each presents particular strengths and weaknesses as a source of weather, climate, and impact evidence (Pfister, 2018; Pfister and White, 2018). However, the unique conditions under which early colonial records were compiled endow them with peculiar advantages and disadvantages compared to other similar written records. On the one hand, events during the exploration of new lands and the colonization of new territories were unusually well recorded for the period, and their records have been carefully sought out, preserved, and analyzed by scholars concerned with the historical and environmental significance of colonization. Moreover, observers present in unfamiliar environments and concerned with prospects for resource extraction, trade, colonization, or missionization usually devoted more attention to environmental features, including weather and climate, than those at home (Taylor, 1993; White, 2015b; Zilberstein, 2016). Europeans on early colonial expeditions were often acutely vulnerable to climatic variability and extremes. On the other hand, the earliest colonial observations in each location necessarily predate the establishment of local institutions or practices that could produce regular records containing climate proxies, such as officially prescribed annual harvest dates. Furthermore, the novelty of colonial environments made it difficult for observers to determine what was normal weather or climate or to identify reliable phenological markers of variability or extremes. Adding to their confusion, early European explorers and colonists of North America expected climates to align with latitudes, overlooking the differences between Europe's predominately maritime climates and North America's predominately continental ones (Kupperman, 1982; Rockman, 2010). This study aims to evaluate whether the advantages of these sources outweigh their potential drawbacks when it comes to reconstructing past weather and climate.

This study identified four main types of evidence concerning drought for early colonial North America. (1) Phenological descriptions, including the growth of plants and conditions of rivers, provide the most objective indicators of drought, but they are not common in all sources. (2) Narrative descriptions, describing a lack of precipitation, are found more frequently but provide less certain indicators of the presence or absence of drought. (3) Societal impacts, particularly crop failures or famine attributed to drought, appear most frequently in the sources and may provide confirmation that conditions were unusually severe. However, these descriptions need to be considered in the context of societal vulnerabilities, which varied according to the colony or Native American society in question. Most of the populations discussed in this study relied heavily on crops of maize, which in turn depended on adequate summer rainfall and a lengthy frost-free growing season. (4) Rain-making ceremonies represent a peculiar but potentially valuable type of evidence for drought. Measuring the occurrence and scale of officially sanctioned rain prayers, known as rogation ceremonies, has

been demonstrated as a reliable method of drought reconstruction in Spain and Spanish America (Domínguez Castro et al., 2008, 2018). Historians have identified similar ceremonies outside Spain in many different religious and cultural traditions, but these have not yet been tested in the same fashion. In the colonial North American context, many early European expeditions reported performing rain prayers, being asked by Native Americans to perform rain prayers, or observing indigenous communities performing rain-making ceremonies. Some historians have argued that such accounts could have been biased or even falsified by early European observers eager to present Native Americans as simple pagans ready to be won over to Christianity. However, a close review of the context and consistency of these accounts across sources has indicated that most were probably based on actual events (Kupperman, 2007b; White, 2015a).

Information concerning drought was sorted by each type of evidence. It was evaluated according to whether the information is based on a single observer, two or three observers, or many observers in agreement, and according to whether it provides a definite or indefinite impression of drought. For instance, an observation that it had not rained for a certain number of months was taken as a definite impression, whereas a general description of dry weather was taken as indefinite. Results and further information for specific expeditions are provided in Sect. 3.2.

2.2 Reconstructions from proxies in natural archives

Most high-resolution reconstructions of drought in North America for the pre-instrumental period have relied on measures of the variation in the width of growth rings in trees whose growth has been limited by soil moisture during the growing season. NADA is a set of annual June–August PDSI reconstructions based on 1845 tree-ring chronologies estimated on a 0.5° latitude–longitude grid, which covers most of North America for the past several centuries (Cook et al., 1999, 2010). The PDSI reconstructed in NADA is a function of precipitation and evapotranspiration from the previous winter through the summer growing season. NADA has been found to have a dominant winter precipitation signal in the southwest and Florida and a dominant summer signal in most of the rest of the continent; however, the signal at any given location may depend on local conditions and the proximity of tree-ring samples (St. George et al., 2010). For this reason, variations in PDSI over large regions reconstructed by NADA may not always match local meteorological droughts or agricultural droughts reported in historical observations.

For the area between 30 and 50° N, covering this study area, validation tests produced median CVRE (calibration period reduction of error calculated by leave-one-out cross-validation) of 0.43, VRSQ (verification period square of the Pearson correlation) of 0.33, VRE (verification period reduction of error) of 0.31, and VCE (verifica-

tion period coefficient of efficiency) of 0.27 (Cook et al., 2010). However, NADA reconstruction skill varies significantly by location. Among the areas covered by this study, reconstruction skill is highest in New Mexico and North Carolina, and high in most of the southeastern US and Virginia but reduced in Florida, and poorer in Quebec, the New England coast, and especially Nova Scotia. (See complete validation statistics for each grid point at https://www1.ncdc.noaa.gov/pub/data/paleo/drought/LBDA2010/LBDA_PMDI_JJA_Recons_cal:ver_stats.txt, last access: 1 October 2019) Other tree-ring-based precipitation reconstructions have produced similar results, with similar timing and magnitude of droughts during the early colonial period, for several locations, including New Mexico (Meko et al., 1995; Grissino-Mayer et al., 2002; Margolis et al., 2011), northern Florida (Harley et al., 2017), Georgia and the Carolinas (Stahle and Cleaveland, 1994), and Virginia (Stahle et al., 1998). Studies of band thickness in a New Mexico speleothem (Asmerom et al., 2013) and $\delta^{18}\text{O}$ in a West Virginia speleothem (Hardt et al., 2010) provide some confirmation at lower temporal resolution for major droughts identified in NADA for those regions during the late 16th century and early 17th century, respectively.

This study systematically compared the NADA reconstruction to the information in the documentary record of each expedition identified in Sect. 2.1. Using the visualization tools at <http://drought.memphis.edu/NADA/> (last access: 1 October 2019), this study produces (1) maps of PDSI for each region of travel where definite indications of drought were found in the documentary record and (2) time series of PDSI variation at the location of specific colonies discussed in the text (Sect. 3.2). Where the quality and quantity of evidence permitted, the routes taken by expeditions and/or the locations of settlements were added to the NADA maps based on information in White (2017).

3 Results

3.1 Regions where droughts were not documented

Early colonial expeditions left no first-hand written records clearly indicating droughts in any of the following regions: the California coast, the New England coast, Quebec, or Nova Scotia, apart from an observation of “fine weather all winter [1606–1607]” at Port Royal (Nova Scotia). The NADA PDSI reconstruction indicates drought in New England (that is, PDSI between -1 and -2 for most grid points in the region) during 1603, when an English voyage passed by the Massachusetts coast in summer, and in 1604, when a French colony was founded at the mouth of the St. Croix River in autumn; it indicates drought throughout Nova Scotia (PDSI ≤ -2) in 1606–1607, while a French colony was settled on the west coast of the peninsula; and it indicates drought throughout southern California (PDSI between -1

and -2 for most grid points in the region) during 1542 and 1595, when Spanish expeditions were exploring the coast.

3.2 Regions where droughts were documented

Early colonial expeditions left first-hand written records indicating droughts in the following regions: the southeastern US, the southwestern US, and Virginia and North Carolina. Table 1 provides a summary of the type of information concerning drought from these expeditions.

3.2.1 Southeast

The first Spanish colonial expeditions to the southeast, led by Juan Ponce de León in 1513 and 1521 and Lucas Vázquez de Ayllón in 1526, left no first-hand evidence concerning climatic conditions during their expeditions. In 1528, Pánfilo de Narváez led an overland expedition along the Gulf Coast from roughly Tampa Bay to the mouth of the Mississippi, where its members, traveling on rafts, were swept by a storm to the Gulf Coast of Texas. A few survivors remained in the region as captives of Native Americans until 1534; their testimonies, recorded years later, described cold and famine among the indigenous populations but left no definite indications of drought during these years. The NADA reconstruction indicates droughts ($\text{PDSI} \leq -1$) in parts of Florida and the Gulf Coast traversed by these expeditions in 1521, 1528–1529, and 1532.

During 1539–1543, a much better documented Spanish expedition led by Hernando de Soto landed in northern Florida and traveled throughout the southeastern United States before departing down the Mississippi River. No observers described drought conditions in 1539–1540, during which NADA indicates a positive hydroclimate anomaly. Multiple independent eye-witness accounts describe a 1541 episode in which Native Americans in present-day Arkansas asked Soto to pray for rain in order to end a drought and save their maize crop. In early 1542, the expedition ventured into eastern Texas, where one witness reported frequent wet weather; late that year, the expedition returned to Arkansas, which another source described as experiencing continued drought (specifically, it had not rained for the past month). The NADA map for 1541 (Fig. 1a) indicates a drought ($\text{PDSI} \leq -1$) centered on northeast Arkansas during 1541, while most of the region traversed by Soto that year enjoyed moist conditions ($\text{PDSI} > 0$). The NADA map for 1542 indicates a positive hydroclimate anomaly in east Texas and negative hydroclimate in Arkansas (Fig. 1b). The NADA time series for the approximate site of the rain-making ceremony (Fig. 1c) indicates that 1541 was the start of a longer drought at this location, as measured by PDSI.

In late summer 1559, Spanish conquistador Tristán de Luna y Arellano led over 1500 soldiers and colonists to settle in Pensacola Bay, Florida, where a hurricane soon destroyed most of their ships and supplies. Unable to live off the




Figure 1. (a) NADA JJA PDSI reconstruction for 1541, Soto expedition. (b) NADA JJA PDSI reconstruction for 1542, Soto expedition. (c) NADA JJA PDSI reconstruction time series for 1530–1550 at an approximate location of a 1541 observed rain-making ceremony.

Table 1. Summary of written evidence. A capital letter “Y” denotes a definite impression of drought in either the winter or summer half year; a lowercase “y” denotes an indefinite impression. Letters in bold indicate many mutually supporting observations, letters in roman font indicate similar observations in two or three personal sources and/or information contained in an official report, and letters in italics indicate a single observer. A letter “N” indicates information in the documentary record indicating abundant precipitation or lack of drought. An explanation of sources and types of evidence is provided in Sect. 2.1; details for each expedition are given in Sect. 3.2.

Region	Year	Location	Phenology	Description	Impact	Rain prayer
Southeast	1539	Florida				
	1540	Interior southeast		n		
	1541	Arkansas			Y	Y
	1542	Arkansas/eastern Texas		<i>y</i>		
	1559	Mississippi				
	1560	Mississippi		n		
	1564	Florida			<i>y</i>	
	1565	South Carolina/Florida			<i>y</i>	
	1566	Florida		<i>y</i>	Y	Y
	1583	Florida		<i>y</i>	Y	
	1588	Florida		<i>y</i>	Y	
	1589	Florida			Y	
	1591	Florida			Y	
	1598	Florida			Y	
1599	Florida		<i>y</i>	Y		
Virginia/North Carolina	1570	Virginia		<i>y</i>	<i>Y</i>	
	1585	North Carolina				
	1586	North Carolina		<i>y</i>	<i>Y</i>	<i>Y</i>
	1587	North Carolina			<i>y</i>	
	1607	Virginia	<i>Y</i>		<i>y</i>	
	1608	Virginia		<i>y</i>	Y	Y
	1609	Virginia			Y	
	1610	Virginia	<i>y</i>		Y	
Southwest	1535	Western Texas			<i>Y</i>	<i>Y</i>
	1540	New Mexico		n		
	1541	New Mexico		n		
	1581	New Mexico		<i>y</i>		<i>y</i>
	1583	New Mexico		<i>y</i>	<i>Y</i>	
	1590	New Mexico				
	1598	New Mexico		<i>y</i>		<i>Y</i>
	1599	New Mexico		<i>y</i>		
	1600	New Mexico		Y	Y	
	1601	New Mexico		Y	Y	

land and facing famine, the colony retreated inland to central Alabama, while a detachment explored the region of northeast Alabama and northwestern Georgia, thought to be more promising for settlement. The expedition’s breakdown left ample official documentation, including many complaints about the region’s environment and climate. These mentioned the frequency and unpredictability of rains – in contrast to those of Mediterranean climates on the same latitude across the Atlantic – but not drought. The NADA composite map of the area in 1559–1560 (Fig. 2a) indicates slightly dry conditions (PDSI between 0 and –1) around Pensacola Bay and slightly wet conditions (PDSI between 0 and 1) in northeastern Alabama and northwestern Georgia, with average conditions in central Alabama, as also indicated in the

time series for the approximate location of the colony in that region (Fig. 2b).

Between 1562 and 1565, French Huguenots attempted to establish colonies on the coast between present-day South Carolina and northern Florida. These were overrun in 1565 by Spanish soldiers, who established the permanent colony of St. Augustine, Florida, as well as several outlying posts including St. Elena, which lasted until 1587. The French colonies, as described in several personal accounts by eye witnesses, suffered from frequent shortages and sometimes famine blamed on poor supplies, shipwrecks, and inability to obtain food from local indigenous communities. The Spanish presence left a much more complete official record, principally letters from the governor to the viceroy and the cor-




Figure 2. (a) NADA JJA PDSI reconstruction for 1559–1560, Luna expedition. (b) NADA JJA PDSI reconstruction time series for 1550–1570, central Alabama.

respondence of Catholic missionaries. The former describe droughts that led to failure of wheat and maize crops during 1565–1566 in the region between South Carolina and northern Florida; the latter describes Native Americans asking the colony’s governor at St. Augustine to pray for rain in 1566 to end a long drought. Official correspondence also indicates that drought led to poor harvests at the St. Augustine colony in 1583, 1588–1589, 1591, and 1598–1599; for instance, the governor reported that 1588 was a “very great drought” (*mu gran seca*) and maize could not be sown. Food shortages at the colony and surrounding Native American missions were reported for the early 1590s, but these were blamed on late shipments of supplies rather than drought. From 1601 onward, it is possible to calculate maize tithes for most years, and these calculations reveal poor harvests in 1604 and 1609

(Hoffman, 2002). The NADA composite map for 1565–1568 (Fig. 3a) indicates a severe negative PDSI anomaly centered on South Carolina, while the NADA time series at St. Augustine for 1560–1580 (Fig. 3b) and 1580–1610 (Fig. 3c) indicate drought ($\text{PDSI} \leq -1$) 1566–1570, 1575, 1583–1589, 1591–1595, 1598–1599, 1604, and 1610.

3.2.2 Southwest

During 1534–1535, the four survivors of the Pánfilo de Narváez expedition (see Sect. 3.2.1) ventured south into today’s Tamaulipas (Mexico), then northwest near the Rio Grande valley. Their testimonies describe dry conditions in the Sierra Madre Oriental but only a single definite indication of drought: survivor Cabeza de Vaca reported that Native Americans in west Texas in late summer 1535 asked them to pray for rain because it had not rained enough to plant maize during the past year. A comparison with the NADA map of PDSI for that year (Fig. 4) indicates average to dry conditions in that region in 1535.

During 1540 and 1541, a large expedition from Mexico led by governor Francisco Vázquez de Coronado occupied first the Zuni Pueblos of today’s western New Mexico, then various Puebloan towns of the central Rio Grande valley. Of the many surviving official and personal accounts of the expedition, several mentioned heavy winter snow and none mentioned drought. The NADA composite map for New Mexico 1540–1541 (Fig. 5a) shows exceptionally moist conditions (PDSI between 2 and 3), as does the time series for the approximate location of the Spanish base camp, near present-day Bernalillo (Fig. 5b).

During 1581, 1583, and 1590–1591, three small unauthorized expeditions entered New Mexico from New Spain. Each traveled through the territory of the present-day state for only a few weeks or months, mainly along the Rio Grande, leaving no enduring colony; and each produced only two or three written testimonies by eye witnesses. A witness of the 1581 expedition described a “climate like that of Castile”: a possible indication of deficient summer rainstorms, since unlike Castile, most of New Mexico usually receives more precipitation in summer than winter. This witness also described a Puebloan rain-making ceremony, although it is not clear whether this was a normal seasonal ritual or a specific response to drought. A witness from the 1583 expedition described heavy snow early in the year but reported Puebloans refusing to share maize due to a “lack of rain” and poor harvest that summer. The 1590–1591 expedition traveled mainly during the winter months and left testimonies of exceptional cold and heavy snow but not drought. The NADA reconstructions indicate near-average conditions in 1581 (Fig. 6a) and negative PDSI anomalies across most of the present-day state in 1583 (Fig. 6b) and in 1591 (Fig. 6c).

A 1598 invasion led by Juan de Oñate occupied present-day New Mexico and subjugated the Pueblos of the region. In 1601, the expedition nearly collapsed when a large num-




Figure 3. (a) NADA JJA PDSI reconstruction for 1565–1568, French and Spanish Florida. (b) NADA JJA reconstruction time series for 1560–1580, St. Augustine. (c) NADA JJA reconstruction time series for 1580–1610, St. Augustine.




Figure 4. NADA JJA PDSI reconstruction for 1535, Cabeza de Vaca expedition.

ber of officers and settlers defected and Catholic missionaries protested the abuse of Pueblos. Narratives of Oñate's campaign, as well as disputes arising from the colony's near collapse, left a large body of personal and official evidence concerning conditions in New Mexico. The earliest indication of a drought in the documentary record occurs in a description of Pueblos asking colonists to pray for rain in 1598; however, this episode appears only in one contemporary source, which contains some fictionalized material. Colonists during 1599 and 1600 compared the climate in New Mexico to that of Castile, with predominately winter precipitation, possibly indicating deficient summer rainstorms. Colonists and missionaries left abundant official testimonies and personal letters describing extreme summer drought during 1600 and 1601, along with descriptions of starvation when the Pueblo maize crop failed and livestock died for want of pasture. However, descriptions also indicate that the winter of 1600–1601 was exceptionally snowy and icy, and that the colony's crop of irrigated winter wheat yielded well. For the years 1602–1610, there is no comparable indication of drought in the documentary record. The NADA composite map for New Mexico during 1598–1601 (Fig. 7a) shows a significant negative PDSI anomaly, particularly in the central and northern parts of the present-day state, where the Oñate expedition settled. The NADA time series for the location of Oñate's first colony at the present-day Okhay Owingeh Pueblo (Fig. 7b) indicates negative PDSI anomalies in 1598 and 1600–1601, although not as significant as those of the “megadrought” during the 1580s.

3.2.3 Virginia and North Carolina

In 1570, a small group of Spanish Jesuit missionaries attempted to establish an outpost along the lower James River in present-day Virginia. In the scarce documentation that sur-




Figure 5. (a) NADA JJA PDSI reconstruction for 1540–1541, New Mexico. (b) NADA JJA reconstruction time series for 1530–1550 at the approximate location of Coronado’s base, near present Bernalillo, NM.

vives from the expedition, they reported that the land had been “punished with six years of sterility and death” and was “very parched (*muy agostada*)” such that both maize and wild plants had died. Native Americans massacred the priests in early 1571. The NADA composite map for 1565–1570 indicates a significant negative PDSI anomaly for the region of the outpost (Fig. 8a), and the time series of PDSI variation for the approximate location (Fig. 8b) indicates persistent if not always severe drought since 1562, with the worst year (PDSI of -3) occurring in 1566.

Between 1585 and 1587, English investors led by Sir Walter Raleigh made several attempts to colonize Roanoke Island in the Carolina Outer Banks, before losing all contact with the final “lost colony.” A settler described how in 1586 the Native Americans’ corn “began to wither by reason of a drought which happened extraordinarily” and reported being




Figure 6. (a) NADA JJA PDSI reconstruction for 1581, New Mexico. (b) NADA JJA PDSI reconstruction for 1583, New Mexico. (c) NADA JJA PDSI reconstruction for 1591, New Mexico.




Figure 7. (a) NADA JJA PDSI reconstruction for 1598–1601, New Mexico. (b) NADA JJA PDSI reconstruction time series for 1580–1610, at Oñate's first colony, present-day Okhay Owingeh, New Mexico.

asked to pray for rain to end that drought. During the following year, the colony was unable to obtain maize from indigenous communities, who reported scarcity, and the colonists therefore suffered famine. The NADA composite map for 1585–1588 (Fig. 9) shows a major drought throughout eastern North Carolina, although not specifically for Roanoke Island, which is not covered by the atlas.

The English colony at Jamestown, Virginia, suffered through multiple environmental disasters and conflict with Native Americans from its founding in 1607 through 1610, when it was rescued by a large infusion of new settlers and supplies. Several contemporary personal letters, as well as pamphlets and histories later written by eye witnesses, left indications of exceptional summer drought throughout these first years at the colony. In summer and autumn of 1607,




Figure 8. (a) NADA JJA PDSI reconstruction composite map for 1565–1570, Virginia. (b) NADA JJA PDSI reconstruction time series for 1560–1580, approximate location of Ajacán.

saltwater apparently intruded into the James River as far as Jamestown, where the water was described as “at flood very salt, at low tide full of slime and filth”; this unusual occurrence may have caused salt poisoning at the colony (Earle, 1979). Settlers' summer grain crops failed repeatedly for unspecified reasons. Multiple colonists also recorded complaints from Native Americans in villages throughout the region during 1608–1610 that they had no maize to share with colonists or even for their own consumption. Two sources reported that in 1608 or 1609 a leader of a nearby indigenous community asked a colonist to “pray to his god for rain, for his [own] god would not send him any”. During the summer of 1610, sturgeon did not swim up the James River as usual, which may indicate high salinity in that waterway. The NADA composite map for 1606–1610 (Fig. 10a) indicates a moderate drought over southeastern Virginia. The NADA time series of PDSI variation for 1600–1620 at the location of Jamestown (Fig. 10b) indicates a negative PDSI




Figure 9. NADA JJA PDSI reconstruction for 1585–1588, eastern North Carolina.

anomaly each summer during 1606–1612, with a severe drought (PDSI of -3) in 1610, making this span of years Virginia’s longest continuous drought of the past seven centuries, as reconstructed from local tree-ring width (Stahle et al., 1998).

3.3 Synthesis

Table 2 presents a synthesis of the results described in Sect. 3.1 and 3.2. It indicates the years and regions where documented expeditions were present, and one of the following results: (1) droughts identified in both the documentary record and NADA reconstruction; (2) droughts identified in neither; (3) droughts identified in the NADA reconstruction but not the documentary record; (4) instances of partial or possible agreement between the documentary record and NADA, including instances where the documentary record identifies the impacts of a long drought but does not specify each year of its occurrence; (5) no first-hand written evidence concerning climatic conditions.

4 Discussion

As indicated in Table 2, concurrence between the documentary record and the NADA PDSI reconstruction on the timing of droughts is not complete but clearly better than would be expected by chance. The documentary record produced no false positives vis-à-vis the NADA reconstruction – that is, the documentary record never provided a definite indication of a drought where NADA indicated a positive hydroclimate anomaly (PDSI > 0) – but observers did not leave




Figure 10. (a) NADA JJA PDSI reconstruction for 1606–1610, eastern Virginia and North Carolina. (b) NADA JJA PDSI reconstruction time series for 1600–1620, Jamestown, VA.

written indications of all droughts (PDSI ≤ -1) appearing in the NADA reconstruction. In certain cases, the documentary records and NADA reconstruction show a remarkable correspondence. Records of the Soto expedition identified drought in precisely the regions and years where it appears in the NADA maps and not elsewhere; and records of the first expeditions to Virginia and North Carolina each indicated droughts in agreement with the tree-ring-based reconstruction. In other cases, such as New England and Canadian expeditions, there is little correspondence between the two.

The results of the comparison point to three main patterns. First, the documentary information and tree-ring-based reconstruction frequently disagree where the NADA spatial coverage or reconstruction skill is poorest, including the New England coast and Nova Scotia. Second, during multi-year

Table 2. Synthesis of comparison between drought information in the documentary record of early North American colonial expeditions and the NADA PDSI reconstruction. Green indicates droughts identified in both the documentary record and NADA reconstruction; blue indicates droughts identified in neither; red indicates droughts identified in the NADA reconstruction but not the documentary record; yellow indicates instances of partial or possible agreement between the documentary record and NADA, including instances where the documentary record identifies the impacts of a long drought but does not specify each year of its occurrence; dark grey indicates that there is no first-hand written evidence concerning climatic conditions.





Table 2. Continued.



droughts in Florida, observers did not necessarily record the occurrence or impacts of the drought each year but only at the beginning or end of the drought. A study comparing documentary information and tree-ring reconstructed hydroclimate variability has found a similar pattern for medieval Hungary (Kiss, 2017). Third, concurrence between the NADA reconstruction and the documentary record – and in this case, probably the reliability of climatic information in early colonial written sources – is highest when and where

colonial observers were able to exchange information with local indigenous populations, thanks to presence of at least one translator and cultural intermediary, whether a Native American who had lived among Europeans, or vice versa. This was the case for expeditions and colonies in the south-east and Florida in 1539–1541 and 1565–1610; the south-west in 1534–1535 and 1598–1610; and North Carolina and Virginia in 1570, 1585–1587, and 1608–1610. This pattern suggests that early colonial observers obtained the most reliable indications of climatic variability and extremes from local populations and their impacts and reactions.

The results suggest no obvious differences in the reliability of different source types (official, personal, or ecclesiastical) or nationalities (Spanish, English, or French). In general, colonial observers were most likely to record droughts that had a direct impact on their own livelihoods. However, in this small sample, reports of rain prayers and indigenous societies afflicted by drought also turned out to be reliable indicators, even when there were no other mentions of drought.

Written descriptions of drought nearly all concern the spring and summer, probably because spring and summer rains were vital to North America's staple crop, maize. Descriptions of summer droughts in New Mexico, in particular, were often combined with descriptions of snowy winters, particularly during 1599–1601, suggesting that the reconstructed negative PDSI anomaly for these years reflected a summer precipitation deficit. However, a tree-ring-based reconstruction attempting to distinguish winter and summer precipitation signals using separate early- and latewood measurements has concluded that New Mexico's "megadrought" of 1580–1600 affected all seasons (Stahle et al., 2009). Most years of drought identified in the documentary record and NADA reconstruction were also described by observers as unusually cold (White, 2017). This coincidence suggests that deficits in growing season soil moisture appearing in the NADA reconstruction as negative PDSI anomalies should have been due to reduced precipitation rather than increased evapotranspiration, unless the cold had a confounding effect on tree-ring growth in local samples.

5 Conclusions

This study finds broad agreement between the evidence in written records and the tree-ring-based NADA concerning the occurrence and severity of droughts in North America during 1510–1610 CE. In years and locations where substantial written observations were made and the NADA reconstruction skill is high, the resulting documentary records did not indicate drought where the NADA reconstruction indicated a positive hydroclimate anomaly ($PDSI > 0$) and usually did indicate drought where NADA reconstructed indicated a negative hydroclimate anomaly ($PDSI \leq -1$). This convergence of evidence suggests that early colonial records may provide useful sources of climate and weather infor-

mation. The advantages of early colonial sources for historical climatology, including their authors' interest in environmental factors and vulnerability to environmental extremes, appear to balance some of their disadvantages, such as their authors' unfamiliarity with local climates. This finding should guide the use of early colonial records to investigate climatic vulnerabilities and adaptations of indigenous peoples before their societies were transformed by colonialism and introduced pathogens (e.g., White, 2014; Wickman, 2018). Hence, this informs studies of protohistoric climate impacts based on the archeological record and paleoclimate proxies (e.g., Anderson, 1994; Bird et al., 2017). Moreover, this study suggests that early colonial observers were capable of accurately recording features of the environments they encountered, thus offering some support for the use of these records in protohistoric and early colonial environmental history (e.g., Cronon, 1983).

The results also suggest that the NADA reconstruction could be precise enough to help examine historical drought conditions and impacts at a local human scale, at least for periods and locations where the reconstruction skill of the drought atlas is particularly good (e.g., the southwestern US during the past five centuries). In this respect, NADA's exceptionally high density of samples covering much of the continent may enable types of detailed climate history studies not yet possible for other parts of the world. By contrast, the Old World Drought Atlas – based on 106 tree-ring chronologies and with lower average reconstruction skill for each grid point (median CVRE of 0.271; VRSQ of 0.198; VRE of 0.161; VCE of 0.146) – does not reproduce many local hydroclimate events described in written records (e.g., Collet, 2018) and may be more suited for identifying extensive multi-year events (Cook et al., 2015; Kiss, 2017).

This general concurrence between the early colonial documentary record and the NADA reconstruction does not mean that such incomplete documentary records are themselves capable of producing drought reconstructions. However, the result does suggest how incomplete documentary records demonstrating concurrence with high-resolution proxy-based reconstructions might be combined with other sources in order to arrive at better estimates for past climate conditions. One might estimate from comparisons with proxy-based reconstructions that a type of documentary record has a high probability of containing certain observations whenever a climate parameter has certain values ($p(O|H)$) and a low probability of containing those observations whenever the parameter has different values ($p(O|\sim H)$). Thus, by using the ratio $p(O|H)/p(O)$, the presence or absence of those observations in the records for a given time and place might be used to derive posterior probability estimates for those parameter values at that time and place from priors provided by proxy-based reconstructions or models.

Finally, this study has implications for the role of climate in early North American colonial history. Although

early colonial observers did not record climate conditions perfectly, neither apparently did they exaggerate the occurrence of drought. Therefore, historians should take seriously the descriptions in several early expeditions and colonies of drought-driven food shortages, famines, and resulting conflict with indigenous communities over scarce resources. This study generally supports previous research findings that drought substantially altered the outcome of several expeditions and therefore the outcome of competition between the Spanish, French, and English empires for North American territory. However, the results of this study may be even more significant for assessing the role of non-drought climatic factors in early colonial history. Descriptions of drought are less common in early colonial North American records than descriptions of destructive storms and exceptional winter cold, which were reported during many expeditions and may have had an even greater impact on their outcomes (e.g., White, 2014). Since storms and winter temperature are more difficult than drought to reconstruct from proxies in natural archives, it is especially important to establish the reliability and objectivity of information in the documentary record in order to assess the role of those climate factors in early colonial history.

Data availability. Further explanation of the underlying documentary evidence for this study, including references to historical sources for particular events and observations, is provided in White (2017). Additional information is available upon request.

Supplement. The supplement related to this article is available online at: <https://doi.org/10.5194/cp-15-1809-2019-supplement>.

Competing interests. The author declares that there is no conflict of interest.

Special issue statement. This article is part of the special issue “Droughts over centuries: what can documentary evidence tell us about drought variability, severity and human responses?”. It is not associated with a conference.

Acknowledgements. The author thanks Bill Keegan for assistance in the preparation of maps, and the PAGES-CRIAS working group.

Review statement. This paper was edited by Andrea Kiss and reviewed by Stefan Grab and one anonymous referee.

References

- Anderson, D.: The Savannah River Chiefdoms: Political Change in the Late Prehistoric Southeast, University of Alabama Press, Tuscaloosa, 1994.
- Asmerom, Y., Polyak, V., Rasmussen, J., Burns, S., and Lachniet, M.: Multidecadal to multicentury scale collapses of Northern Hemisphere monsoons over the past millennium, *P. Natl. Acad. Sci.*, 110, 9651–56, <https://doi.org/10.1073/pnas.1214870110>, 2013.
- Bird, B. W., Wilson, J. J., Gihooly, W. P., Steinman, B. A., and Stamps, L.: Midcontinental Native American population dynamics and late Holocene hydroclimate extremes, *Sci. Rep.*, 7, 41628, <https://doi.org/10.1038/srep41628>, 2017.
- Blanton, D.: Drought as a Factor in the Jamestown Colony, 1607–1612, *Hist. Archaeol.*, 34, 74–81, <https://doi.org/10.1007/BF03374329>, 2000.
- Blanton, D.: If It’s Not One Thing It’s Another: The Added Challenges of Weather and Climate for the Roanoke Colony, in: *Searching for the Roanoke Colonies: An Interdisciplinary Collection*, North Carolina Dept. of Cultural Resources, Division of Archives and History, Raleigh, edited by: Shields, E. and Ewen, C., 169–176, 2003.
- Blanton, D.: The Climate Factor in Late Prehistoric and Post-Contact Human Affairs, in: *Indian and European Contact in Context: The Mid-Atlantic Region*, edited by: Blanton, D. and King, J., University Press of Florida, Gainesville, 6–21, 2004.
- Blanton, D.: The Factors of Climate and Weather in Sixteenth-Century La Florida, in: *Native and Spanish New Worlds: Sixteenth-Century Entradas in the American Southwest and Southeast*, edited by: Mathers, C., Mitchem, J., and Haecker, C., University of Arizona Press, Tucson, 99–121, 2013.
- Bradley, R.: *Paleoclimatology: Reconstructing Climates of the Quaternary*, third edition, Amsterdam, Elsevier, 2015.
- Brázdil, R., Kiss, A., Luterbacher, J., Nash, D. J., and Řezníčková, L.: Documentary data and the study of past droughts: a global state of the art, *Clim. Past*, 14, 1915–1960, <https://doi.org/10.5194/cp-14-1915-2018>, 2018.
- Brönnimann, S., Pfister, C., and White, S.: Archives of Nature and Archives of Societies, in: *The Palgrave Handbook of Climate History*, edited by: White, S., Pfister, C., and Mauelshagen, F., London, Palgrave Macmillan UK, 27–36, https://doi.org/10.1057/978-1-137-43020-5_3, 2018.
- Burnett, B. and Murray, K.: Death, Drought, and de Soto: The Bioarchaeology of Depopulation, in: *The Expedition of Hernando de Soto West of the Mississippi, 1541–1543*, edited by: Young, G. and Hoffman, M., University of Arkansas Press, Fayetteville, 227–236, 1993.
- Collet, D.: *Die doppelte Katastrophe: Klima und Kultur in der europäischen Hungerkrise 1770–1772*, Vandenhoeck & Ruprecht, Göttingen, Germany, 2018.
- Cook, E., Meko, D., Stahle, D., and Cleaveland, M.: Drought Reconstructions for the Continental United States, *J. Climate*, 12, 1145–1162, [https://doi.org/10.1175/1520-0442\(1999\)012<1145:DRFTCU>2.0.CO;2](https://doi.org/10.1175/1520-0442(1999)012<1145:DRFTCU>2.0.CO;2), 1999.
- Cook, E. R., Seager, R., Heim, R. R., Vose, R. S., Herweijer, C., and Woodhouse, C.: Megadroughts in North America: placing IPCC projections of hydroclimatic change in a

- long-term palaeoclimate context, *J. Quaternary Sci.*, 25, 48–61, <https://doi.org/10.1002/jqs.1303>, 2010.
- Cook, E. R., Seager, R., Kushnir, Y., Briffa, K., Büntgen, U., Frank, D., Krusic, P., Tegel, W., van der Schrier, G., Andreu-Hayles, L., Baillie, M., Baittinger, C., Bleicher, N., Bonde, N., Brown, D., Carrer, M., Cooper, R., Čufar, K., Dittmar, C., Esper, J., Griggs, C., Gunnarson, B., Günther, B., Gutierrez, E., Haneca, K., Helama, S., Herzig, F., Heussner, K., Hofmann, J., Janda, P., Komnatic, R., Köse, N., Kyncl, T., Levanič, T., Linderholm, H., Manning, S., Melvin, T., Miles, D., Neuwirth, B., Nicolussi, K., Nola, P., Panayotov, M., Popa, I., Rothe, A., Seftigen, K., Seim, A., Svarva, H., Svoboda, M., Thun, T., Timonen, M., Touchan, R., Trotsiuk, V., Trouet, V., Walder, F., Wążny, T., Wilson, R., and Zang, C.: Old World Megadroughts and Pluvials during the Common Era, *Sci. Adv.*, 1, e1500561, <https://doi.org/10.1126/sciadv.1500561>, 2015.
- Cronon, W.: *Changes in the Land: Indians, Colonists, and the Ecology of New England*, New York, Hill and Wang, 1983.
- Dobrovolný, P.: Analysis and Interpretation: Calibration-Verification, in: *The Palgrave Handbook of Climate History*, edited by: White, S., Pfister, C., and Mauelshagen, F., London, Palgrave Macmillan UK, 107–113, https://doi.org/10.1057/978-1-137-43020-5_10, 2018.
- Domínguez Castro, F., Santisteban, J., Barriendos, M., and Mediavilla, R.: Reconstruction of Drought Episodes for Central Spain from Rogation Ceremonies Recorded at the Toledo Cathedral from 1506 to 1900: A Methodological Approach, *Global Planet. Change*, 63, 230–242, <https://doi.org/10.1016/j.gloplacha.2008.06.002>, 2008.
- Dominguez Castro, F., Garcia-Herrera, R., and Vicente-Serrano, S.: Wet and dry extremes in Quito (Ecuador) since the 17th century, *Int. J. Climatol.* 38, 2006–2014, <https://doi.org/10.1002/joc.5312>, 2018.
- Earle, C.: Environment, Disease, and Mortality in Early Virginia, in: *The Chesapeake in the Seventeenth Century: Essays on Anglo-American Society*, edited by: Tate, T. and Ammerman, D., University of North Carolina Press, Chapel Hill, NC, 96–125, 1979.
- Grandjean, K.: New World Tempests: Environment, Scarcity, and the Coming of the Pequot War, *William Mary Quart.*, 68, 75–100, <https://doi.org/10.5309/willmaryquar.68.1.0075>, 2011.
- Grissino-Mayer, H., Baisan, C., Morino, K., and Swetnam, T.: *Multi-Century Trends in Past Climate for the Middle Rio Grande Basin*, U.S. Department of Agriculture, Albuquerque, NM, 2002.
- Hardt, B., Rowe, H., Springer, G., Cheng, H., and Edwards, R.: The seasonality of east central North American precipitation based on three coeval Holocene speleothems from southern West Virginia, *Earth Planet. Sc. Lett.* 295, 342–348, <https://doi.org/10.1016/j.epsl.2010.04.002>, 2010.
- Harley, G., Maxwell, J., Larson, E., Grissino-Mayer, H., Henderson, J., and Huffman, J.: Suwannee River flow variability 1550–2005 CE reconstructed from a multispecies tree-ring network, *J. Hydrol.*, 544, 438–451, <https://doi.org/10.1016/j.jhydrol.2016.11.020>, 2017.
- Hoffman, P.: *Florida's Frontiers*, Indiana University Press, Bloomington, 2002.
- Kiss, A.: Droughts and Low Water Levels in Late Medieval Hungary II: 1361, 1439, 1443–4, 1455, 1473, 1480, 1482(?), 1502–3, 1506: Documentary versus Tree-Ring (OWDA) Evidence, *Journal of Environmental Geography*, 10, 43–56, <https://doi.org/10.1515/jengeo-2017-0012>, 2017.
- Kupperman, K.: The Puzzle of the American Climate in the Early Colonial Period, *Am. Hist. Rev.*, 87, 1262–1289, <https://doi.org/10.1086/ahr/87.5.1262>, 1982.
- Kupperman, K.: *The Jamestown Project*, Harvard University Press, Cambridge, MA, 2007a.
- Kupperman, K.: *Environmental Stress and Rainmaking: Cosmic Struggles in Early Colonial Times*. *ReVista: Harvard Review of Latin America*, available at: <https://revista.drclas.harvard.edu/book/environmental-stress-and-rainmaking> (last access: 1 October 2019), 2007b.
- Margolis, E., Meko, D., and Touchan, R.: A Tree-ring Reconstruction of Streamflow in the Santa Fe River, New Mexico, *J. Hydrol.*, 397, 118–127, <https://doi.org/10.1016/j.jhydrol.2010.11.042>, 2011.
- Meko, D., Stockton, C., and Boggess, W.: The Tree-Ring Record of Severe Sustained Drought, *J. Am. Water Resour. Assoc.*, 31, 789–801, <https://doi.org/10.1111/j.1752-1688.1995.tb03401.x>, 1995.
- Mock, C.: Early Instrumental and Documentary Evidence of Environmental Change, in: *The SAGE Handbook of Environmental Change*, edited by: Matthews, J., Bartlein, P., Briffa, K., Dawson, A., de Vernal, A., Denham, T., Fritz, S., and Oldfield, F. SAGE, Los Angeles, CA, 345–360, 2012.
- Paar, K.: Climate in the Historical Record of Sixteenth-Century Spanish Florida: The Case of Santa Elena Re-examined, in: *Historical Climate Variability and Impacts in North America*, edited by: Dupigny-Giroux, L. and Mock, C., Springer, Dordrecht, Netherlands, 47–58, 2009.
- Pfister, C.: Evidence from the Archives of Societies: Institutional Sources, in: *The Palgrave Handbook of Climate History*, edited by: White, S., Pfister, C., and Mauelshagen, F., Palgrave Macmillan, London, UK, 67–82, https://doi.org/10.1057/978-1-137-43020-5_6, 2018.
- Pfister, C. and White, S.: Evidence from the Archives of Societies: Personal Documentary Sources, in: *The Palgrave Handbook of Climate History*, edited by: White, S., Pfister, C., and Mauelshagen, F., Palgrave Macmillan UK, London, 49–65, https://doi.org/10.1057/978-1-137-43020-5_5, 2018.
- Pfister, C., Camenisch, C., and Dobrovolný, P.: Analysis and Interpretation: Temperature and Precipitation Indices, in: *The Palgrave Handbook of Climate History*, edited by: White, S., Pfister, C., and Mauelshagen, F., London, Palgrave Macmillan UK, 115–129, https://doi.org/10.1057/978-1-137-43020-5_11, 2018.
- Rockman, M.: New World with a New Sky: Climatic Variability, Environmental Expectations, and the Historical Period Colonization of Eastern North Carolina, *Hist. Archaeol.*, 44, 4–20, <https://doi.org/10.1007/BF03376800>, 2010.
- St. George, S., Meko, D., and Cook, E.: The seasonality of precipitation signals embedded within the North American Drought Atlas, *Holocene*, 20, 983–988, <https://doi.org/10.1177/0959683610365937>, 2010.
- Stahle, D. and Cleaveland, M.: Tree-Ring Reconstructed Rainfall over the Southeastern USA during the Medieval Warm Period and Little Ice Age, *Climatic Change*, 26, 199–212, https://doi.org/10.1007/978-94-011-1186-7_5, 1994.

- Stahle, D., Cleaveland, M., Blanton, D., Therrell, M., and Gay, D.: The Lost Colony and Jamestown Droughts, *Science*, 280, 564–567, <https://doi.org/10.1126/science.280.5363.564>, 1998.
- Stahle, D., Fye, F., Cook, E., and Griffin, R.: Tree-Ring Reconstructed Megadroughts over North America since AD 1300, *Climatic Change*, 83, 133–149, <https://doi.org/10.1007/s10584-006-9171-x>, 2007.
- Stahle, D., Cleaveland, M., Grissino-Mayer, H., Griffin, R., Fye, F., Therrell, M., Burnette, D., Meko, D., and Villanueva Diaz, J.: Cool- and Warm-Season Precipitation Reconstructions over Western New Mexico, *J. Climate*, 22, 3729–3750, <https://doi.org/10.1175/2008JCLI2752.1>, 2009.
- Taylor, J.: “Base Commodity”: Natural Resource and Natural History in Smith’s *The General Historie*, *Environ. Hist. Rev.*, 17, 73–89, 1993.
- Van West, C., Windes, T., Levine, F., Grissino-Mayer, H., and Salzer, M.: The Role of Climate in Early Spanish-Native American Interactions in the US Southwest, in: *Native and Spanish New Worlds: Sixteenth-Century Entradas in the American Southwest and Southeast*, edited by: Mathers, C., Mitchem, J., and Haecker, C., University of Arizona Press, Tucson, AZ, 81–98, 2013.
- White, S.: Cold, Drought, and Disaster: The Little Ice Age and the Spanish Conquest of New Mexico, *New Mexico Historical Review*, 89, 425–458, 2014.
- White, S.: “Shewing the difference betweene their conjuration, and our invocation on the name of God for rayne”: Weather, Prayer, and Magic in Early American Encounters, *William Mary Quart.*, 72, 33–56, <https://doi.org/10.5309/willmaryquar.72.1.0033>, 2015a.
- White, S.: Unpuzzling American Climate: New World Experience and the Foundations of a New Science, *Isis*, 106, 544–566, <https://doi.org/10.1086/683166>, 2015b.
- White, S.: *A Cold Welcome: The Little Ice Age and Europe’s Encounter with North America*, Harvard University Press, Cambridge, MA, 2017.
- White, S.: North American Climate History (1500–1800), in: *The Palgrave Handbook of Climate History*, edited by: White, S., Pfister, C., and Mauelshagen, F., Palgrave Macmillan, London, UK, 297–308, https://doi.org/10.1057/978-1-137-43020-5_24, 2018.
- Wickman, T.: “Winters Embittered with Hardships”: Severe Cold, Wabanaki Power, and English Adjustments, 1690–1710, *William Mary Quart.*, 72, 57–98, <https://doi.org/10.5309/willmaryquar.72.1.0057>, 2015.
- Wickman, T.: Narrating Indigenous Histories of Climate Change in the Americas and Pacific, in: *The Palgrave Handbook of Climate History*, edited by: White, S., Pfister, C., and Mauelshagen, F., Palgrave Macmillan, London, UK, 387–411, https://doi.org/10.1057/978-1-137-43020-5_30, 2018.
- Zilberstein, A.: *A Temperate Empire: Making Climate Change in Early America*, Oxford University Press, New York, 2016.