



# Weather and climate and their human impacts and responses during the Thirty Years' War in central Europe

Rudolf Brázdil<sup>1,2</sup>, Petr Dobrovolný<sup>1,2</sup>, Christian Pfister<sup>3</sup>, Katrin Kleemann<sup>4</sup>, Kateřina Chromá<sup>2</sup>, Péter Szabó<sup>5,6</sup>, and Piotr Olinski<sup>7</sup>

<sup>1</sup>Institute of Geography, Masaryk University, Brno, Czech Republic

<sup>2</sup>Global Change Research Institute, Czech Academy of Sciences, Brno, Czech Republic

<sup>3</sup>Oeschger Centre for Climatic Change Research, Bern, Switzerland

<sup>4</sup>German Maritime Museum – Leibniz Institute for Maritime History, Bremerhaven, Germany

<sup>5</sup>Institute of Botany, Czech Academy of Sciences, Průhonice, Czech Republic

<sup>6</sup>Department of Environmental Studies, Faculty of Social Studies, Masaryk University, Brno, Czech Republic

<sup>7</sup>Institute of History and Archival Sciences, Climate Change Research Unit, University of Toruń, Toruń, Poland

**Correspondence:** Rudolf Brázdil (brazdil@sci.muni.cz)

Received: 20 June 2023 – Discussion started: 23 June 2023

Revised: 25 August 2023 – Accepted: 28 August 2023 – Published: 28 September 2023

**Abstract.** The Thirty Years' War, which took place from 1618 to 1648 CE, was an armed military conflict in Europe. It resulted from the culmination of theological differences between advocates of the Roman Catholic and Protestant churches, as well as a power struggle for European political hegemony. This war brought about extensive devastation to Europe. Based on documentary evidence, this paper characterizes the climate, weather extremes, and economic and socio-political events in central Europe during that time. Natural climate forcing indicates a gradual climate deterioration during the first half of the 17th century, associated with a decrease in solar activity towards the Maunder Minimum and increased volcanic activity. The mean temperatures in central Europe from 1618 to 1648 were significantly colder than the reference period of 1961 to 1990 in winter, autumn, and annually, while precipitation and drought means did not differ significantly from the reference period. Summer temperatures, spring precipitation, and drought also exhibited significantly greater variability. As for weather extremes, particularly late winter, late spring and early autumn frosts, floods, intense rain spells, and droughts affected grain, fruit, and vine grape harvests, as well as the yields of other crops. These weather extremes contributed to various human impacts, such as food shortages (reflecting harvests and grain prices), famines, and epidemics. Ultimately, these events, along with the effects of the war, led to a decline in the popu-

lation. The results obtained are discussed within the broader European context, taking into account climate, weather extremes, and socio-economic impacts.

## 1 Introduction

The relationship between armed conflicts and the natural environment has been a prominent focus of environmental historical research for several decades (Tucker, 2012). Recent studies have analysed the environmental aspects of various events, such as the two world wars (Laakkonen et al., 2017; Tucker et al., 2018) and the American Civil War (Drake, 2015). Some works conceptualize the tactical usefulness of natural factors, while others examine the environmental consequences of wars (Smith, 2018). Weather and climate, although previously somewhat neglected, have increasingly gained recognition in such studies (e.g. Hsiang and Burke, 2014; Noe, 2015). Regarding the 17th century specifically, Büntgen et al. (2011) highlighted the potential connection between temperature minima and settlement abandonment during the Thirty Years' War. Parker (2013) analysed the fatal synergy effect of climatic extremes, food shortages, and war, which, in his perspective, led to the “global crisis” of the 17th century. In a more detailed case study, Degroot (2014)

described how changing climatic patterns in the 1660s influenced the course of the Anglo–Dutch wars.

For Europe, some papers have tried to study causal connections of violent conflicts and wars with climate change (e.g. Tol and Wagner, 2010; Lee et al., 2015, 2019) or with the North Atlantic Oscillation (Lee et al., 2013). Similar, Zhang et al. (2011) investigated the causality of large-scale human crisis with climate change. Their statistical approaches to analyse the relationship between climate and society were criticized by Degroot et al. (2021, 540–541) arguing that such studies “provide examples of the ‘McNamara fallacy’, in which unquantifiable data are either ignored or arbitrarily quantified to produce superficially impressive but potentially misleading results”. Presenting a new interdisciplinary framework on the “history of climate and society”, they concluded that the past climate change did not always lead to collapse or disaster and that populations survived or even thrived in the face of climatic pressure (see also Degroot, 2018; White et al., 2023).

The development of historical climatology and paleoclimatology in Europe over the past 2 to 3 decades has led to the creation of numerous databases and papers dealing with detailed weather information, even with hourly or daily resolution (e.g. Brázdil et al., 2005, 2010; Glaser, 2008; Pfister et al., 2018; Pfister and Wanner, 2021; White et al., 2023). These resources have been subsequently used to develop long-term climate series and reconstructions (e.g. Luterbacher et al., 2004, 2016; Xoplaki et al., 2005; Pauling et al., 2006; Dobrovolný et al., 2010) with great spatial (local, regional, continental) and temporal (monthly, seasonal, annual) resolutions. Even spatial distributions of main climatic variables based on gridded reconstructions (e.g. Luterbacher et al., 2004, 2016; Xoplaki et al., 2005; Pauling et al., 2006; Cook et al., 2015) and circulation patterns as maps (e.g. Luterbacher et al., 2002) are available. It opens new horizons for many interdisciplinary studies, including war events.

The Thirty Years' War (referred to as TYW) took place from 1618 to 1648 as an armed military conflict in Europe. It emerged from theological differences between the Roman Catholic and Protestant churches, as well as a power struggle for European political hegemony. This war brought about extensive devastation in Europe, resulting in significant loss of human lives, population decline, epidemics, famines, poverty, destruction of infrastructure, and abandonment of settlements. While the event and period have received considerable attention in historical research (e.g. Asch, 1997; Parker, 1997; Arndt, 2009; Wilson, 2009; Gotthard, 2016; Pike, 2023), climatological patterns during this time have mostly been analysed not only on millennial or centennial scales (e.g. Glaser, 2008; Parker, 2008, 2013; Pfister et al., 2018; Pfister and Wanner, 2021; Wanner et al., 2022) but also on decadal or inter-annual scales (see Ljungqvist et al., 2021 for a review). Studies directly focused on the weather and climate of the TYW or its specific periods are less common.

For instance, Lenke (1960) presented climatological data for 1621–1650 based on the observations of “Landgraf” Hermann IV from Hesse, Germany. Brázdil et al. (2004) analysed meteorological records from Michel Stüeler of Krupka, northwestern Bohemia, covering the years 1629–1649. The patterns of the Little Ice Age were briefly discussed in relation to the decade leading to the TYW (Duchhardt, 2017) and in the introduction to the TYW (Arndt, 2009). Stoffel et al. (2022) investigated the effects of a cluster of explosive volcanic eruptions in the 1630s and 1640s on climate and the related social-political context, including human responses in western and northern Europe and in China and Japan.

The present study uses high-resolution weather and climatic data extracted from rich documentary evidence and natural proxies to analyse fluctuations and variability in weather, climate, and their extremes during the TYW (1618–1648) in central Europe (nowadays Germany, Poland, the Czech Republic, Slovakia, Switzerland, Austria, and Hungary). In the context of weather and climate variability, related human impacts and responses are analysed.

## 2 The Thirty Years' War

In Europe, the first half of the 17th century was marked by political instability and warfare. The TYW primarily occurred within the Holy Roman Empire, driven by conflicts between different Christian denominations, including Catholics, Lutherans, and Calvinists, as well as dynastic and territorial interests. However, it involved various European powers directly or indirectly throughout its duration (Brendle, 2010; Stoffel et al., 2022). The war consisted of several regional and European conflicts, comprising a total of 13 individual wars and 10 peace treaties (Kaiser, 2005; Dürr, 2010). It was unprecedented in terms of the prolonged duration and the large number of troops involved in combat. Additionally, almost all neighbouring states of Germany were directly or indirectly engaged in the conflict (Reppen, 2015). The term “TYW” is not solely a modern descriptor; even European contemporaries of the first half of the 17th century recognized that the ongoing succession of conflicts constituted a larger and more widespread war (Kaiser, 2005; Reppen, 2015).

The sense that conflict might be inevitable arose in the early 17th century. This was a time when many were burdened with eschatological concerns (Asch, 1997; Kaiser, 2005; Bähr, 2017). The increasing polarization among different Christian denominations disrupted the functioning of institutions within the Holy Roman Empire, including its Imperial Diet, which served as a central forum for negotiations (Kaiser, 2005; Gotthard, 2010). Within the Imperial Diet, an important subset consisted of the Imperial Estates, which comprised both ecclesiastical and secular entities. These estates held the right to vote and govern in their respective terri-

tories, with the Emperor being the only authority above them (Wilson, 2009; Parker, 2013).

The Defenestration of Prague on 23 May 1618, which involved members of the Bohemian Estates throwing three officials of the Habsburg government out of a palace window, served as the event that ultimately triggered the war (Burkhardt, 2010; Münkler, 2017). This act of protest was directed against Ferdinand II, the newly appointed King of Bohemia (emperor from 1619 to 1637), who strongly advocated strict Catholic values and posed a threat to the religious freedom that had been granted to the Bohemian Estates by his predecessor, Rudolf II (emperor from 1576 to 1612), in 1609. In defiance, the Bohemian Estates proclaimed Frederick V of the Palatinate as their king (Schorn-Schütte, 2009). Despite their initial military successes, the Bohemian Estates were eventually defeated by the Holy Roman Emperor, Ferdinand II, in the Battle of White Mountain on 8 November 1620. This marked the conclusion of the first phase of the TYW, known as the Bohemian War (1618–1620).

The subsequent phase of the TYW, known as the Palatinate War (1620–1623), unfolded within the Holy Roman Empire and was directed against Frederick V of the Palatinate (Kaiser, 2005; Rebitsch et al., 2019). In 1620, Spanish troops started occupying portions of the Palatinate in opposition to the Calvinistic Frederick V, who subsequently lost his Prince-Electorship in 1623. Instead, the emperor granted this title to Maximilian I, Prince-Elector of Bavaria, who was a fellow Catholic. The pursuit of this prestigious title remained a significant objective for many belligerents until 1648 (Kaiser, 2005; Repgen, 2015). In 1625, the Danish king, Christian IV, joined the war, leading to the Danish–Lower Saxonian War (1625–1629). This conflict concluded in 1629 with victory for the Emperor, resulting in his control over the northern part of the Holy Roman Empire as well (Kaiser, 2005; Schorn-Schütte, 2009; Rebitsch et al., 2019).

In 1630, Gustavus Adolphus, the King of Sweden, arrived in Pomerania, marking the beginning of the Swedish War (1630–1635). The Swedish king could not accept the Habsburg's sphere of influence, which now extended to the Baltic Sea (Kaiser, 2005; Rebitsch et al., 2019). Initially, the Swedes achieved victories, but they faced defeat against the Emperor's troops in 1634. Taking advantage of the situation, the Emperor utilized a blueprint for peace and drafted the Treaty of Prague in 1635, aiming to strengthen his power (Kaiser, 2005; Repgen, 2015).

However, the balance of power underwent another shift in 1635 when France officially entered the war, marking a new continent-wide phase from 1635 to 1648 (Repgen, 2015; Rebitsch et al., 2019). Going against denominational lines, France, a Catholic power with hegemonic ambitions, joined the war in alliance with the Protestant belligerents. Their primary objective was to suppress Habsburg power on their borders and prevent any collaboration between the German and Spanish branches of the Habsburg dynasty. The outcome of the war remained uncertain until France and the revitalized

Swedish forces gained control and defeated Emperor Ferdinand III (Emperor from 1637 to 1657). Faced with impending defeat in the mid-1640s, the emperor initiated peace negotiations (Kaiser, 2005; Münkler, 2017; Rebitsch et al., 2019).

After initial peace negotiations in Cologne and Hamburg, the proceedings moved to Münster and Osnabrück in Westphalia in 1644. This marked the first pan-European peace congress and served as a catalyst for the development of institutionalized international diplomacy. Rather than negotiating directly, leaders sent 109 delegations representing 194 European rulers (Parker, 1997; Brendle, 2010; Repgen, 2015). The negotiations concluded on 24 October 1648, with the signing of the Treaty of Westphalia, which was subsequently ratified in Nuremberg in 1649–1650. It is worth noting that conflicts persisted in certain regions even after the treaty, such as the Franco–Spanish War (1635–1659), which ended in 1659 with the Treaty of the Pyrenees (Kaiser, 2005). However, the peace achieved was not a long-lasting one, as the following century and a half witnessed numerous conflicts and further warfare (Völker-Rasor, 2010). During this period, war was considered a “natural condition between states” (Schorn-Schütte, 2009).

The Treaty of Westphalia played a crucial role in resolving significant religious and territorial issues for several European states. Within the Holy Roman Empire, the treaty functioned as a constitution, redefining the relationship between the Emperor and the Imperial Estates (Brendle, 2010). However, many Imperial Estates, including some Catholic ones, did not accept the Emperor's authority as pre-eminent (Kaiser, 2005). The treaty recognized three Christian denominations: Catholics, Lutherans, and Calvinists (Schorn-Schütte, 2009). A return to the status quo was exemplified by the “normal year” of 1624 (Brendle, 2010; Dürr, 2010). This meant that the ruler's denomination in 1624 determined the denomination that the population should follow going forward. This safeguarded individuals from the ruler's religious conversions in the past or future. However, those who chose a different denomination were required to convert or migrate to other parts of the Empire, Europe, or the New World (Schorn-Schütte, 2009; Völker-Rasor, 2010). As Parker (2013, p. 211) states, “the loss and displacement of people were proportionately greater than in the Second World War, the material and cultural devastation caused were almost as great; and both the catastrophe and its aftermath lasted far longer”.

### 3 Data

#### 3.1 Documentary data

Central Europe is part of a region with a rich collection of documentary evidence related to weather, climate, and their impacts and responses (Brázdil et al., 2005, 2010). It is characterized by a wide variety of documentary sources, which are listed with selected examples below.

### (i) Narrative sources

Narrative sources (annals, chronicles, memoirs, inscriptions) describe, in varying levels of detail, mainly important weather and climatic anomalies and related phenomena that are significant from the point of view of human memory or their impacts on human society. The entire period of the TYW in Europe is covered by *Theatrum Europaeum*, which includes descriptions of damaging thunderstorms, hailstorms, windstorms, optical phenomena, and other occurrences related to the weather. For instance, a report from 1635 describes severe cold conditions as follows (Oraeus, 1644, 414–415).

In this year [1635], such terrible cold began around its onset and persisted that wolves froze [...] which seems unbelievable; similarly, in Bohemia, many soldiers from three regiments froze to death while marching just two miles, with over 50 soldiers dying suddenly due to the frost.

Apart from these general European narrative sources, numerous regional sources exist that cover smaller areas and provide valuable information about the weather. One example is a note found in the diary of Michael Hancke regarding the winter of 1636/1637 in Gdańsk, Poland (for the location of places, refer to Fig. S1 in the Supplement).

This winter was marked by windstorms, snow, and brief, moderate freezes (archival source AS2).

### (ii) Weather diaries

Weather diaries typically consist of qualitative visual observations and descriptions of weather and related phenomena. In Hesse, Germany, Landgraf Hermann IV recorded daily weather observations in Kassel from 1621 to 1640 and in Rotenburg an der Fulda, located approximately 39 km away, from 1641 to 1650. For instance, on 3 May 1639, he made the following note (Lenke, 1960, p. 63/7).

Morning: wet weather, nothing but rain and fog, at the same time warm, east [wind]. Noon: the same. Vespers: big rain, east [wind]. Evening: nothing but rain during entire night, east [wind].

Using Hermann's records, Lenke (1960) calculated monthly frequencies of days with different characteristics of temperature, precipitation, wind patterns, and meteorological phenomena, including their occurrence dates. In Fischingen, located in northeastern Switzerland and situated at an altitude of 625 m a.s.l. (above sea level) near the Hörnli, a pre-Alpine peak reaching 1100 m, Placidus Brunschwiler, the abbot of the monastery, regularly included daily to seasonal weather observations in the monastery's diary between 1616 and 1654 (AS14). For example, on 27 April 1631, he noted that "Fresh snow fell". Brunschwiler's observations provide

unique information on temperature and precipitation patterns in a mountainous area throughout the entire period of the TYW. In the Jesuit diary of Trnava, Slovakia, György Dobronoki published detailed weather observations for 1636–1637 (weather-related data published in Réthly, 1962). For instance, on 26 January 1636, the weather was so mild that people worked outside the entire day in their shirts without overcoats.

### (iii) Letters

Letters, whether of an official or private nature, can provide valuable information about weather and related phenomena. For instance, the noblewoman Zuzana Černínová wrote to her husband on 26 September 1642 from Radenín in Bohemia, mentioning the "very cold nights and big frosts" during sheep shearing (Dvorský, 1886, p. 51). Another example is a letter from Count Miklós Esterházy to his wife in 1630, where he reported the severe weather around Trenčín in Slovakia on 22–23 December. He expressed relief at being without his family during that time, as he would not have known "how to protect the little children from the cold" (Merényi, 1900, p. 53).

### (iv) Weather compilations

Several authors have compiled information on past weather and related phenomena from various sources and published them as weather compilations. Central Europe, for example, is covered by several volumes, such as Weikinn (1961) for Europe, Réthly (1962) for the Kingdom of Hungary (Hungary, Slovakia, Transylvania), and Girguš (2022) for Poland (though he relies on data from Weikinn, 1961, for the TYW). Additionally, Militzer (1998) prepared a collection of weather and environmental data for Germany from 1500 to 1800. When using data from such compilations for research purposes, it is essential to critically evaluate them to avoid potential errors, such as misdating or duplication of phenomena (Bell and Ogilvie, 1978).

### (v) Electronic databases

Several research groups have developed electronic databases that contain documentary data on weather and related phenomena, with a significant amount of data covering central Europe. One such database is German Tambora (Tambora, 2023), as described by Riemann et al. (2015). Another database, Euro-Climhist (Euro-Climhist, 2023), provides convenient access to hundreds of weather observations, mostly focused on Switzerland (Pfister et al., 2017). A lesser-known database is the Polish database titled "Klęski elementarne" (Polskie Towarzystwo Historyczne, 2016).

### 3.2 Climatic reconstructions

The analysis of climatic patterns in central Europe during the period of 1618–1648 relies on the following quantitative climatic reconstructions.

- i. Annual and seasonal temperature reconstruction for central Europe (Dobrovolný et al., 2010) based on temperature indices derived from documentary evidence for the Czech Lands, Germany, and Switzerland (1501–1854 CE) and measured temperature series from 11 climatological stations in Austria, the Czech Republic, Germany, and Switzerland (1760–2007 CE).
- ii. Gridded ( $0.5^\circ \times 0.5^\circ$ ) mean seasonal temperatures (Luterbacher et al., 2004; Xoplaki et al., 2005) for the European land ( $25^\circ \text{W}$ – $40^\circ \text{E}$ ;  $35^\circ$ – $70^\circ \text{N}$ ), derived from temperature-sensitive natural proxies and documentary data (1500–1900 CE), along with instrumental measurements (1901–2002) from Mitchell and Jones (2005).
- iii. Series of seasonal and annual precipitation totals for the Czech Lands (Dobrovolný et al., 2015) (1501–2010 CE) derived from documentary-based precipitation indices (1501–1854) and mean areal precipitation totals for the recent Czech Republic (1804–2010 CE). Documentary-based precipitation indices on a seven-point monthly scale are also available for Germany (<https://www.tambora.org>, last access: 4 May 2023) and Switzerland (<https://www.euroclimhist.unibe.ch/>, last access: 11 April 2023).
- iv. Gridded ( $0.5^\circ \times 0.5^\circ$ ) mean seasonal precipitation totals (Pauling et al., 2006) for the European land ( $30^\circ \text{W}$ – $40^\circ \text{E}$ ;  $30^\circ$ – $71^\circ \text{N}$ ) based on long instrumental precipitation series, documentary-based precipitation indices, and natural proxies (1500–1900), combined with a gridded reanalysis (1901–2000) from Mitchell and Jones (2005). Despite the fact that this precipitation dataset uses a limited set of input proxy data (see Fig. 1 in Pauling et al., 2006), especially for the early 17th century, as well as rather out-of-date climate model for the gridded reconstruction (Ljungqvist et al., 2022), it is the only available spatial precipitation reconstruction with a seasonal resolution.
- v. Seasonal and annual self-calibrating Palmer Drought Severity Index (scPDSI; Palmer, 1965) for the Czech Lands (1501–2015 CE) (Brázdil et al., 2016), derived from central European temperature and Czech precipitation reconstructions (Dobrovolný et al., 2010, 2015).
- vi. Gridded ( $0.5^\circ \times 0.5^\circ$ ) summer scPDSI from The Old World Drought Atlas (OWDA) based on tree ring widths (0–2012 CE) (Cook et al., 2015).

### 3.3 Other data

In order to present climatic patterns of 1618–1648 in relation to external natural forcings, the following two series were used:

- i. reconstructed annual values of total solar irradiance (Lean, 2018),
- ii. volcano forcing reconstruction expressed by stratospheric volcanic aerosol optical depth (SAOD) in the  $30^\circ$ – $90^\circ \text{N}$  latitudinal band (Toohey and Sigl, 2017).

To characterize the reflection of grain harvest and the related political and socio-economic situation in the availability of food, the following series of grain prices were used:

- i. wheat prices of Braunschweig and rye prices of Augsburg, Cologne, Nuremberg, Würzburg (all in Germany), and Gdańsk from Esper et al. (2017);
- ii. wheat prices of Dačice (Czech Lands) from Brázdil and Durd'áková (2000).


## 4 Methods

Fluctuations in climatic patterns during the period of 1618–1648 are expressed as anomalies or percentages relative to the 1961–1990 reference period. This reference period was chosen over the more recent climatic normal of 1991–2020, which has already been significantly influenced by global warming, resulting in notable changes not only in temperatures but also in other climatic variables (see Brázdil et al., 2022). Additionally, some of the European reconstructions used in the analysis extend back to earlier periods than 2020 (see Sect. 3.2).

To account for the considerable inter-annual variability in the climatic variables studied, year-to-year fluctuations are complemented with a low-pass Gaussian filter that highlights decadal variability. The same type of smoothing, using various time windows, is applied to emphasize long-term trends in external forcings and weather extremes. Climatic patterns are presented for the seasonal (winter DJF, spring MAM, summer JJA, autumn SON) and annual series. The statistical significance ( $p < 0.05$ ) of differences between the TYW climate and the reference period in central Europe is tested using Student's  $t$  test for means and a Fischer  $F$  test for variances (Wilks, 2011).

European gridded temperature, precipitation, and scPDSI reconstructions were used to show their spatial variability over central Europe by creating corresponding maps. For the window delimited by  $4^\circ$ – $25^\circ \text{E}$  and  $45^\circ$ – $56^\circ \text{N}$ , means of all related grids were calculated and together with minimum and maximum grid values they were indicated at the top of such maps.

Grain price time series from seven central European cities were analysed with respect to significant structural changes.



**Figure 1.** Fluctuations in mean seasonal and annual temperatures in central Europe during 1618–1648 expressed as anomalies with respect to the 1961–1990 reference (further as w.r.t. 1961–1990) and smoothed by a 5-year Gaussian filter (data from Dobrovolný et al., 2010).

They represent parts of the series that differ significantly from each other in the mean value of grain prices. The most probable years of these level changes are subsequently identified as breakpoints. This analysis was performed using the R-package *strucchange* (Zeileis et al., 2002). The method tests the possible occurrence of changes in the slope parameters of the linear regression models, which are gradually fitted to the grain price time series. In the first step, the  $F$  test determines whether the series contains significant changes in the regression models. In the second step, the optimal number of changes (breakpoints) and the date of their occurrence are determined using the Bayesian information criterion (BIC; Bai and Perron, 2003).

## 5 Results

### 5.1 Climatic patterns in 1618–1648

#### 5.1.1 Temperature


Fluctuations in the mean seasonal and annual temperature series of central Europe during the period of 1618–1648 (Fig. 1) exhibit significant inter-annual variability, with predominantly negative anomalies compared to the 1961–1990 reference period. The coldest extremes occurred in the 1620s, specifically in the years 1621 and 1628 for JJA, 1627 for MAM, and 1627 for the annual series. The coldest extreme in DJF occurred in 1635, and in SON it was in 1640. On the

other hand, the warmest extremes were detected in 1625 for DJF, 1629 for the annual series, 1638 for MAM, 1645 for JJA, and 1647 for SON. Above-mean temperatures typically occurred in short intervals of 1–3 years, except for MAM from 1645 to 1648, the annual series from 1644 to 1647, and JJA from 1642 to 1646. Below-mean temperatures, on the other hand, persisted for longer durations, particularly in DJF (1618–1624 and 1634–1642) and SON (1632–1643).

According to the gridded European seasonal temperatures by Luterbacher et al. (2004) and Xoplaki et al. (2005), central Europe as a whole experienced significantly cooler patterns ( $p < 0.05$ ) than the 1961–1990 reference period in all seasons except JJA (Fig. 2). In DJF, the coldest area extended from eastern Germany towards the east and south, excluding the southeastern part of central Europe. In MAM and SON, the coldest area formed a broad belt stretching from the Baltic Sea southwards across the central part of central Europe, with an additional cold core over Switzerland in SON. In contrast, warmer patterns were observed in JJA, particularly in the southeastern part of central Europe.

#### 5.1.2 Precipitation

Fluctuations in mean seasonal and annual precipitation totals over the Czech Lands during the 1618–1648 period (Fig. 3a) exhibit a high degree of inter-annual variability, characterized by sharp and short-lived increases and decreases. Notably, lower annual precipitation totals were observed from



**Figure 2.** Spatial distribution of mean seasonal temperatures in central Europe during 1618–1648, expressed as anomalies w.r.t. 1961–1990 (data from Luterbacher et al., 2004; Xoplaki et al., 2005). The numbers at the top indicate mean (minimum, maximum) temperatures (°C) w.r.t. 1961–1990.

1630 to 1634, with corresponding below-mean totals in DJF from 1631 to 1633, MAM from 1631 to 1634, and JJA and SON in 1630–1631 and 1634. However, below-mean totals persisted for longer durations. Above-mean totals were typically limited to 1–3 years, although longer episodes with values close to or slightly below the mean were observed from 1624 to 1630 for DJF, 1636 to 1641 for JJA, and from 1644 to 1648 for SON. Similar fluctuations, as seen in the Czech series, can be observed in the documentary-based seasonal and annual precipitation indices for Germany (Fig. 3b). The series of Swiss precipitation indices (Fig. 3c), which have many missing or incomplete data, show less agreement with both the Czech and German series. This discrepancy may be attributed to problems with the documentary data (missing monthly indices) and the different precipitation variability observed across various parts of central Europe, as well as in potential subjective generation of precipitation indices (see, e.g. Adamson et al., 2022).


According to gridded European seasonal precipitation totals by Pauling et al. (2006), central Europe experienced lower precipitation totals during the period of 1618–1648 compared to the reference period of 1961–1990 in DJF and SON, with localized areas of both higher and lower percentages (Fig. 4). In MAM, the most pronounced precipitation

decreases were observed in the northwestern and western parts of the region and in the greater part of Poland, while above-mean percentages were notable in a large area extending from eastern Switzerland to the northeast and east. In JJA, above-mean percentages were observed in a greater part of central Europe, with the highest values in eastern Austria and western Hungary. Below-mean values occurred in several smaller regions. Central European JJA totals during the TYW were significantly higher ( $p < 0.05$ ) compared to the 1961–1990 reference period.

### 5.1.3 Droughts

Drought patterns, represented by scPDSI in the Czech Lands (Fig. 5), demonstrate a notable and persistent dry anomaly in the 1630s, with the driest year recorded in 1632. This year is closely followed by the years 1631 and 1633. In contrast, wetter patterns (positive anomalies of scPDSI) were limited to shorter durations of 1–3 years. It is worth noting that scPDSI retains a “drought memory”, meaning that drier and wetter episodes tend to be relatively consistent within individual seasons.

The spatial distribution of summer scPDSI, based on tree rings (Cook et al., 2015), reveals complex patterns with a



**Figure 3.** Precipitation fluctuations in central Europe during 1618–1648. **(a)** Anomalies in mean seasonal and annual precipitation totals in the Czech Lands w.r.t. 1961–1990 (data from Dobrovolný et al., 2015). **(b)** Documentary-based seasonal and annual precipitation indices for Germany (data from <https://www.tambora.org>, last access: 4 May 2023). Panel **(c)** is the same as panel **(b)** but for Switzerland (data from <https://www.euroclimhist.unibe.ch/>, last access: 11 April 2023). Points declare the number of missing months in calculation of seasonal or annual indices. Smoothed by a 5-year Gaussian filter.

prevalence of drier areas (Fig. 6). The driest area extends from northwestern Germany to Bohemia, with intermittent wetter areas in a belt stretching from northeastern Germany to western Poland, the eastern parts of the Czech Lands, eastern Austria, and the western parts of Slovakia and Hungary (which partly aligns with the JJA precipitation totals in Fig. 4). The dry pattern continues in central and southeastern Poland. Additionally, a wet spot is observed in west-central Germany and in northeastern Poland.


#### 5.1.4 Long-term context and external forcings

To summarize the climate characteristics of the 1618–1648 period compared to the 1961–1990 reference, box plots were created to show the seasonal and annual temperatures, precipitation, and scPDSI for both periods (Fig. 7). The results indicate that the TYW temperatures were significantly colder ( $p < 0.05$ ) for DJF, SON, and annual values. However, there were no significant differences in mean precipita-

tion and drought values between the TYW and the reference period according to the  $t$  test. The  $F$  test revealed that the variances in JJA temperatures and MAM precipitation totals were significantly larger during the TYW. The scPDSI variability in all TYW seasons was also statistically significantly greater ( $p < 0.05$ ) compared to the reference period, which is likely related to the reconstruction method used (Brázdil et al., 2016).

In order to characterize the natural external forcings that contributed to the described climatic patterns, their fluctuations are depicted in Fig. 8. Regarding solar activity (Fig. 8a), there was a decreasing trend in annual total solar irradiance from the highest values at the beginning of the 17th century to the lowest values in the second part (Maunder Minimum, 1645–1715). Specifically, for the 1618–1648 period, the lower values observed until the early 1630s were replaced by a local maximum around 1640, followed by a steep decline. As for stratospheric aerosol optical depth (Fig. 8b), a clear volcanic signal emerged in the early 1640s, at-





**Figure 4.** Spatial distribution of mean seasonal precipitation totals in central Europe during 1618–1648 expressed as percentages w.r.t. 1961–1990 (data from Pauling et al., 2006). The numbers at the top indicate mean (minimum, maximum) precipitation totals in percentages w.r.t. 1961–1990.


tributed to the eruptions of Koma-ga-take (Hokkaido, Japan, 31 July–9 October 1640, volcanic explosivity index, VEI of 5) and Mount Parker (Philippines, around 26 December 1640–4 January 1641, VEI of 5) (Global Volcanism Program, 2013). When considering the entire 17th century, a slightly stronger volcanic signal besides the 1640s was found at the beginning of the 1600s and in the mid-1690s.

## 5.2 Weather and climatic extremes


Seasonal and annual numbers of frost, hot, and precipitation days, along with the dates of earliest and latest frosts and snowfalls, were derived from daily observations recorded by Landgraf Hermann IV in Kassel and Rotenburg an der Fulda for 1621–1648 (Lenke, 1960). These data were used to show fluctuations in weather and climatic extremes (Figs. S2 and 9). As is characteristic for analysis of qualitative daily weather observations (e.g. Pfister et al., 1999; Brázdil et al., 2003, 2019; Domínguez-Castro et al., 2015; Harvey-Fishenden and Macdonald, 2021), Lenke (1960) calculated corresponding numbers of days according to weather phenomena observed and reported by Hermann IV as follows: frost day – any occurrence of frost during the day; persistent frost day – frost continuing the whole day; hot (very hot)

day – any occurrence of heats during the day; and precipitation day – the occurrence of rain, rain with snow, snowfall, or hail/sleet during the day. The highest annual number of frost days he recorded was in 1644 (102 d), followed by 1623 (87 d), and the lowest one was in 1630 (40 d) followed by 1642 (43 d). The year 1644 also had the highest number of 49 hot days (followed by 44 in 1630) compared to only 5 hot days in 1636 and 12 such days in the preceding year 1635. The highest number of 18 very hot days was recorded in 1638. The annual number of precipitation days fluctuated between 206 in 1648 and 123 in dry years 1631 and 1632. The latest MAM frosts occurred between 9 March 1630 and 28 May 1626 and 1639, and the earliest SON frosts occurred between 9 September 1630 and 2 December 1633. For the case of the latest MAM snowfall, corresponding dates were between 19 March 1629 and 27 May 1639, and for the earliest snowfall corresponding dates were between 25 September 1643 and 22 December 1637.

For the description of weather and climatic extremes and their adverse impacts on people and society in central Europe during the years 1618–1648, there is extensive documentary evidence available (e.g. Glaser, 2008, for Germany). Due to the vast amount of reports, only a selection of them has been included in Sects. 5.3 or S1 in the Supplement. Ta-



**Figure 5.** Fluctuations in mean seasonal and annual scPDSI in the Czech Lands during 1618–1648 expressed as anomalies w.r.t. 1961–1990. Smoothed by a 5-year Gaussian filter (data from Brázdil et al., 2016).



**Figure 6.** Spatial distribution of summer scPDSI in central Europe during 1618–1648 expressed as anomalies w.r.t. 1961–1990 (data from Cook et al., 2015). The numbers at the top indicate mean (minimum, maximum) scPDSI values w.r.t. 1961–1990.


ble 1 provides a summary of selected extremes and their effects on different countries or regions based on detailed descriptions from each year. Several clusters of extreme events are notable, including late winter conditions continuing until March in 1619–1624, late frosts and snowfalls occurring during April–June in 1624–1629 and 1640–1645, floods dur-

ing the summer half-year in 1618–1622, long dry spells during MAM and JJA in 1634–1638, long wet spells during MAM and JJA in 1625–1628, and early frosts and snowfalls in September–October in 1638–1644. The absence of certain regions in this overview may indicate either a lack of extreme events or the absence of documentary sources reporting such events.


### 5.3 The years 1621, 1627, and 1628: 3 years without summer?

The central European temperature series identifies (besides 1618) the years 1621, 1627, and 1628 as the three coldest summers (Fig. 1). These years, which are considered potential “years without summer”, are further analysed below.

In 1621, central Europe experienced very cold weather with frozen wells and rivers in January and February in Moravia (AS5). Jakob Zetl reported great colds around 2 February with the frozen Enns River in Steyr, Austria (Klemm, 1983). The Untersee, a shallow part of Lake Constance, was covered in ice in January (AS8). Severe frosts in February in Silesia and Saxony resulted in frozen rivers, pipes, and wells in cities and villages, leading to disrupted mill operations and causing hunger (AS10; Roch, 1687; Simon, 1696). In Saxony, frosts at the end of the month destroyed most of the sown grain, leading to an increase in prices (Mörbitz, 1726). In the north of Poland, the cold and long winter lasted until the beginning of April (Czapliński,




**Figure 7.** Comparison of box plots (median, upper and lower quartile, maximum, and minimum) for mean seasonal and annual central European temperatures (data from Dobrovolný et al., 2010), Czech precipitation totals (data from Dobrovolný et al., 2015), and scPDSI (data from Brázdil et al., 2016) for the 1618–1648 and 1961–1990 periods. All values are anomalies w.r.t. 1961–1990.



**Figure 8.** Fluctuations in (a) total solar irradiance TSI ( $\text{W m}^{-2}$ ; data from Lean, 2018) and (b) stratospheric volcanic aerosol optical depth SAOD (data from Toohy and Sigl, 2017) in 1601–1699 CE. Smoothed by a 15-year Gaussian filter. The grey band corresponds to 1618–1648.

2004). Frosts on 22 and 24 May in Bohemia caused damage to vineyards (AS11). Switzerland experienced cold rains in June; July and August had strong winds reminiscent of autumn months (AS14). In July, snow and strong frost were observed during the hay harvest on the Jura Mountains, as, according to Chaillet (1845), “you almost needed the sledge”. Many floods were reported in July and August in the Kingdom of Hungary, with one near Stará Lesná (now Slovakia) even washing dead bodies out of their graves (Wagner, 1774). Poland experienced many rainy days during JJA (Zernecke, 1727) with the Oder flood in August (Weikinn,

1961). Cold and wet patterns during JJA in central Europe are evident through negative temperature anomalies and above-mean precipitation compared to the 1961–1990 reference period (Fig. 10). The coldest areas were primarily located in the western half of central Europe, while the wettest regions formed a belt along the Germany–Poland border and a cluster encompassing the southern Czech Lands, eastern Austria, Slovakia, and Hungary. The Retz region experienced a poor summer with a smaller yield of sour wine (Lauscher, 1985). Following the first snowfall on 2 November, the weather in Louny in Bohemia (AS11) remained very cold until the end



**Figure 9.** Fluctuations in annual numbers of days with frost (frost, persistent frost), hot weather (hot, very hot), and precipitation (snow, mixed – snow and rain, rain). Days and dates of the latest and earliest occurrences of frost and snowfall in Kassel and Rotenburg an der Fulda in the 1621–1648 period are based on daily observations by Landgraf Hermann IV from Hesse (data from Lenke, 1960). Smoothed by a 5-year Gaussian filter. Corresponding means for 1621–1648 are indicated as horizontal lines.

of the year (Čelakovský, 1875), similar to reports of frosts in Poland during SON (Weikinn, 1961; Czapliński, 2004). Various sources in the Czech Lands also mentioned scarcity or death during this year (e.g. AS11).

In the year 1627, MAM was exceptionally cold. Landgraf Hermann IV recorded 27 frost days in MAM in Kassel, including 11 frost days and 8 snowfall days in April (Lenke, 1960). Levoča in Slovakia also reported significant amounts of snow (Bal et al., 1910). Switzerland experienced a permanent snow cover in March and April, with frequent snowfalls in May and even some in June at altitudes of 600 m a.s.l. (AS14). In the Ore Mountains (Czech–German border), snow and frost occurred around 4 April and again around 22 June (Lehmann, 1747). Prague and Bohemia saw knee-deep snow on 29 April, which did not last long (Lisa, 2014). A flood on the Ohře River occurred on 9 June following heavy rain. Frost with snow in Louny occurred on 21–22 and 24 June, with the cold being described as “on glove” (AS11). The JJA season in Austrian Retz was characterized by miserable weather and frequent rains (Lauscher, 1985). In Hungarian Sopron, it rained almost every day from late JJA onwards, resulting in two major floods and causing much of the harvest to rot and very sour wine (Heimler, 1942). Cold and wet patterns during JJA in central Europe are confirmed by generally negative temperature anomalies and above-mean precipitation percentages compared to the 1961–1990

reference period (Fig. 10). The northern half of Germany experienced particularly cold conditions, while the wettest area extended in a belt from Switzerland in a northeastern direction towards the Baltic Sea and also in an eastern direction. September in Switzerland was cold and wet (AS14), causing grape harvesting to be delayed until 5 November (Wetter and Pfister, 2013). In Austria and the Czech Lands, the delay in grape harvesting was somewhat less pronounced (Maurer et al., 2009; Možný et al., 2016), while in Retz, no wine (“Weinfehljahr”) was reported (Lauscher, 1985). The Württemberg region in southern Germany experienced multiple river floods between 21 November and 2 January 1628 (Ginschopff, 1631). The entire year of 1627 in Bohemia was characterized as cold and rainy, with average grain production and sour wine, unlike anything seen in the past 30 years (AS11).


In 1628, Prague experienced a significant amount of snow on 24 January, which melted suddenly after 5 weeks (Menčík, 1897; Lisa, 2014). May witnessed an over-reproduction of cockchafers, causing damage to fruit trees in Bohemia (AS11; Lisa, 2014). Between 1 and 8 June, it was very cold and windy, described as “on cap and glove” (AS11). Floods occurred on the Elbe River on 10–11 and 22 July following prolonged rains (AS6). Continuous rain caused grain to rot in certain areas (Lisa, 2014), as well as in Levoča (Bal et al., 1910) and Sopron (Heimler, 1942). Poland

**Table 1.** Spatiotemporal summary of the occurrence of weather and climatic extremes in central Europe during the 1618–1648 period according to Sects. S1 and 5.3. Extremes are denoted as follows: LW – late winter, WF – winter half-year flood (October–March), LFS – late frost and snowfall (April–June), SF – summer half-year flood (April–September), DRY – drought (MAM, JJA), WET – wet (MAM, JJA), EFS – early frost and snowfall (September–October). Countries and regions are abbreviated as follows: A – Austria, CH – Switzerland, CZ – Czech Lands, D – Germany, HU – Hungary, PL – Poland, SK – Slovakia, Tr – Transylvania.

Year	LW	WF	LFS	SF	DRY	WET	EFS
1618				CZ/D/Tr			
1619	CZ	CZ	CZ/D/HU	CZ			
1620	CZ		CZ	CZ/SK		A/CZ	CZ
1621	PL		CZ	PL/SK		PL	
1622	D	A		CZ/D/PL		CZ/D/PL	
1623	D	A			CH/CZ	A/D	
1624	CZ/D		PL		CH/CZ/D		
1625			CZ/D/Tr	CZ		A	A/CZ/D
1626			A/CZ/D			A/D/PL	
1627	CH/D	D	CH/CZ/D/SK	CZ/HU		A	
1628			CZ	CZ/PL		A/CH/CZ/HU/PL/SK	CZ
1629		CZ/D	HU/SK	PL			
1630	PL	HU			CZ/D		CZ/D
1631		Tr			CZ/D/HU/Tr		
1632			CZ/D/HU/SK			A	A
1633			CZ/HU/PL/Tr				
1634					CZ/D		
1635	D		D/Tr		D/SK		
1636		HU/Tr			D/CH/SK/Tr		D
1637	D/PL/SK	D/SK	CZ/D		CZ/PL/SK/Tr		
1638			CZ/D	D	CZ/D/SK/Tr		CZ/D
1639				CZ/Tr		A/CH/CZ/D/Tr	A
1640			CZ	CZ/SK		D	A/CZ/HU/PL
1641			CZ/PL			A	A/CZ/D/Tr
1642	CZ	CZ	A/CZ/D/HU/SK	SK	D		CZ/D
1643			A/CZ/D/PL/SK/Tr	D			A/CZ/D/SK
1644	D		CZ/D/HU	D	PL		CZ
1645	CZ		CZ		CH/HU		
1646					A		CZ
1647	PL		CZ	HU/PL/Tr		D	CZ
1648	PL	CZ/HU		PL		D	CZ

also experienced a very wet JJA with numerous rains and floods, particularly in central and northeastern parts and Silesia (Zernecke, 1711; Weikinn, 1961). Switzerland witnessed cold and wet conditions from May to early August (AS14). Herdsmen reported 23 snowfalls below 2000 m a.s.l. during the use of alpine pastures between late June and early August (Bärtschi, 1916). The Swabian Mountains (around 1000 m a.s.l.) were covered by a deep layer of fresh snow three times in July (Militzer, 1998). The Württemberg region experienced wet and cold nights with strong winds in July, which affected the harvest (Ginschopff, 1631). Several rivers, including the Neman and Vistula, flooded in West and East Prussia (Bock, 1782). Retz reported cold and wet conditions during JJA (Lauscher, 1985). Processions for sunshine and warmth were even held in Swiss Canton of Valais, reflecting the dissatisfaction with the lack of sun and warmth (Bérody, 1889). A chronicler lamented the sun's loss of its

usual heat. Moreover, grain cultivated at higher elevations did not mature and there was no fruit (Chaillet, 1845). Famine was reported in several areas due to frequent rainfall during the grain harvest, leading to sprouting (AS9; Chaillet, 1845). Negative temperature anomalies compared to the 1961–1990 reference characterized JJA 1628 in central Europe, with the northern half of Germany experiencing the coldest conditions. The highest above-mean precipitation were concentrated particularly in eastern Austria, the southern Czech Lands, Slovakia, and Hungary (Fig. 10). Grapes on the Swiss Plateau were picked on 15 November, which was even later than in 1816 (Wetter and Pfister, 2013). Similarly, there was some delay in French Beaune (Labbé et al., 2019) and in Bohemia (Možný et al., 2016), where vine grapes did not mature after frost on 19–21 September, resulting in sour wine (AS11; AS15; Mörbitz, 1726). In the Vienna region, the vintage started at its latest during the entire TYW, and the wine



**Figure 10.** Spatial distribution of mean temperatures (a) and mean precipitation totals (b) in central Europe during the summers of 1621, 1627, and 1628 expressed as anomalies (temperatures) and percentage (precipitation) w.r.t. 1961–1990 (data from Luterbacher et al., 2004; Pauling et al., 2006). The numbers at the top indicate mean temperature anomalies ( $^{\circ}\text{C}$ ) and precipitation percentages (%) w.r.t. 1961–1990.

in the Retz region was of very poor quality (“Stöbelwein”) due to the very late harvest with unripe grapes, which had not been seen in 100 years (Lauscher, 1985). In Hungary, the grape harvest in 1628 was not particularly bad in terms of quantity, but it produced some of the worst-quality wines of the entire Little Ice Age (Rácz, 2020). Due to a small harvest of hops in Bohemia, their sale to foreigners was permitted. Mild weather prevailed there from 24 November to 5 January 1629 (AS11), as confirmed by only 7 frost days in December in Kassel (Lenke, 1960), reports of mild November–December from other German sources (Simon, 1696; Miltzer, 1998), a very mild December in Slavonia (Deák, 1867), and a very mild DJF in Poland (Zernecke, 1711).

## 5.4 Impacts and responses

### 5.4.1 Weather extremes, war events, and population

The TYW left a trail of destruction in the lands of the Holy Roman Empire. Throughout the war, increased taxation put pressure on the economy (Ogilvie, 1997). None of the belligerents, except for the Dutch Republic, had enough cash and supplies to adequately support their troops. This was seen as a major factor in the undisciplined and cruel actions of many soldiers, particularly in areas where they passed through or camped (Asch, 1997). These actions took many forms: looting, burning down villages or cities, rape, mutilation, torture, and murder. The obligation to house troops,

which fell upon the townspeople wherever the soldiers happened to be, furthermore led to the draining of local resources, scarcity of grain and food, hunger, poverty, the risk of diseases spreading, and general hardship for all involved. The war also contributed to the loss of able-bodied young males, which resulted in a reduced capacity to farm. Moreover, the destruction of dwellings and tools and the loss of cattle need to be mentioned (Asch, 1997; Wilson, 2009; Münkler, 2017; Stoffel et al., 2022). The chronicler Hans Kriesche from Česká Lípa in Bohemia aptly expressed the misery of wartime (Panáček, 2016, p. 282, 284):

Now I would like to close the old, bad, miserable, and sad year of 1620, in which there was nothing but unrest, war, murder, robbery, fire, hunger, and lack of water – a year that has never been forgotten in the history of the Czech Crown [...]

Apart from the hardships of war, people also suffered from various weather extremes. For example, severe frosts affected both civilians and soldiers. In February 1624, many people froze to death in a forest at Hranice, Moravia, where they were hiding from Polish troops (Indra, 1940). Deadly losses to troops were reported around 22 December 1626, during the soldiers' return from Hungary to Moravia (AS3), as well as on 24 December during a campaign from Moravia to Silesia (Fialová, 1967). Many frozen soldiers were reported in Bohemia in 1635 (Oraeus, 1644). On the other hand, frosts could aid in aggressive actions. For instance, on 14 February 1621, around 2000 Hungarians crossed the frozen Morava River at Brodské and looted the settlements of Podivín and Stará Břeclav (Zemek, 1968). This aligns with an earlier report by Gábor Bethlen that 2000 horses crossed the frozen Morava River (Moravia) in February 1621 (Szilágyi, 1879). Moreover, during the severe winters from 1644 to 1646 in the Ore Mountains, wolves were heard howling from hunger and killed dogs and cattle to survive (Lehmann, 1747).


People on the German North Sea coast were particularly affected by storm surges. Three storm surges took place from late January to March 1625, and on 20 February the German Baltic coast was also impacted. Three more storm surges occurred there in May and from September to December 1628 (Happel, 1690; Petersen and Rohde, 1977). A very strong storm surge on 10–11 October 1634, known as the “Burchardi flood” or the second “Grote Mandränke”, affected the North Sea coast between northern Frisia and Dithmarschen. It overran several dykes and washed much of the island of Strand away, drowning more than 9000 people (Petersen and Rohde, 1977; Jakubowski-Tiessen, 2003; Allemeyer, 2009). On 24 February 1648, a storm surge damaged churches and buildings and toppled approximately 12000 trees in Holstein, Hamburg, and Pinneberg (Schleder, 1663; Happel, 1690; Petersen and Rohde, 1977). This storm also had an impact on Saxony and Brandenburg (Moller, 1653; Vogeln, 1714; Bekmann, 1751).

Problems in everyday life were also connected to the occurrence of dry or wet periods in MAM and JJA. The lack of water caused difficulties not only for grain, but also for vegetables and fruit trees, and it often disrupted or halted the operation of water mills. For instance, during the JJA of 1642, Leipzig in Saxony experienced a 7-week period without rain, and the dry weather persisted until November. This resulted in water scarcity, issues with operating water mills, and a poor fruit harvest (Weck, 1679; Vogeln, 1714). In 1631, a drought in Thuringia and Saxony caused wells and creeks to dry up, and forest fires broke out (AS7; Dreyhaupt, 1749). Water mills in Saxony were unable to function, leading to a shortage of flour. The drought also exacerbated food and fodder shortages (Abel, 1732; Mörbitz, 1726; Militzer, 1998). Conversely, periods of heavy rainfall contributed to the occurrence of floods and complicated field work, particularly during harvest seasons.

#### 5.4.2 Crop yields and prices

The yields of agricultural crops, especially grain, were significantly influenced by weather conditions throughout their growth stages, including sowing, growth, maturity, and harvest. The available documentary evidence from central Europe provides valuable information regarding the impact of weather patterns on grain production. These weather patterns affected both the timing and the yields of grain harvests. During the TYW, the harvest dates of winter wheat in the Czech Lands were slightly delayed compared to the 1961–1990 reference period (Fig. 11a). On the other hand, the harvest dates of winter rye in Switzerland showed more variable cyclic fluctuations with the statistically significant downward trend ( $p < 0.05$ ), indicating earlier harvest beginnings. This trend coincided with slightly increasing temperatures during the MAM and JJA seasons (cf. Fig. 1). However, there was some deviation in the early 1620s, disrupting the overall similarity between the two grain series.

Failures or poor harvests of grain were mainly associated with episodes of drought during the MAM and JJA seasons. For example, Pavel Mikšovic reported a severe drought and hot weather in Louny before 29 June 1631, resulting in dried-up brooks and wells, inoperable water mills, and frequent wood fires (AS11). These dry conditions led to a bad harvest, particularly for spring grain, and caused dry grasslands, followed by shortages of fodder (AS12). Problems with grain also arose during prolonged periods of rain in the JJA season. In 1639, frequent rain spells during the JJA season in the Czech Lands resulted in high yields of wheat and barley but poor-quality grain (Dvorský, 1886; Teplý, 1928). The wet JJA is confirmed by the recording of 61 precipitation days by Hermann IV in Kassel (Fig. S2c). In northeastern Switzerland, there was mostly rainfall accompanied by cold winds from late May to 17 August, leading to delayed and wet hay and grain harvests (AS14).




**Figure 11.** (a) Anomalies in dates of winter wheat harvest in the Czech Lands (data from Možný et al., 2012) and winter rye harvest in Switzerland (data from Wetter and Pfister, 2011) and (b) in dates of grape harvest in the Czech Lands (data from Možný et al., 2016), Vienna (data from Lauscher, 1985) and Switzerland (data from Wetter and Pfister, 2013) in the 1618–1648 period (reference periods: 1961–1990, for winter rye in Switzerland and grapes in Vienna 1618–1648). Smoothed by a 5-year Gaussian filter.

Documentary sources indicate that the overpopulation of mice was a significant problem that caused damage to grain crops during the TYW. Mice infestations affected various regions, including the Czech Lands, Silesia, and Brandenburg. In the Czech Lands, mice infestations were reported in 1622 (Fialová, 1967), 1623 (AS4; Fišer, 1931), and 1629 (AS1; Lisa, 2014), leading to damage to grain crops. In Silesia, a mice infestation occurred in 1624 (Militzer, 1998). The reports of mice infestations in Bohemia in 1637 (AS12) heralded their occurrence in central Europe for the following 4 years. In 1638, mice were reported to have fed off the seeds in fields and caused destruction in barns in Bad Belzig, Brandenburg (Eilers, 1741). The Mulde River flooding in Saxony in the same year led to the killing of many mice, which were previously a plague (Simon, 1696). The damage caused by mice feeding on grain and the passing of Swedish troops resulted in a significant increase in grain prices in Saxony, Thuringia, and Saxony-Anhalt in 1639 (Simon, 1696; Mörbitz, 1726; Dreyhaupt, 1749). In 1640, a shortage of grain and wine was reported as a result of mice consuming a large amount of the crops (AS12; Moller, 1653; Militzer, 1998). Mice also caused damage to sown grains during SON in Bohemia (Šůla, 1998) and Moravia (AS13; Indra and Turek, 1946; Fialová, 1967). The mice population multiplied in fallow fields that could not be cultivated due to a lack of horses

and people (Koch, 1914). In 1641, mice infestations in Silesia led to crop damage, resulting in a poor harvest and price increases (Militzer, 1998).

The success or failure of grain harvests, along with war events and other socio-economic factors, had a direct impact on grain prices and subsequently led to food shortages and high prices. The highest grain prices occurred in the 1630s and 1620s, as indicated by the prices of rye and wheat in selected towns (Table 2, Fig. 12). In the 1630s, the highest prices were recorded in Gdańsk in 1630 and in southern German towns such as Augsburg, Nuremberg, and Würzburg in 1634. Dačice had its highest prices in 1639. Similarly, in the 1620s, Cologne experienced its highest prices in 1626, and Braunschweig experienced its highest prices in 1628. The six series with data for the entire period showed a significant increase in prices shortly after the beginning of the TYW, around 1620 or 1622. Another increase in prices occurred around 1650. The cheapest grain prices in southern German towns were recorded either before or at the beginning of the TYW, while in Gdańsk and Braunschweig the lowest prices were observed in the mid-1650s. When examining detrended series, it can be observed that the prices before the TYW were at the same or a higher level compared to the mean level after that period. Shortly after the outbreak of the TYW, there





**Figure 12.** Fluctuations in the prices of rye and wheat in selected central European towns in 1608–1658 (Dačice 1625–1658) (data from Brázdil and Durd'áková, 2000; Esper et al., 2017). Prices were detrended and expressed as anomalies from the mean of the whole series. The solid red line shows the variation in statistically significant changes (break dates) in the level of each series. The lowest and highest prices are indicated by blue and red dots accordingly.

**Table 2.** Years of the lowest (LP) and highest (HP) grain prices and break dates in rye and wheat prices series of selected central European towns in 1608–1658 (Dačice 1625–1658) (data from Brázdil and Durd'áková, 2000; Esper et al., 2017).

Town	LP	HP	Break date
<b>Rye</b>			
Augsburg	1618	1634	1620, 1627, 1632, 1637, 1645, 1650
Cologne	1647	1626	1612, 1622, 1643, 1648, 1653,
Gdańsk	1655	1630	1622, 1631, 1647, 1652
Nuremberg	1619	1634	1616, 1622, 1631, 1636, 1652
Würzburg	1608	1634	1620, 1626, 1632, 1637, 1642
<b>Wheat</b>			
Braunschweig	1656	1628	1622, 1630, 1635, 1642, 1648, 1653
Dačice	1633	1639	1631, 1635, 1639, 1646, 1650

was a significant increase in grain prices in five of the analysed series.

In addition to grain, droughts also resulted in a shortage of straw and negatively impacted haymaking, which had negative consequences for livestock. In February and March 1637, György Dobronoki recorded a significant lack of hay and straw in Tnava, caused by the particularly dry period in JJA 1636 (Réthly, 1962). Late frosts, often accompanied by snow, occurring from April to June, and early frosts in September to October, could significantly affect the yield of vine grapes. The impact varied, ranging from no wine production to a very good yield. Temperature patterns from June to September also influenced the dates of grape harvest, with consistent fluctuations observed in series from the Czech Lands (mainly Bohemia), the Vienna region, and Switzerland (Fig. 11b). Czech and Swiss series experienced non-significant downward trends, while the variation range of dates increased from north to south. Regarding wine quality, records from Retz indicated very good wine in 4 years, good wine in 11 years, average wine in 3 years, and bad

(sour) wine or no wine in 13 years during the 1618–1648 period (Lauscher, 1985).

## 6 Discussion

### 6.1 Weather and climate

According to Pfister and Wanner (2021), the TYW did not experience over-freezing of Lake Zurich in Switzerland, despite the occurrence of severe DJFs in central Europe, as depicted in Fig. 1. They argue that freezing events of lakes were more frequent during the broader period known as the Little Ice Age, but they were not observed during the TYW. Koslowski and Glaser (1999) developed an ice winter index based on accumulated areal ice volume along the German Baltic coast. They classified the winters of 1620/1621, 1621/1622, 1623/1624, 1626/1627, 1634/1635, and 1645/1646 as having a “very strong” ice winter index, which corresponds to the deeper temperature anomalies observed in central Europe (Fig. 1). However, an “extremely strong” ice winter index was not recorded during the entire TYW period. Severe winters often resulted in a significant number of casualties due to frostbite (Jandot, 2017), as confirmed by more general reports for 1624 (Indra, 1940) and 1626 (Fialová, 1967) in the Czech Lands (Sect. 5.4.1) or other documentary data in Sect. S1. It is worth noting that long periods of extreme cold played a crucial role in warfare, as seen in later campaigns such as Napoleon's and Hitler's campaigns in Russia (e.g. Neumann and Flohn, 1987; Wiuff, 2023), not to mention similar conditions in earlier centuries.

Extreme summer temperature and precipitation patterns of 1621, 1627, and 1628 in central Europe (see Fig. 10) indicate an association with “years without summer”. According to the spatial reconstruction by Luterbacher et al. (2004), the distribution of temperatures in all three cold JJAs was more or less identical (cf. Fig. 10). It was characterized by negative temperature anomalies in the northwest and west of central Europe, while there were positive temperature anomalies in the southeast. In contrast, the distribution of precipitation totals was spatially rather similar in 1621 and 1628 and very different in 1627. Overall, above-mean precipitation prevailed throughout the central European area, indicating that the mentioned years were also significantly wetter compared to the reference climate. Moreover, for the years 1627 and 1628, this was confirmed by high scPDSI values reconstructed for central Europe by Cook et al. (2015). Although the influence of the NAO on JJA temperatures in central Europe is relatively weak, all three cold JJAs were characterized by a positive NAO index, resulting in enhanced zonal circulation (Luterbacher et al., 2001).

The spatial distribution of the lowest JJA temperatures in much of western and central Europe, growing towards the east, correspond to the typical conditions observed in the well-known year 1816 (Luterbacher and Pfister, 2015). When using the JJA central European temperature series

from 1501–2020 CE (Dobrovolný et al., 2010, extended), it is observed that JJA in 1816 was the second coldest, followed by 1621 (sixth coldest), 1628 (seventh coldest), and 1627 (17th coldest). The deepest negative deviations during the 1618–1648 period were experienced in MAM and the year 1627, while the cold conditions in 1627 and 1628 were also well expressed in JJA and SON (cf. Fig. 1). Using a more recent JJA temperature reconstruction by Luterbacher et al. (2016), albeit with less spatial resolution in the analysed region, even greater cold anomalies (approximately 1.6 times larger) are observed compared to the findings by Luterbacher et al. (2004). The core of the cold anomalies is shifted towards southwestern central Europe and further west in this reconstruction.

Písek and Brázdil (2006) highlighted the strong influence of volcanic eruptions in Iceland or Italy on temperatures in central Europe, particularly demonstrated after the Lakagíggar eruption (VEI of 4) in June 1783 (Brázdil et al., 2017; Kleemann, 2022, 2023). The eruption of the Icelandic volcano Katla between 2 and 25 September 1625 (Frímánn, 2011; Global Volcanism Program, 2013) with a VEI of 5 was the closest in time to the years 1627–1628. While documentary sources reported May frosts in 1626 (Sect. S1), only 5 hot days and 49 precipitation days were recorded by Landgraf Hermann IV in Kassel during the following JJA (Fig. S2c), indicating a rather cold season. Similar patterns were recorded in the summer of 1636, with only 4 hot days and 52 precipitation days in Kassel, coinciding with the eruption of Hecla (VEI of 4) that started on 8 May and lasted for about a year (Frímánn, 2011). Additional Icelandic eruptions from the Grímsfjall volcanic system were reported on 29 July 1619, 1629, and around 24 February 1638 (all with a VEI of 2), as well as in 1637–1638 in the vicinity of the Vestmannaeyjar volcanic system (ibid.). The potential effect of the Grímsfjall volcanic system on the very cold JJA of 1621 in central Europe (cf. Fig. 10) is less probable, despite reports of sulfur raining down on 30 May in many places in Germany (Simon, 1696; Militzer, 1998).

The strongly expressed volcanic signal in the early 1640s (cf. Fig. 8b), which was analysed by Stoffel et al. (2022), is also evident in the central European temperature series (Dobrovolný et al., 2010). There were significant negative anomalies in annual and SON temperatures in 1640–1641, and slightly less pronounced negative anomalies in MAM (persisting until 1643) and JJA (cf. Fig. 1). In this context, it is interesting to note the regular occurrence of late April–May frosts in the Czech Lands between 1640 and 1645, which even extended into JJA in 1641–1642 (see Table 1 and Sect. S1 in the Supplement).


The various weather extremes reported for 1618–1648 in Table 1 and Sect. S1 can be compared with the results of other papers. For example, Blöschl et al. (2020) found two flood-rich periods in Europe during the time of the TYW, based on data from 103 flood series spanning from 1500 to 2016 CE. These periods were identified as 1590–1640 for

Iberia and southern France (ranked 6 on a scale from 1 as the weakest to 10 as the strongest period) and 1630–1660 for western Europe, western central Europe, and northern Italy (ranked 7). On the other hand, Glaser et al. (2010) identified 1640–1700 CE as a period of increased flooding for 19 European rivers, with 12 of them located in central Europe. The central European documentary evidence in Table 1 identifies floods occurring in this region in at least 22 years (1618–1623, 1625, 1627–1631, 1636–1640, 1642–1644, and 1647–1648). Regarding significant droughts in the Czech Lands during the 1630s (cf. Fig. 5), these phenomena are confirmed by outstanding drought periods during March 1630–May 1633 and March 1634–April 1635 in Germany (Glaser and Kahle, 2020). This also partially coincides with the 1626–1635 megadrought in the middle Ebro valley in Spain (Cuadrat et al., 2022). This megadrought was characterized by a progressive loss of crop yields, food shortages, and malnutrition of the population, with an extraordinary peak in mortality in 1631.

## 6.2 Human impacts and responses

The time of the TYW is often associated with the so-called General Crisis of the 17th century: “a combination of economic, social, climatic, political, and intellectual changes which made confrontations [...] far more likely” (Parker, 1997, 185–186). Other wars also took place in Europe during this period (Parker, 2013; van Nimwegen, 2014).

During the TYW, some European regions experienced significant population losses, ranging from 10 % to 50 %, and in some cases even exceeding 70 % (Asch, 1997; Kaiser, 2005). Estimating the exact population of the Holy Roman Empire during that time is challenging (Theibault, 1997), but it is believed to have been around 16 to 18 million in approximately 1618, and decreased to 10 to 12 million by around 1650 (Wilson, 2009; Repgen, 2015; Gotthard, 2016). This corresponds to a population decrease of 25 %. Some sources suggest an even higher decrease of 35 % to 40 % (Asch, 1997). Regions such as Mecklenburg, Pomerania, the Palatinate, and parts of Thuringia and Württemberg, which were heavily affected by the war, experienced population losses of over 50 %, and in some places, over 70 %. In contrast, the northwest and southeast regions of the empire were relatively spared from depopulation (Schormann, 1985; Schmidt, 2010). Pfister and Wanner (2021) mentioned a dramatic population decrease in Germany after the TYW, reaching levels similar to those in 1520. They attributed this decline to the combined effects of warfare, cold spells in the late 1620s and early 1640s, and waves of plague and dysentery. In the Czech Lands, depopulation is estimated to have been around 30 %, although the accuracy of this figure is questionable due to unreliable population estimates before the TYW (Maur, 1987; Fialová et al., 1996). However, a significant decrease in population is evident in the region through a substantial decline in building




**Figure 13.** A simplified scheme of four main external determinants affecting population size in a largely self-sufficient, organic economy. The plus symbol “+” indicates an enhancement of relationship, and the minus symbol “-” indicates its weakening (© Pfister and Wanner, 2021, p. 251).

activity, which dropped by more than 30 % during the TYW compared to the previous 30 years (Kolář et al., 2022).

Weather and climate impacts on population size should be investigated in a broader context that also includes the effect of war and epidemics (Fig. 13). Major wars like the TYW devastated the livelihoods of the concerned populations. They overlapped weather-related supply crises and promoted the spread of epidemics, mainly the plague (Pfister and Wanner, 2021). Before the late 17th century, large-scale weather-related losses in food production were among the most important causes of subsistence crises, affecting population size in a largely self-sufficient, organic economy. Several points have to be stressed here.

- i. Population size and agricultural production have a positive feedback. More hands were needed to increase production, and, in turn, increased production allowed for feeding a growing population.
- ii. Weather and climate primarily affected the production of biomass (food and feed).
- iii. Epidemics often had far-reaching demographic and economic consequences.
- iv. Major wars decimated the civilian population and destroyed their livelihoods.
- v. After the late 17th century, innovations such as the increase in agricultural productivity and improvement in transportation gradually reduced vulnerability to weather and climate.

The war shifted the balance between the determinants in Fig. 13. Climatic factors and wars interacted in a destructive synergy. Their effects devastated the available farmland; decimated livestock; burdened subjects with war taxes and tributes; made the populations more susceptible to disease; and led to a significant loss of the workforce through death, disease, and military duties, which likely exacerbated subsistence crises, food shortages, and famines (Outram, 2001;



**Figure 14.** Detrended market prices for rye (gram gold per 100 kg) in Nuremberg for the harvest years 1500–1670 (changed according to Pfister, 2007; data from Bauernfeind, 1993). Horizontal lines indicate mean prices for three different time intervals (1500–1567, 1568–1629, 1630–1670).

Slavin, 2016). Population losses were largely attributed to epidemics, especially the plague, which spread through the marauding soldiers and refugees seeking refuge in towns (de Waal, 1990). For instance, a plague was cited in 1622 in the Kingdom of Hungary (Réthly, 1962), in 1622 and 1646 in Velké Meziříčí in Moravia (Štindl, 2004) and in 1632, 1635, and 1636 in Austria (Lauscher, 1965). In such circumstances, the meteorological impacts only partially overlapped with the effects of the wars.

Clues about potential climatic impacts under these circumstances can be obtained by examining their meteorological causes rather than their potential human consequences. When considering the vulnerability of the main sources of food in the past, a prolonged lack of warmth coupled with excessive precipitation throughout the agricultural year was likely to affect all food sources. Pfister (2007) proposed a model of climatic impact factors leading to subsistence crises, which allows for an assessment of the biophysical vulnerability of food production, including grain, vine, and dairy products, over time. Such combinations of adverse factors resulting in overall crop failures were referred to as Little Ice Age type impacts (LIATIMP).

The level of impact factors is interpreted as an approximate measure of the intensity of climatic stress. When examining the fluctuations in grain prices in Nuremberg between 1500 and 1670 CE (Fig. 14), it can be observed that the impact levels were low during the final phase of a relatively favourable climate period up until 1567. The transition to the Little Ice Age climate between 1569 and 1573 brought about a major peak in climatic stress and severe famine. Another peak is notable between 1626 and 1628. Upon closer examination of the data (refer to Sect. 5.3), it can be suggested that the inflation related to the war was amplified in 1627 and 1628 by the impact of a climate-related general crop failure. After 1630, despite the ongoing war, the level of climatic stress decreased. Overall, the impact levels from

1568 to 1630 were significantly ( $p < 0.05$ ) above the long-term mean (Pfister, 2007).

Esper et al. (2017) pointed out that European grain price series were spatially less coherent during the TYW (see also Fig. 12 for central Europe) when temperature–grain prices correlations also completely fell. Ljungqvist et al. (2022) in their extensive statistical analysis of temperature effects on grain prices in early modern Europe excluded the period of the TYW altogether. They argued that the grain prices were rather strongly influenced by “the disintegration of established market forces and regional decoupling of trade” and that the war and its effects “weakened the climate signal in the grain prices.”

According to the description of the course of the TYW in Sect. 2, different parts of central Europe may have been affected differently. While Germany and the Czech Lands were heavily impacted by war events, the Kingdom of Hungary was less affected compared to other parts of central Europe. In terms of agricultural products, grain and hay harvests were generally poorer during the TYW than usual. However, the quantity and quality of grape harvests tended to be above average, especially in the Transdanubian region, which was geographically closer to Moravia and Austria (Rácz, 2020). For example, in England (with limited input of the TYW), harvests from 1626 to 1628 were excellent, while a sequence of deficient harvests appeared between 1646 and 1649 (Hoskins, 1968). In the neutral Swiss Confederation, situated closer to the military conflict than England, spelt prices in Zürich peaked in 1622 and 1623 due to a harvest failure in 1621 and a coin debasement in 1622. Another peak in 1627 and 1628 resulted from a widespread harvest failure on the continent (see also Sect. 5.3). Prices peaked between 1632 and 1638, when war raged several times near Switzerland, and the Confederation thus had to provide horses and grain (Schmidt, 2010). Prices in the 1640s were relatively low except in 1642 (Schmidt, 2010; Studer, 2015). In Nuremberg (Germany), rye prices were high from 1621 to 1628

and again from 1632 to 1636, while those in the 1640s were unremarkable and low up to 1648 (Bauernfeind, 1993; cf. Fig. 14). The spatial distance from the war seems to have mattered, apart from in regard to crop failures.

## 7 Conclusions

The analysis of weather and climate during the TYW in central Europe from 1618 to 1648 led to the following conclusions.

- i. The temperatures during the TYW were significantly colder compared to the reference period of 1961–1990 for DJF, SON, and annual series. However, there were no significant differences in mean precipitation totals and scPDSI compared to the reference period. The JJA temperatures and MAM precipitation totals showed significantly higher variability, as did the scPDSI values. The patterns of precipitation and drought during the TYW indicated a particular period of below-mean values in the 1630s. The spatial distribution of three climatic variables showed both widespread anomalies and localized variations in different regions.
- ii. The analysis of external forcing during the first half of the 17th century revealed a gradual deterioration of the climate. This was evident through a significant decrease in solar activity, with a temporary local increase around 1640, leading up to the period known as the Maunder Minimum (1645–1715). Additionally, there was an increase in volcanic activity, especially during the early 1640s, which coincided with the highest SAOD signal. Prior to this, there were several Icelandic eruptions between 1619 and 1638 that also contributed to the changing climate conditions.
- iii. The people during the TYW suffered not only from war hardships but also from weather extremes, such as severe winter frosts, late spring and early autumn frosts, storm surges, floods, droughts, windstorms, hailstorms, or torrential rain. These extreme weather events caused damage and even loss of human lives, as documented by rich central European documentary evidence. While some of these events were localized or sub-regional, others affected larger areas. The weather extremes had a significant impact, particularly on crop production. Regions that were less affected by local war events and troop movements were better able to cope with the negative effects of these weather events.
- iv. The importance of warlike actions during the TYW cannot be overestimated, as their long-term effects went far beyond weather-related crop failures. With often insufficient supply chains, many troops had to sustain themselves and burned down dwellings, barns, and stables,

resulting in the decimation of livestock, which was essential as draught power and a source of fertilizer. Moreover, the war caused a loss of the labour force and the regenerative capacity of the population, not primarily through military action, but through the spread of epidemics, especially dysentery and the plague. The large armies, numbering in the thousands, significantly increased the demand for grain. It is important to investigate the significance of climatic variations and extreme events using the example of territories that were spared from war, although it should be noted that epidemics did not stop at territorial borders. This study serves as a starting point for such future investigations.

**Data availability.** The datasets and series used in this article are either publicly available (see citations of climate reconstructions) or can be obtained by personal request (Rudolf Brázdil, [brazdil@sci.muni.cz](mailto:brazdil@sci.muni.cz)).

**Supplement.** The supplement related to this article is available online at: <https://doi.org/10.5194/cp-19-1863-2023-supplement>.

**Author contributions.** RB contributed with Czech documentary data and designed and wrote the paper with contributions from all co-authors. PD dealt with the analysis of climatic patterns and forcings during TYW. CP contributed with Swiss data and discussion of human impacts and responses. KK prepared a detail description of TYW events and German documentary data. KC worked with the observations of Hermann IV and finalized all figures. PS contributed with documentary data from the Kingdom of Hungary, and PO contributed with Polish documentary data. All authors have read and commented on the latest version of the paper.

**Competing interests.** The contact author has declared that none of the authors has any competing interests.

**Disclaimer.** Publisher's note: Copernicus Publications remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

**Acknowledgements.** Rudolf Brázdil and Petr Dobrovolný were supported by the Ministry of Education, Youth and Sports of the Czech Republic for SustES – Adaptation strategies for sustainable ecosystem services and food security under adverse environmental conditions project, ref. CZ.02.1.01/0.0/0.0/16\_019/000079. Kateřina Chromá was supported by the Global Change Research Institute of the Czech Academy of Sciences. Péter Szabó was supported by the long-term research development project no. RVO 67985939. Piotr Olinski was supported by grants funded by the National Science Centre, Poland (grant no. 2020/37/B/ST10/00710). We would like to thank Jan Esper

(Mainz) for providing grain price series of six central European towns and Laughton Chandler (Charleston, SC) for English language corrections. We acknowledge critical comments of one anonymous referee and the second referee, Neil Macdonald (Liverpool).

**Financial support.** This research has been supported by the Ministry of Education, Youth and Sports of the Czech Republic (grant no. CZ.02.1.01/0.0/0.0/16\_019/0000797), by the long-term research development project no. RVO 67985939, and by the National Science Centre, Poland (grant no. 2020/37/B/ST10/00710).

**Review statement.** This paper was edited by Jürg Luterbacher and reviewed by Neil Macdonald and one anonymous referee.

### Archival sources

AS1: Archiv města Ústí nad Labem, fond Sběrka rukopisů: Letopisecké záznamy Jana Čeledínka z Čáslavi připsané k Veleslavínovu Kalendáři historického z r. 1590.

AS2: Biblioteka Polskiej Akademii Nauk w Gdańsku, MS 915: Sammelbuch des Danziger Schreibers Michael Hancke.

AS3: Moravský zemský archiv Brno, fond B 10 Komerční konses 1751–1775, inv. č. 1106: Zpráva o Švédovi, když přišel do města Olomouce. Kronika protestantského olomouckého měšťana z let 1620–1670.

AS4: Moravský zemský archiv Brno, fond G 10 Sběrka rukopisů Zemského archivu 1200–1999, inv. č. 1211/2: Opisy korespondence T. Pešiny z Čechorodu, 1667–1680.

AS5: Moravský zemský archiv Brno, fond G 12 Ceroniho sbírka 1200–1845, inv. č. 362: Německá kronika Nového Jičína z let 1607–1647.

AS6: Moravský zemský archiv Brno, fond G 21 Staré tisky 1469–1860, sign. III/160 (XIV n 236): Letopisecké přípisky anonymního autora k brněnskému exempláři Lupáčova Kalendáře historického z roku 1584.

AS7: Sächsische Landesbibliothek – Staats- und Universitätsbibliothek Dresden, 1 276: Ursinus, J. F., *Collectanea zur Geschichte der Stadt und des Landes Meißen*, Vol. 2.

AS8: Staatsarchiv Schaffhausen, Chroniken b5: Thurn, H., *Chronik*, 17. Jahrhundert.

AS9: Staatsarchiv Schaffhausen, Chroniken B6: Wepfer, G. M., *Chronik* 3 Vols.

AS10: Stadtarchiv Naumburg, SA 37, V: *Varia, insonderheit zur Witterungs-Geschichte*, vol. V, 1601–1744.

AS11: Státní okresní archiv Louny, fond AM Louny – kroniky, sign. Ch1: *Chronica civitatis Launensis in Boemia Auctore Paulo Mikssowicz servo consulari*.

AS12: Státní okresní archiv Teplice, fond AM Krupka, dodatky inv. č. 1: Knott, R., *Michel Stüelers Gedenkbuch*.

AS13: Státní okresní archiv Vsetín, fond AM Vsetín, sign. 129a: *Památky rozličné událostí z let 1135–1838*.

AS14: Stiftsarchiv Einsiedeln, mf 25: Brunschwiler, P., *Diarium Fischingense*, 1616–1654.

AS15: Strahovská knihovna Praha, sign. AO.II.40: *Letopisy Václava Arkadia připsané k druhému vydání Veleslavínova Kalendáře historického*.

### References

- Abel, C. (Ed.): *Chronicon Ascaniense, welches So wol aus den Rathhäuslichen, und den Waldmännischen Manuscripten, als auch aus andern alten Briefen und Schrifften, zusammen gezogen worden [–1728]*, in: *Sammlung etlicher noch nicht gedruckten Alten Chronicken*, Braunschweig, Germany, 524–688, 1732.
- Adamson, G. C., Nash, D. J., and Grab, S. W.: Quantifying and reducing researcher subjectivity in the generation of climate indices from documentary sources, *Clim. Past*, 18, 1071–1081, <https://doi.org/10.5194/cp-18-1071-2022>, 2022.
- Allemeyer, M. L.: “In diesser erschrecklichen unerhörten Wasserfluth, kan man keine naturlichen Ursachen suchen” *Die Burchardi-Flut des Jahres 1634 an der Nordseeküste*, in: *Katastrophen. Vom Untergang Pompejis bis zum Klimawandel*, edited by: Schenk, G. J., Thorbecke, Ostfildern, Germany, 93–108, ISBN 9783799508445, 2009.
- Arndt, J.: *Der Dreißigjährige Krieg 1618–1648*, Reclam, Ditzingen, Germany, 255 pp., ISBN 9783150186428, 2009.
- Asch, R. G.: *The Thirty Years War. The Holy Roman Empire and Europe, 1618–1648*, Macmillan Education, New York, USA, 259 pp., <https://doi.org/10.1007/978-1-349-25617-4>, 1997.
- Bähr, A.: *Der grausame Komet. Himmelszeichen und Weltgeschehen im Dreißigjährigen Krieg*, Rowohlt, Reinbek, Germany, 304 pp., ISBN 9783498006792, 2017.
- Bai, J. and Perron, P.: Computation and analysis of multiple structural change models, *J. Appl. Econom.*, 18, 1–22, <https://doi.org/10.1002/jae.659>, 2003.
- Bal, J., Förster, J., and Kauffmann, A. (Eds.): *Hain Gáspár löcsei krónikája (Gáspár Hain's chronicle of Lőcse)*, Szepesmegyei Történelmi Társulat, Lőcse, Hungary, 558 pp., 1910.
- Bärtschi, A.: *Wetterberichte einer oberländischen Gemeinde vom 15. bis 19. Jahrhundert*, Hardermannli – *Illustrierte Sonntagsbeilage zum Oberländer Volksblatt*, 7, 28; 8, 31–32; 9, 35–36; 10, 40, 1916.
- Bauernfeind, W.: *Materielle Grundstrukturen im Spätmittelalter und der Frühen Neuzeit – Preisentwicklung und Agrarkonjunk-*

- tur am Nürnberger Getreidemarkt von 1339 bis 1670, Universitätsbuchhandlung Korn und Berg, Nürnberg, Germany, 544 pp., ISBN 9783874321259, 1993.
- Bekmann, B. L. (Ed.): Historische Beschreibung der Chur- und Mark Brandenburg nach ihrem Ursprung, Einwohnern, Natürlichen Beschaffenheit, Gewässer, Landschaften, Stäten, Geistlichen Stiftern etc., Vol. 1, Voß, Berlin, Germany, 1751.
- Bell, W. T. and Ogilvie, A. E. J.: Weather compilations as a source of data for the reconstruction of European climate during the medieval period, *Climatic Change*, 1, 331–348, <https://doi.org/10.1007/BF00135154>, 1978.
- Bérody, G.: *Chronica*, *Revue de la Suisse catholique*, 20, 758–768, 1889.
- Blöschl, G., Kiss, A., Viglione, A., Barriendos, M., Böhm, O., Brázdil, R., Coeur, D., Demarée, G., Carmen Llasat, M., Macdonald, N., Retsö, D., Roald, L., Schmocker-Fackel, P., Amorim, I., Bělná, M., Benito, G., Bertolin, C., Camuffo, D., Cornel, D., Doktor, R., Elleder, L., Enzi, S., Garcia, J. C., Glaser, R., Hall, J., Haslinger, K., Hofstätter, M., Komma, J., Limanówka, D., Lun, D., Panin, A., Parajka, J., Petrić, H., Rodrigo, F. S., Rohr, C., Schönbein, J., Schulte, L., Silva, L. P., Toonen, W. H. J., Valent, P., Waser, J., and Wetter, O.: Current European flood-rich period exceptional compared with past 500 years, *Nature*, 583, 560–566, <https://doi.org/10.1038/s41586-020-2478-3>, 2020.
- Bock, F. S.: Versuch einer wirthschaftlichen Naturgeschichte von dem Königreich Ost- und Westpreußen. Vol 1. welcher allgemeine geographische, anthropologische, meteorologische und historische Abhandlungen enthält, Dessau, Germany, 1782.
- Brázdil, R. and Durd'áková, M.: The effect of weather factors on fluctuations of grain prices in the Czech Lands in the 16th–18th centuries, *Prace Geograf.*, 108, 19–25, 2000.
- Brázdil, R., Valášek, H., and Macková, J.: Climate in the Czech Lands during the 1780s in light of the daily weather records of parson Karel Bernard Hein of Hodonice (south-western Moravia): Comparison of documentary and instrumental data, *Climatic Change*, 60, 297–327, <https://doi.org/10.1023/A:1026045902062>, 2003.
- Brázdil, R., Valášek, H., and Kotyza, O.: Meteorological records of Michel Stüeler of Krupka and their contribution to the knowledge of the climate of the Czech Lands in 1629–1649, in: *Czech Geography at the Dawn of the Millennium*, edited by: Drbohlav, D., Kalvoda, J., and Voženflík, V., Czech Geographic Society, Palacky University in Olomouc, Olomouc, Czech Republic, 95–112, ISBN 8024408589, 2004.
- Brázdil, R., Pfister, C., Wanner, H., von Storch, H., and Luterbacher, J.: Historical climatology in Europe – the state of the art, *Climatic Change*, 70, 363–430, <https://doi.org/10.1007/s10584-005-5924-1>, 2005.
- Brázdil, R., Dobrovolný, P., Luterbacher, J., Moberg, A., Pfister, C., Wheeler, D., and Zorita, E.: European climate of the past 500 years: new challenges for historical climatology, *Climatic Change*, 101, 7–40, <https://doi.org/10.1007/s10584-009-9783-z>, 2010.
- Brázdil, R., Dobrovolný, P., Trnka, M., Büntgen, U., Řezníčková, L., Kotyza, O., Valášek, H., and Štěpánek, P.: Documentary and instrumental-based drought indices for the Czech Lands back to AD 1501, *Clim. Res.*, 70, 103–117, <https://doi.org/10.3354/cr01380>, 2016.
- Brázdil, R., Řezníčková, L., Valášek, H., Dolák, L., and Kotyza, O.: Climatic and other responses to the Lakagígar 1783 and Tambora 1815 volcanic eruptions in the Czech Lands, *Geografie*, 122, 147–168, <https://doi.org/10.37040/geografie2017122020147>, 2017.
- Brázdil, R., Valášek, H., Chromá, K., Dolák, L., Řezníčková, L., Bělná, M., Valík, A., and Zahradníček, P.: The climate in south-east Moravia, Czech Republic, 1803–1830, based on daily weather records kept by the Reverend Šimon Hausner, *Clim. Past*, 15, 1205–1222, <https://doi.org/10.5194/cp-15-1205-2019>, 2019.
- Brázdil, R., Zahradníček, P., Dobrovolný, P., Řehoř, J., Trnka, M., Lhotka, O., and Štěpánek, P.: Circulation and climate variability in the Czech Republic between 1961 and 2020: A comparison of changes for two “normal” periods, *Atmosphere*, 13, 137, <https://doi.org/10.3390/atmos13010137>, 2022.
- Brendle, F.: Der Westfälische Frieden als Kompromiss. Intentionen, Grundsätze und Inhalte der Friedensverträge, in: *Der Dreißigjährige Krieg. Facetten einer folgenreichen Epoche*, edited by: Hartmann, P. C. and Schuller, F., Verlag Friedrich Pustet, Regensburg, Germany, 173–183, ISBN 9783791722177, 2010.
- Büntgen, U., Tegel, W., Nicolussi, K., McCormick, M., Frank, D., Trouet, V., Kaplan, J. O., Herzig, F., Heussner, K. U., Wanner, H., and Luterbacher, J.: 2500 years of European climate variability and human susceptibility, *Science*, 331, 578–582, <https://doi.org/10.1126/science.1197175>, 2011.
- Burkhardt, J.: Die böhmische Erhebung – Kriegsbeginn 1618, in: *Der Dreißigjährige Krieg. Facetten einer folgenreichen Epoche*, edited by: Hartmann, P. C. and Schuller, F., Verlag Friedrich Pustet, Regensburg, Germany, 46–57, ISBN 9783791722177, 2010.
- Čelakovský, J.: Někteří listy z roku 1622 a 1623 (Some letters from 1622 and 1623), *Časopis Musea Království českého*, 49, 388–396, 1875.
- Chaillet, A.: *Journal d'Abraham Chaillet*, Musée Historique de Neuchâtel et Valengin, 3, 230–259, 1845.
- Cook, E. R., Seager, R., Kushnir, Y., Briffa, K. R., Büntgen, U., Frank, D., Krusic, P. J., Tegel, W., van der Schrier, G., Andreu Heyles, L., Bailie, M., Baittinger, C., Bleicher, N., Bonde, N., Brown, D., Carrer, M., Cooper, R., Cufar, K., Dittmar, C., Esper, J., Griggs, C., Gunnarson, B., Günther, B., Gutierrez, E., Haneca, K., Helama, S., Herzig, F., Heussner, K.-U., Hofmann, J., Janda, P., Kontic, R., Köse, N., Kyncl, T., Levanic, T., Linderholm, H., Manning, S., Melvin, T. M., Miles, D., Neuwirth, B., Nicolussi, K., Nola, P., Panayotov, M., Poppo, I., Rothe, A., Seftigen, K., Seim, A., Svarva, H., Svoboda, M., Thun, T., Timonen, M., Touchan, R., Trotsiuk, V., Trouet, V., Walder, F., Wazny, T., Wilson, R., and Zang, C.: Old World megadroughts and pluvials during the Common Era, *Sci. Adv.*, 1, e150061, <https://doi.org/10.1126/sciadv.1500561>, 2015.
- Cuadrat, J. M., Alfaro Pérez, F. J., Tejedero Vargas, E., Barriendos, M., and Serrano-Notivol, R.: La megasequía de 1626–1635 y sus impactos en el Valle Medio del Ebro (España), *Estudios d'Història Agrària*, 34, 163–183, <https://doi.org/10.1344/eha.2022.34.163-183>, 2022.
- Czaplinski, W. (Ed.): *Ossoliński, J., Pamiętnik (Diary)*, Państwowy Instytut Wydawniczy, Warszawa, Poland, ISBN 8609795020006, 2004.

- Deák, F.: Keglevich Péter naplója (Péter Keglevich's diary), *Magyar Történelmi Társ., 13*, 238–249, 1867.
- Degroot, D.: 'Never such weather known in these seas': climatic fluctuations and the Anglo-Dutch wars of the seventeenth century, 1652–1674, *Environ. Hist.*, 20, 239–273, <https://doi.org/10.3197/096734014X13941952681034>, 2014.
- Degroot, D.: Climate Change and Conflict, in: *The Palgrave Handbook of Climate History*, edited by: White, S., Pfister, C., and Mauelshagen, F., Palgrave Macmillan, London, 367–385, ISBN 978-1-137-43019\_9, 2018.
- Degroot, D., Anchukaitis, K., Bauch, M., Burnham, J., Carnegy, F., Cui, J., de Luna, K., Guzowski, P., Hambrecht, G., Huhtamaa, H., Izdebski, A., Kleemann, K., Moesswilde, E., Neupane, N., Newfield, T., Pei, Q., Xoplaki, E., and Zappia, N.: Towards a rigorous understanding of societal responses to climate change, *Nature*, 591, 539–550, <https://doi.org/10.1038/s41586-021-03190-2>, 2021.
- de Waal, A.: Reassessment of entitlement theory in the light of recent famines in Africa, *Develop. Change*, 21, 469–490, <https://doi.org/10.1111/j.1467-7660.1990.tb00384.x>, 1990.
- Dobrovolný, P., Moberg, A., Brázdil, R., Pfister, C., Glaser, R., Wilson, R., van Engelen, A., Limanówka, D., Kiss, A., Halíčková, M., Macková, J., Riemann, D., Luterbacher, J., and Böhm, R.: Monthly and seasonal temperature reconstructions for Central Europe derived from documentary evidence and instrumental records since AD 1500, *Climatic Change*, 101, 69–107, <https://doi.org/10.1007/s10584-009-9724-x>, 2010.
- Dobrovolný, P., Brázdil, R., Trnka, M., Kotyza, O., and Valášek, H.: Precipitation reconstruction for the Czech Lands, AD 1501–2010, *Int. J. Climatol.*, 35, 1–14, <https://doi.org/10.1002/joc.3957>, 2015.
- Domínguez-Castro, F., García-Herrera, R., and Vaquero, J. M.: An early weather diary from Iberia (Lisbon, 1631–1632), *Weather*, 70, 20–24, <https://doi.org/10.1002/wea.2319>, 2015.
- Drake, B. A. (Ed.): *The Blue, the Gray and the Green: Toward an Environmental History of the Civil War*, University of Georgia Press, Athens, USA, London, UK, 264 pp., ISBN 978-0-8203-4775-2, 2015.
- Dreyhaupt, J. C.: *Pagvs Neletici Et Nvdzici, Oder Ausführliche diplomatich-historische Beschreibung des zum ehemaligen Primat und Ertz-Stift, nunmehr aber durch den westphälischen Friedens-Schluß secularisirten Hertzogthum Magdeburg gehörigem Saal-Creyses, Schneider, Halle, Germany, 1749.*
- Duchhardt, H.: *Der Weg in die Katastrophe des Dreißigjährigen Krieges. Die Krisendekade 1608–1618*, Piper, Munich, Berlin, Germany, Zurich, Switzerland, 256 pp., ISBN 9783492965972, 2017.
- Dürr, R.: *Seit 1517: Religion und Politik*, in: *Frühe Neuzeit. Oldenbourg Geschichte Lehrbuch*, 3rd Edn., edited by: Völker-Rasor, A., R. Oldenbourg Verlag, Munich, Germany, 17–34, ISBN 9783486592160, 2010.
- Dvorský, F.: *Zuzana Černínová z Harasova. Dopisy české šlechtičny z polovice 17. století (Zuzana Černínová of Harasov. Letters of the Czech Noblewoman from the mid-17th Century)*, Nakladatel Ed. Valečka, Praha, Czech Republic, 335 pp., 1886.
- Eilers, J. C.: *Chronicon Beltizense, oder Beltziger Chronick, Vom XII. Secvlo hergeleitet, und bey anderweiter Edition des Beltziger Denckmahls heraus gegeben, Und mit Uhrkunden bewähret, Eichsfeld, Wittenberg, Germany, 1741.*
- Esper, J., Büntgen, U., Denzer, S., Krusic, P. J., Luterbacher, J., Schäfer, R., Schreg, R., and Werner, J.: Environmental drivers of historical grain price variations in Europe, *Clim. Res.*, 72, 39–52, <https://doi.org/10.3354/cr01449>, 2017.
- Euro-Climhist: Euro-Climhist – Ways to Weather Hindcasting, <https://www.euroclimhist.unibe.ch/en/> (last access: 11 April 2023), 2023.
- Fialová, L., Horská, P., Kučera M., and Maur, E.: *Dějiny obyvatelstva českých zemí (Demographic History of the Czech Lands)*, Mladá Fronta, Praha, Czech Republic, 399 pp., ISBN 8020402837, 1996.
- Fialová, V.: *Kronika holešovská 1615–1645 (The Holešov Chronicle 1615–1645)*, Městský národní výbor v Holešově a Okresní archiv v Holešově, Holešov, Czech Republic, 135 pp., ISBN 2271541, 1967.
- Fišer, J.: *Kronika též zvaná Chudánkova a jiné dochované paměti města Mor. Budějovic. Část II (The Chronicle Called Chudánkova and Other Preserved Memories of the Moravské Budějovice Town. Part II)*, Moravské Budějovice, Czech Republic, 95 pp., 1931.
- Frimann, J.: A short history of volcano eruptions in Iceland, <https://icelandgeology.net/?p=765> (last access: 20 April 2023), 2011.
- Ginschopf, J.: *Chronica/Oder Eygentliche Beschreibung vieler Denckwürdigen Geschichten/die sich im Fürstenthumb Württemberg/sonderlichen vmb Stuttgart her zugetragen*, 2. Auflage, Durlach, 1631.
- Girguš, R.: *Wyjątki ze źródeł historycznych o nadzwyczajnych zjawiskach hydrologicznych i meteorologicznych na ziemiach Polskich w latach 1601–1920 (The Excerpts from Historical Sources on Extraordinary Hydrological and Meteorological Phenomena on Polish Lands in the Years 1601–1920)*, Instytut Meteorologii i Gospodarki Wodnej, Warszawa, Poland, 356 pp., ISBN 9788364979439, 2022.
- Glaser, R.: *Klimageschichte Mitteleuropas. 1200 Jahre Wetter, Klima, Katastrophen. Mit Prognosen für das 21. Jahrhundert*, 2. Auflage, Primus Verlag, Darmstadt, Germany, 272 pp., ISBN 9783896786043, 2008.
- Glaser, R. and Kahle, M.: Reconstructions of droughts in Germany since 1500 – combining hermeneutic information and instrumental records in historical and modern perspectives, *Clim. Past*, 16, 1207–1222, <https://doi.org/10.5194/cp-16-1207-2020>, 2020.
- Glaser, R., Riemann, D., Schönbein, J., Barriendos, M., Brázdil, R., Bertolin, C., Camuffo, D., Deutsch, M., Dobrovolný, P., van Engelen, A., Enzi, S., Halíčková, M., Koenig, S. J., Kotyza, O., Limanowka, D., Macková, J., Sghedoni, M., Martin, B., and Himmelsbach, I.: The variability of European floods since AD 1500, *Climatic Change*, 101, 235–256, <https://doi.org/10.1007/s10584-010-9816-7>, 2010.
- Global Volcanism Program: Database search, [https://volcano.si.edu/search\\_volcano.cfm](https://volcano.si.edu/search_volcano.cfm) (last access: 26 April 2023), 2013.
- Gotthard, A.: Die Vorgeschichte des Dreißigjährigen Kriegs. Ursachen, Anlässe und Zuspitzungen, in: *Der Dreißigjährige Krieg. Facetten einer folgenreichen Epoche*, edited by: Hartmann, P. C. and Schuller, F., Verlag Friedrich Pustet, Regensburg, Germany, 23–45, ISBN 9783791722177, 2010.
- Gotthard, A.: *Der Dreißigjährige Krieg: Eine Einführung*, Böhlau Verlag, Cologne/Weimar/Vienna, Germany/Austria, 390 pp., ISBN 9783825245559, 2016.



- Happel, E. W.: Des Historischen Kerns oder so genandten kurtzen Chronica: Fürsttendend Die merckwürdigsten Welt- und Wunder-Geschichte, So sich in und aussere Europa durch die Welt hin und wieder von Ao. 1680 biß 1690 und also in 10 nach einander folgende Jahren begeben haben. Ander Theil. Vol. 2, Thomas von Wiering, Hamburg, Germany, 1690.
- Harvey-Fishenden, A. and Macdonald, N.: Evaluating the utility of qualitative personal diaries in precipitation reconstruction in the eighteenth and nineteenth centuries, *Clim. Past*, 17, 133–149, <https://doi.org/10.5194/cp-17-133-2021>, 2021.
- Heimler, K. (Ed.): Payr György és Payr Mihály krónikája: 1584–1700 (The chronicle of György Payr and Mihály Payr: 1584–1700), Soproni Városszépítő Egyesület, Sopron, Hungary, 1942.
- Hoskins, W. G.: Harvest fluctuations and English economic history, 1620–1759, *Agric. Hist. Rev.*, 16, 15–31, 1968.
- Hsiang, S. M. and Burke, M.: Climate, conflict, and social stability: what does the evidence say?, *Climatic Change*, 123, 39–55, <https://doi.org/10.1007/s10584-013-0868-3>, 2014.
- Indra, B.: Odboj města Hranic 1620–1627 a jeho potrestání (Resistance of the Hranice town and its punishment), *Časopis Vlasteneckého spolku musejního v Olomouci*, 53, 15–56, 1940.
- Indra, B. and Turek, A.: Paměti drahotušských kronikářů (Memories of Drahotuše annalists), *Časopis Vlasteneckého spolku musejního v Olomouci*, 55, 219–320, 1946.
- Jakubowski-Tiessen, M.: “Erschreckliche und unerhörte Wasserflut”. Wahrnehmung und Deutung der Flutkatastrophe von 1634, in: *Um Himmels Willen. Religion in Katastrophenzeiten*, edited by: Jakubowski-Tiessen, M. and Lehmann, H., Vandenhoeck & Ruprecht, Göttingen, Germany, 179–200, ISBN 9783525362716, 2003.
- Jandot, O.: *Les délices du feu*, Champ Vallon, Ceyzérieu, France, 387 pp., ISBN 9791026705987, 2017.
- Kaiser, M.: Dreißigjähriger Krieg, in: *Enzyklopädie der Neuzeit*, Band 2, Beobachtung-Dürre, edited by: Jaeger, F., Verlag J. B. Metzler, Stuttgart, Weimar, Germany, 1125–1133, ISBN 9783476019356, 2005.
- Kleemann, K.: Active volcanoes, active imaginations: Fire-spitting mountains and subterranean roars in the German territories in the summer of 1783, *Global Environ.*, 15, 456–489, <https://doi.org/10.3197/ge.2022.150302>, 2022.
- Kleemann, K.: A Mist Connection: An Environmental History of the Laki Eruption of 1783 and Its Legacy, *Historical Catastrophe Studies Series*, De Gruyter, Berlin, Germany, Boston, USA, 387 pp., <https://doi.org/10.1515/9783110731927>, 2023.
- Klemm, F.: Die Entwicklung der meteorologischen Beobachtungen in Österreich einschliesslich Böhmen und Mähren bis zum Jahre 1700, *Annalen der Meteorologie (Neue Folge)* 21, Deutscher Wetterdienst, Offenbach am Main, Germany, 48 pp., ISBN 9783881482080, 1983.
- Koch, H. (Ed.): *Chronologus Jenensis seu Annales Germano-Thuringo-Jenenses*, Vopelius, Jena, Germany, 171 pp., 1914.
- Kolář, T., Dobrovolný, P., Szabó, P., Mikita, T., Kyncl, T., Kyncl, J., Sochová, I., Flídr, A., Merta, D., and Rybníček, M.: Effects of social and climatic factors on building activity in the Czech lands between 1450 and 1950: a dendrochronological analysis, *J. Quaternary Sci.*, 37, 123–132, <https://doi.org/10.1002/jqs.3381>, 2022.
- Kosłowski, G. and Glaser, R.: Variations in reconstructed ice winter severity in the Western Baltic from 1501 to 1995, and their implications for the North Atlantic Oscillation, *Climatic Change*, 41, 175–191, <https://doi.org/10.1023/A:1005466226797>, 1999.
- Laakkonen, S., Tucker, R. P., and Vuorisalo, T. (Eds.): *The Long Shadows: A Global Environmental History of the Second World War*, Oregon State University Press, Corvallis, USA, 368 pp., ISBN 9780870718793, 2017.
- Labbé, T., Pfister, C., Brönnimann, S., Rousseau, D., Franke, J., and Bois, B.: The longest homogeneous series of grape harvest dates, Beaune 1354–2018, and its significance for the understanding of past and present climate, *Clim. Past*, 15, 1485–1501, <https://doi.org/10.5194/cp-15-1485-2019>, 2019.
- Lauscher, F.: Beiträge zur Wetterchronik seit dem Mittelalter, Sitzungsberichte der mathem.-naturw. Klasse – Abtheilung II, 194, 93–131, 1985.
- Lean, J. L.: Estimating solar irradiance since 850 CE, *Earth Space Sci.*, 5, 133–149, <https://doi.org/10.1002/2017EA000357>, 2018.
- Lee, H. F., Zhang, D. D., Brecke, P., and Fei, J.: Positive correlation between the North Atlantic Oscillation and violent conflicts in Europe, *Clim. Res.*, 56, 1–10, <https://doi.org/10.3354/cr01129>, 2013.
- Lee, H. F., Zhang, D. D., Brecke, P., and Pei, Q.: Regional geographic factors mediate the climate–war relationship in Europe, *Br. J. Interdiscip. Stud.*, 2, 1–28, 2015.
- Lee, H. F., Zhang, D. D., Brecke, P., and Pei, Q.: Climate change, population pressure, and wars in European history, *Asian Geogr.*, 36, 29–45, <https://doi.org/10.1080/10225706.2018.1544085>, 2019.
- Lehmann, C.: Ausführliche Beschreibung des Meißnischen Ober-Ertzgebürges, Nach seiner Lage, Gestalt, Bergen, Lanckisch, Leipzig, Germany, 1747.
- Lenke, W.: Klimadaten von 1621–1650 nach Beobachtungen des Landgrafen Hermann IV. von Hessen (Uranophilus Cyriandrus), *Berichte des Deutschen Wetterdienstes* 63, Deutscher Wetterdienst, 51 pp., ISSN 0072-4130, 1960.
- Lisa, M.: Die Chronik des Václav Nosidlo von Geblice. Aufzeichnungen aus der böhmischen Exulantengemeinde in Pirna zur Zeit des Dreißigjährigen Krieges. Edition und Übersetzung, Franz Steiner Verlag, Stuttgart, Germany, 463 pp., ISBN 9783515107143, 2014.
- Ljungqvist, F. C., Seim, A., and Huhtamaa, H.: Climate and society in European history, *Wiley Interdisciplin. Rev. Clim. Change*, 12, e691, <https://doi.org/10.1002/wcc.691>, 2021.
- Ljungqvist, F. C., Thejll, P., Christiansen, B., Seim, A., Hartl, C., and Esper, J.: The significance of climate variability on early modern European grain prices, *Climatic Change*, 16, 29–77, <https://doi.org/10.1007/s11698-021-00224-7>, 2022.
- Luterbacher, J. and Pfister, C.: The year without a summer, *Nat. Geosci.*, 8, 246–248, <https://doi.org/10.1038/ngeo2404>, 2015.
- Luterbacher, J., Xoplaki, E., Dietrich, D., Jones, P. D., Davies, T. D., Portis, D., Gonzales-Rouco, J. F., von Storch, H., Gyalistras, D., Casty, C., and Wanner, H.: Extending North Atlantic Oscillation reconstructions back to 1500, *Atmos. Sci. Lett.*, 2, 114–124, <https://doi.org/10.1006/asle.2002.0047>, 2001.
- Luterbacher, J., Xoplaki, E., Dietrich, D., Rickli, R., Jacobeit, J., Beck, C., Gyalistras, D., Schmutz, C., and Wanner, H.: Reconstruction of sea level pressure fields over the Eastern North Atlantic and Europe back to 1500, *Clim. Dynam.*, 18, 545–561, <https://doi.org/10.1007/s00382-001-0196-6>, 2002.

- Luterbacher, J., Dietrich, D., Xoplaki, E., Grosjean, M., and Wanner, H.: European seasonal and annual temperature variability, trends and extremes since 1500, *Science*, 303, 1499–1503, <https://doi.org/10.1126/science.1093877>, 2004.
- Luterbacher, J., Werner, J. P., Smerdon, J. E., Fernández-Donado, I., González-Rouco, F. J., Barriopedro, D., Ljungquist, F. C., Büntgen, U., Zorita, E., Wagner, S., Esper, J., McCarroll, D., Toreti, A., Frank, D., Jungclauss, J. H., Barriendos, M., Bertolin, C., Bothe, O., Brázdil, R., Camuffo, D., Dobrovolný, P., Gagen, M., Garcia-Bustamante, E., Ge, Q., Gómez-Navarro, J. J., Guiot, J., Hao, Z., Hegerl, G. C., Holmgren, K., Klimenko, V. V., Martín-Chivelet, J., Pfister, C., Roberts, N., Schindler, A., Churer, A., Solomina, O., von Gunten, I., Wahl, E., Wanner, H., Wetter, O., Xoplaki, E., Yuan, N., Zanchettin, D., Zhang, H., and Zerefos, C.: European summer temperatures since Roman times, *Environ. Res. Lett.*, 11, 024001, <https://doi.org/10.1088/1748-9326/11/2/024001>, 2016.
- Maur, E.: Populační důsledky třicetileté války (Demographic consequences of the Thirty Years's War), *Historická Demografie*, 12, 137–152, 1987.
- Maurer, C., Koch, E., Hammerl, C., Hammerl, T., and Pokorny, E.: BACCHUS temperature reconstruction for the period 16th to 18th centuries from Viennese and Klosterneuburg grape harvest dates, *J. Geophys. Res.*, 114, D22106, <https://doi.org/10.1029/2009JD011730>, 2009.
- Menčík, F.: Paměti Jana Jiřího Haranta z Polžic a z Bezdruzic od roku 1624 do roku 1648 (Memories of Jan Jiří Harant of Polžice and Bezdruzice from 1624 to 1648), *Nákladem České akademie císaře Františka Josefa pro vědy, slovesnost a umění*, Praha, Czech Republic, 213 pp., 1897.
- Merényi, L.: Eszterházy Miklós levelei Nyári Krisztinához (Miklós Eszterházy's letters to Krisztina Nyári), *Magyar Történelmi Tár*, 46, 16–60, 1900.
- Militzer, S.: *Klima Umwelt Mensch (1500–1800): Studien und Quellen zur Bedeutung von Klima und Witterung in der vorindustriellen Gesellschaft*, Band I/III, Kindle Edition, Dr. Stefan Militzer im Eigenverlag, Leipzig, Germany, 1998.
- Mitchell, T. D. and Jones, P. D.: An improved method of constructing a database of monthly climate observations and associated high-resolution grids, *Int. J. Climatol.*, 25, 693–712, <https://doi.org/10.1002/joc.1181>, 2005.
- Moller, A.: *Theatrum Freibergense Chronicum, Beschreibung der alten löblichen BergHauptStadt Freyberg in Meissen*, Beuther, Freiberg, Germany, 1653.
- Mörbitz, C.: *M. Constantini Mörbitzens, Archi-Diac. zu Döbeln, Chronica Doebelensia, oder Ausführliche Beschreibung der Churfl. Sächsischen Stadt Döbeln*, Leisnig, Germany, 1726.
- Možný, M., Brázdil, R., Dobrovolný, P., and Trnka, M.: Cereal harvest dates in the Czech Republic between 1501 and 2008 as a proxy for March–June temperature reconstruction, *Climatic Change*, 110, 801–821, <https://doi.org/10.1007/s10584-011-0075-z>, 2012.
- Možný, M., Brázdil, R., Dobrovolný, P., and Trnka, M.: April–August temperatures in the Czech Lands, 1499–2015, reconstructed from grape-harvest dates, *Clim. Past*, 12, 1421–1434, <https://doi.org/10.5194/cp-12-1421-2016>, 2016.
- Münkler, H.: *Der Dreißigjährige Krieg. Europäische Katastrophe*, Deutsches Trauma 1618–1648, Rowohlt, Berlin, Germany, 984 pp., ISBN 9783871348136, 2017.
- Neumann, J. and Flohn, H.: Great historical events that were significantly affected by the weather: Part 8, Germany's war on the Soviet Union, 1941–45. I. Long-range weather forecasts for 1941–42 and climatological studies, *B. Am. Meteorol. Soc.*, 68, 620–630, [https://doi.org/10.1175/1520-0477\(1987\)068<0620:GHETWS>2.0.CO;2](https://doi.org/10.1175/1520-0477(1987)068<0620:GHETWS>2.0.CO;2), 1987.
- Noe, K. W.: Fateful lightning: the significance of weather and climate to civil war history, in: *The Blue, the Gray and the Green: Toward an Environmental History of the Civil War*, edited by: Drake, B. A., University of Georgia Press, Athens, USA, London, UK, 16–33, ISBN 978-0-8203-4775-2, 2015.
- Ogilvie, S.: Germany and the Seventeenth Century Crisis, in: *The General Crisis of the Seventeenth Century*, edited by: Parker, G. and Smith, L., Routledge, London, UK, 57–87, ISBN 9780415165181, 1997.
- Oraeus, H.: *Theatri Europaei*. III. Band. 1633–1638, Matthaeus Merian, Franckfurt am Mayn, Germany, 1644.
- Outram, Q.: The socio-economic relations of warfare and the military mortality crises of the Thirty Years' War, *Med. Hist.*, 45, 151–184, <https://doi.org/10.1017/S0025727300067703>, 2001.
- Palmer, W. C.: *Meteorological Drought*, Research Paper 45, US Weather Bureau, Washington, DC, USA, 58 pp., 1965.
- Panáček, J.: *Kronika města České Lípy mistra Hanse Kriescheho (The Chronicle of the Česká Lípa Town from Master Hans Kriesche)*, Státní oblastní archiv Litoměřice a Scriptorium, Litoměřice, Praha, Czech Republic, 376 pp., ISBN 9788088013396, 2016.
- Parker, G.: *The Thirty Years' War*, 2nd edition, Routledge, London, UK, New York, USA, 388 pp., ISBN 9780415154581, 1997.
- Parker, G.: Crisis and catastrophe: The world crisis of the seventeenth century reconsidered, *Am. Hist. Rev.*, 113, 1053–1079, <https://doi.org/10.1086/ahr.113.4.1053>, 2008.
- Parker, G.: *Global Crisis. War, Climate Change and Catastrophe in the Seventeenth Century*, Yale University Press, New Haven, USA, 904 pp., ISBN 9780300153231, 2013.
- Pauling, A., Luterbacher, J., Casty, C., and Wanner, H.: Five hundred years of gridded high-resolution precipitation reconstructions over Europe and the connection to large-scale circulation, *Clim. Dynam.*, 26, 387–405, <https://doi.org/10.1007/s00382-005-0090-8>, 2006.
- Petersen, M. and Rohde, H.: *Sturmflut. Die großen Fluten an den Küsten Schleswig-Holsteins und in der Elbe*, Wachholtz, Neumünster, Germany, 148 pp., ISBN 9783529061639, 1977.
- Pfister, C.: Climatic extremes, recurrent crises and witch hunts: Strategies of European societies in coping with exogenous shocks in the late sixteenth and early seventeenth centuries, *Mediev. Hist. J.*, 10, 33–73, <https://doi.org/10.1177/097194580701000202>, 2007.
- Pfister, C. and Wanner, H.: *Climate and Society in Europe. The Last Thousand Years*, Verlag Paul Haupt, Bern, Switzerland, 397 pp., ISBN 9783258082349, 2021.
- Pfister, C., Brázdil, R., Glaser, R., Bokwa, A., Holawe, F., Limanowka, D., Kotyza, O., Munzar, J., Rácz, L., Strömmer, E., and Schwarz-Zanetti, G.: Daily weather observations in sixteenth-century Europe, *Climatic Change*, 43, 111–150, <https://doi.org/10.1023/A:1005505113244>, 1999.
- Pfister, C., Rohr, C., and Jover, A.: Euro-Climhist: eine Datenplattform der Universität Bern zur Witterungs-, Klima- und Katastrophengeschichte, *Wasser Energie Luft*, 109, 45–48, 2017.

- Pfister, C., Brázdil, R., Luterbacher, J., Ogilvie, A. E. J., and White, S.: Chapter 23. Early Modern Europe, in: *The Palgrave Handbook of Climate History*, edited by: White, S., Pfister, C., and Mauelshagen, F., Palgrave Macmillan, London, UK, 265–295, ISBN 9781137430199, 2018.
- Pike, J.: *The Thirty Years War, 1618–1648. The First Global War and the end of Habsburg Supremacy*, Pen & Sword Books Ltd, South Yorkshire, UK, 520 pp., ISBN 9781526775757, 2023.
- Písek, J. and Brázdil, R.: Responses of large volcanic eruptions in the instrumental and documentary climatic data over Central Europe, *Int. J. Climatol.*, 26, 439–459, <https://doi.org/10.1002/joc.1249>, 2006.
- Polskie Towarzystwo Historyczne: *Polskie Towarzystwo Historyczne – Olimpiada Historyczna*, <http://pth.net.pl/projekty/bazy-danych/kleski-elementarne/do-1795> (last access: 22 May 2023), 2016.
- Rácz, L.: Carpathian Basin – the winner of the Little Ice Age climate changes: long-term series analysis of grain, grape and hay harvests between 1500 and 1800, *Econ. Ecohist.*, 16, 81–96, 2020.
- Rebitsch, R., Höbelt, L., and Schmidl, E. A.: Einleitung: Vor 400 Jahren – Der Dreißigjährige Krieg, in: *Vor 400 Jahren – Der Dreißigjährige Krieg*, edited by: Rebitsch, R., Höbelt, L., and Schmidl, E. A., Innsbruck University Press, Innsbruck, Austria, 7–14, ISBN 9783903187320, 2019.
- Reppen, K.: *Dreißigjähriger Krieg und Westfälischer Friede. Studien und Quellen*, 3rd Edn., Ferdinand Schöningh, Paderborn, Germany, 1169 pp., ISBN 9783506779595, 2015.
- Réthly, A.: *Időjárás események és elemi csapások Magyarországon 1700-ig (Meteorological Events and Natural Disasters in Hungary until 1700)*, Akadémiai Kiadó, Budapest, Hungary, 450 pp., ISBN 978-963-9931-01-5, 1962.
- Riemann, D., Glaser, R., Kahle, M., and Vogt, S.: The CRE tambora.org – new data and tools for collaborative research in climate and environmental history, *Geosci. Data J.*, 2, 63–77, <https://doi.org/10.1002/gdj3.30>, 2015.
- Roch, H.: *Neue Laubnitz- Böhme- und Schlesische Chronica/ Oder Allerhand Denck- und Merckwürdiger Unglücks- und Trauer-Fälle/ so sich in dem Marggraffthum Lausitz/dessen angränzenden benachbartem Königreiche Böhmen/ und Fürstenthüern Schlesien/ in den nechsten dreyhundert und Sechs und Achtzig Jahren begeben und zugetragen*, Klosse, Leipzig, Hempe, Torgau, Germany, 1687.
- Schleder, J. G.: *Irenico polemographia sive theatri Europaei continuati: das ist historisch-aussgeführte Friedens- und Kriegs-Beschreibung von den denckwürdigsten Geschichten, so sich hie und da in Europa, als in Hoch- und Nieder-Teutschland*, in: Vol. 6, Johann Görlin, Frankfurt am Main, Germany, 1663.
- Schmidt, G.: *Der Dreißigjährige Krieg*, C. H. Beck, Munich, Germany, ISBN 10:3406606644, ISBN 13:9783406606649, 2010.
- Schormann, G.: *Der Dreißigjährige Krieg*. Vandenhoeck & Ruprecht, Göttingen, Germany, ISBN 978-3-525-33506-2, 1985.
- Schorn-Schütte, L.: *Geschichte Europas in der Frühen Neuzeit. Studienhandbuch 1500–1789*, Ferdinand Schöningh, Paderborn, Germany, 407 pp., ISBN 9783825284145, 2009.
- Simon, J.: *Eilenburgische Chronica/Oder Beschreibung Der sehr alten Burg/ Schlosses und Stadt Eilenburg/ Nach dero Situation oder Lager/ Benahmung/ alten Einwohnern/Uhrsprung und Erbauung*, Lanckisch, Leipzig, Germany, 1696.
- Slavin, P.: Climate and famines: a historical reassessment, *WIREs Clim. Change*, 7, 433–447, <https://doi.org/10.1002/wcc.395>, 2016.
- Smith, J. W.: War and environment, in: *The Routledge History of Global War and Society*, edited by: Muehlbauer, M. S. and Ulbrich, D. J., Routledge, New York, USA, 236–248, ISBN 9781138849808, 2018.
- Štindl, M.: *Velká Mezeříč Františka Ignáce Konteka 1401–1723. Městská kronika barokní Moravy (Velké Meziříčí by František Ignác Kotek 1401–1723. The Town Chronicle of Baroque Moravia)*, SURSUM, Tišnov, Czech Republic, 244 pp., ISBN 8073230690, 2004.
- Stoffel, M., Corona, C., Ludlow, F., Sigl, M., Huhtamaa, H., Garnier, E., Helama, S., Guillet, S., Crampsie, A., Kleemann, K., Camenisch, C., McConnell, J., and Gao, C.: Climatic, weather, and socio-economic conditions corresponding to the mid-17th-century eruption cluster, *Clim. Past*, 18, 1083–1108, <https://doi.org/10.5194/cp-18-1083-2022>, 2022.
- Studer, R.: *The Great Divergence Reconsidered. Europe, India and the Rise to Global Economic Power*, Cambridge University Press, Cambridge, UK, 231 pp., ISBN 9781139104234, <https://doi.org/10.1017/CBO9781139104234>, 2015.
- Šůla, J.: *Hospodářská korespondence Václava Králíka, komendátora novoměstského panství, s Walterem hrabětem z Leslie v letech 1635–1643 (Economic correspondence of Václav Králík from the Nové Město domain with count Walter of Leslie in 1635–1643)*, in: *Stopami dějin Náchodska 4, Sborník Státního okresního archivu Náchod, Náchod, Czech Republic*, 177–210, ISBN 80-902158-5-8, 1998.
- Szilágyi, S.: *Bethlen Gábor fejedelem kiadatlan politikai levelei (The unpublished political letters of prince Gábor Bethlen)*, Magyar Tudományos Akadémia, Budapest, Hungary, 514 pp., 1879.
- Tambora: *Tambora – the climate and environmental history collaborative research environment*, <https://www.tambora.org> (last access: 4 May 2023), 2023.
- Teplý, F.: *Martina Škvoreckého, úředníka na Pacově, hospodářská korespondence z dob války třicetileté (1630–1642) (The Economic Correspondence of Martin Škvorecký, Official at Pacov, in the Thirty Years War, 1630–1642)*, Nákladem ministerstva zemědělství republiky československé, Praha, Czech Republic, 325 pp., 1928.
- Theibault, J.: The demography of the Thirty Years War revisited: Günther Franz and his critics, *Ger. Hist.*, 15, 1–21, <https://doi.org/10.1093/gh/15.1.1>, 1997.
- Tol, R. S. and Wagner, S.: Climate change and violent conflict in Europe over the last millennium, *Climatic Change*, 99, 65–79, <https://doi.org/10.1007/s10584-009-9659-2>, 2010.
- Toohey, M. and Sigl, M.: Volcanic stratospheric sulfur injections and aerosol optical depth from 500 BCE to 1900 CE, *Earth Syst. Sci. Data*, 9, 809–831, <https://doi.org/10.5194/essd-9-809-2017>, 2017.
- Tucker, R. P.: War and the Environment, in: *A Companion to Global Environmental History*, edited by: McNeill, J. R. and Mauldin, E. S., Wiley-Blackwell, Chichester, UK, 319–339, <https://doi.org/10.1002/9781118279519>, 2012.
- Tucker, R. P., Keller, T., McNeill, J. R., and Schmid, M. (Eds.): *Environmental Histories of the First World War*,

- Cambridge University Press, Cambridge, UK, 320 pp., <https://doi.org/10.1017/9781108554237>, 2018.
- van Nimwegen, O.: The Dutch-Spanish War in the Low Countries 1621–1648, in: *The Ashgate Research Companion to the Thirty Years' War*, edited by: Schröder, P. and Asbach, O., Ashgate, Farnham, UK, 163–176, ISBN 9781409406297, 2014.
- Vogeln, J. J.: *Leipzigerisches Geschicht-Buch, Oder Annales, Das ist: Jahr- und Tage-Bücher Der Weltberühmten Königl. und Churfürstl. Sächsischen Kauff- und Handels-Stadt Leipzig*, Lankisch, Leipzig, Germany, 1714.
- Völker-Rasor, A. (Ed.): *Nach 1648: Verdichtung von Herrschaft*, in: *Frühe Neuzeit. Oldenbourg Geschichte Lehrbuch*, 3rd Edn., R. Oldenbourg Verlag, Munich, Germany, 35–52, ISBN 9783486592160, 2010.
- Wagner, C.: *Analecta scepusii sacri et profane, pars II*, Johannes Thoma, Vienna, Austria, 1774.
- Wanner, H., Pfister, C., and Neukom, R.: The variable European Little Ice Age, *Quaternary Sci. Rev.*, 287, 107531, <https://doi.org/10.1016/j.quascirev.2022.107531>, 2022.
- Weck, A.: *Der Chur-Fürstlichen Sächsischen weitberuffenen Residentz- und Haupt-Vestung Dresden Beschreib- und Vorstellung*, Nürnberg, Germany, 1679.
- Weikinn, C.: *Quellentexte zur Witterungsgeschichte Europas von der Zeitwende bis zum Jahre 1850. Hydrographie. Teil 3 (1601–1700)*, Akademie-Verlag, Berlin, Germany, 586 pp., 1961.
- Wetter, O. and Pfister, C.: Spring-summer temperatures reconstructed for northern Switzerland and southwestern Germany from winter rye harvest dates, 1454–1970, *Clim. Past*, 7, 1307–1326, <https://doi.org/10.5194/cp-7-1307-2011>, 2011.
- Wetter, O. and Pfister, C.: An underestimated record breaking event – why summer 1540 was likely warmer than 2003, *Clim. Past*, 9, 41–56, <https://doi.org/10.5194/cp-9-41-2013>, 2013.
- White, S., Pei, Q., Kleemann, K., Dolák, L., Huhtamaa, H., and Camenisch, C.: New perspectives on historical climatology, *WIREs Clim. Change*, 14, e808, <https://doi.org/10.1002/wcc.808>, 2023.
- Wilks, D. S.: *Statistical Methods in the Atmospheric Sciences: An Introduction*, Academic Press, San Diego, USA, 704 pp., ISBN 9780123850225, 2011.
- Wilson, P. H.: *The Thirty Years War. Europe's Tragedy*, The Belknap Press of Harvard University Press, Cambridge, USA, 997 pp., ISBN 9780674036345, 2009.
- Wiuff, R.: Was Franz Baur's infamous long-range weather forecast for the winter of 1941/42 on the Eastern Front really wrong?, *B. Am. Meteorol. Soc.*, 104, E107–E125, <https://doi.org/10.1175/BAMS-D-21-0310.1>, 2023.
- Xoplaki, E., Luterbacher, J., Paeth, H., Dietrich, D., Steiner, N., Grosjean, M., and Wanner, H.: European spring and autumn temperature variability and change of extremes over the last half millennium, *Geophys. Res. Lett.*, 32, L15713, <https://doi.org/10.1029/2005GL023424>, 2005.
- Zeileis, A., Leisch, F., Hornik, K., and Kleiberm, C.: *strucchange: An R Package for Testing for Structural Change in Linear Regression Models*, *J. Stat. Softw.*, 7, 1–38, <https://doi.org/10.18637/jss.v007.i02>, 2002.
- Zemek, M.: *Mikulov v období od husitských válek do roku 1620 (Mikulov in time from Hussite wars until 1620)*, *Jižní Morava*, 4, 68–82, 1968.
- Zernecke, J. H.: *Historiae Thoruniensis naufragae tabulae*, Johann Christian Laurer, Thorn, Poland, 1711.
- Zernecke, J. H.: *Thornische Chronica*, Ambrosius Haude, Berlin, Germany, 1727.
- Zhang, D. D., Lee, H. F., Wang, C., Li, B., Pei, Q., Zhang, J., and An, Y.: The causality analysis of climate change and large-scale human crisis, *P. Natl. Acad. Sci. USA*, 108, 17296–17301, <https://doi.org/10.1073/pnas.1104268108>, 2011.