



*Supplement of*

## **Pollen-based reconstructions of Holocene climate trends in the eastern Mediterranean region**

**Esmeralda Cruz-Silva et al.**

*Correspondence to:* Esmeralda Cruz-Silva (esmeralda.cruzsilva@reading.ac.uk)

The copyright of individual parts of the supplement might differ from the article licence.

## Contents

**Table S1.** Allocation of pollen taxa found in samples of the Eastern Mediterranean-Black Sea Caspian Corridor (EMBSeCBIO) pollen database into the 247 types represented in the SPECIAL Modern Pollen Data Set (SMPDS) (Harrison, 2019). The table indicates the taxonomic level of aggregation, the name used for the amalgamated taxon, and the component species or genera included in this taxon.

**Table S2.** Metadata of the pollen records used in the reconstructions.

**Table S3.** Details of the models used for the transient climate simulations.

**Table S4.** Leave-out cross-validation fitness of fxTWA-PLSv2 for mean temperature of the coldest month (MTCO), mean temperature of the warmest month (MTWA), growing degree days above base level 0°C (GDD0) and plant-available moisture ( $\alpha$ ) with p-spline smoothed fx estimation, using bins of 0.02, 0.02 and 0.002, showing results for all the components. RMSEP is the root-mean-square error of prediction. p assesses whether using the current number of components is significantly different from using one component less; the last significant number of components is indicated in bold. The degree of overall compression is assessed by linear regression of the cross-validated reconstructions onto the climate variable, where b1 and b1.se are the slope and the standard error of the slope, respectively. The overall compression is reduced as the slope approaches 1.

**Figure S1.** Map of distribution of the modern pollen samples the SPECIAL Modern Pollen Data Set (SMPDS) (Harrison, 2019) used to train the model.

**Figure S2.** Distribution of Hill N2 values of the fossil pollen samples. Samples with an N2 value of <2 (indicated by the red dotted line) were excluded from the analysis.

**Figure S3.** Impact of correcting for the direct effect of changing CO<sub>2</sub> levels following Prentice et al. (2022) on the reconstruction of  $\alpha$ . The original reconstruction is shown in green and the corrected reconstruction in red.

**Figure S4.** Comparison of mean temperature of the coldest month (MTCO) and mean temperature of the warmest month (MTWA) in the EMBSeCBIO domain from the TRACE-21K-I simulation, showing both the calendar adjusted version (green) and non-calendar adjusted version (orange), and compared to the non-calendar adjusted outputs from the TRACE-21K-II (red) simulation.

**Figure S5.** Geopotential height, expressed as anomalies compared to present, from the LOVECLIM simulations for four key times during the Holocene: 11±0.15, 9±0.15, 6±0.15 and 3±0.15 ka.

**Table S1.** Allocation of pollen taxa found in samples of the Eastern Mediterranean-Black Sea Caspian Corridor (EMBSeCBIO) pollen database into the 247 types represented in the SPECIAL Modern Pollen Data Set (SMPDS) (Harrison, 2019). The table indicates the taxonomic level of aggregation, the name used for the amalgamated taxon, and the component species or genera included in this taxon.

Taxonomic level	Amalgamated taxon name	Individual taxa included
Genus	<i>Abies</i>	<i>Abies, Abies alba, Abies cilicica, Abies nordmanniana, Abies pinsapo subsp marocana</i>
Family	Acanthaceae	<i>Acanthus mollis</i>
Genus	<i>Acer</i>	<i>Acer, Acer campestre, Acer campestre type, Acer pseudoplatanus, Acer type</i>
Genus	<i>Aconitum</i>	<i>Aconitum, Aconitum group, Aconitum napellus type, Aconitum septentrionale, Aconitum type</i>
Family	Actinidiaceae	<i>Actinidia</i>
Genus	<i>Adonis</i>	<i>Adonis, Adonis aestivalis type, Adonis type</i>
Family	Adoxaceae	<i>Adoxa, Adoxa moschatellina, Adoxa type</i>
Genus	<i>Aesculus</i>	<i>Aesculus, Aesculus hippocastanum</i>
Genus	<i>Ailanthus</i>	<i>Ailanthus</i>
Family	Aizoaceae	<i>Carpobrotus</i>
Genus sub-group	<i>Alnus</i>	<i>Alnus, Alnus glutinosa, Alnus glutinosa type, Alnus glutinosa/Alnus incana, Alnus incana, Alnus incana type, Alnus incana/Alnus cordata type, Alnus non-viridis, Alnus type</i>
Genus sub-group	<i>Alnus alnobetula</i>	<i>Alnus viridis</i>
Family	Amaranthaceae	<i>Aellenia type, Amaranthaceae, Amaranthus, Atriplex nudicaulis, Chenopodium, Chenopodium album, Halothamnus type, Noaea type</i>
Family	Amaryllidaceae	<i>Amaryllidaceae, Narcissus</i>
Family	Anacardiaceae	<i>Anacardiaceae</i>
Genus	<i>Andromeda</i>	<i>Andromeda</i>
Family	Apiaceae	<i>Aegopodium, Anthriscus sylvestris type, Anthriscus type, Apiaceae, Apium, Apium type, Astrantia, Astrantia type, Athamanta cretensis, Berula erecta type, Bunium type, Aegopodium podagraria, Bupleurum, Bupleurum type, Carum carvi, Chaerophyllum, Chaerophyllum hirsutum type, Chaerophyllum type, Conopodium, Conopodium majus, Daucaceae, Daucus carota, Ammi type, Daucus carota type, Daucus type, Echinophora, Eryngium, Eryngium ilicifolium, Eryngium type, Falcaria type, Ferula, Ferula type, Heracleum, Angelica, Heracleum laciniatum type, Heracleum sphondylium, Heracleum type, Laserpitium latifolium type, Laserpitium prutenicum, Ligusticum mutellina, Malabaila, Meum, Meum athamanticum, Neogaya simplex type, Angelica archangelica, Oenanthe, Oenanthe type, Orlaya, Orlaya grandiflora, Pastinaca type, Peucedanum, Peucedanum ostruthium, Peucedanum type, Pimpinella, Pimpinella major type, Angelica type, Pimpinella type, Pleurospermum austriacum, Sanicula, Sanicula europaea, Sanicula type, Scandix, Seseli type, Torilis, Torilis arvensis, Turgenia type, Anisoscidioides type, Anthriscus, Anthriscus sylvestris</i>
Genus	<i>Aquilegia</i>	<i>Aquilegia type</i>
Family	Araceae	<i>Araceae</i>
Genus	<i>Arbutus</i>	<i>Arbutus, Arbutus type, Arbutus unedo</i>

Genus	<i>Arctostaphylos</i>	<i>Arctostaphylos, Arctostaphylos uva-ursi</i>
Genus	<i>Argania</i>	<i>Argania spinosa</i>
Family	Aristolochiaceae	<i>Aristolochia</i>
Genus	<i>Artemisia</i>	<i>Artemisia, Artemisia genipii/Artemisia mutellina, Artemisia herba-alba type, Artemisia type, Artemisia vulgaris type</i>
Family	Asclepiadaceae	Asclepiadaceae
Family	Asparagaceae	Asparagaceae, <i>Asparagus, Asparagus type, Convallaria, Convallaria type, Maianthemum bifolium, Maianthemum type, Ornithogalum type, Scilla type</i>
Family	Asphodelaceae	<i>Eremurus</i>
Family	Asphodeliaceae	<i>Asphodeline, Asphodelus, Asphodelus albus, Asphodelus albus type, Asphodelus fistulosus type, Asphodelus type</i>
Family	Asteraceae	Asteraceae
Family sub-group	Asteraceae (Liguliflorae)	Asteraceae (Liguliflorae)
Family sub-group	Astroideae	<i>Achillea, Antennaria, Antennaria type, Anthemis, Anthemis type, Arnica montana, Aster, Aster bellidiastrum, Aster type, Aster/Achillea, Aster/Achillea type, Achillea type, Asteraceae (Tubuliflorae), Asteroideae, Bellis, Bellis type, Bidens, Bidens type, Calendula, Calendula type, Chrysanthemum alpinum, Doronicum, Achillea/Anthemis type, Erigeron, Eupatorium, Eupatorium type, Filago type, Filifolium sibiricum, Gnaphalium, Gnaphalium type, Helianthus, Helianthus type, Homogyne, Achillea/Aster, Homogyne alpina, Inula, Inula type, Logfia type, Matricaria type, Petasites, Petasites type, Senecio, Senecio type, Solidago, Adenostyles type, Solidago type, Solidago virgaurea type, Tussilago farfara, Tussilago type, Xanthium, Xanthium spinosum, Xanthium strumarium, Xanthium type, Ambrosia, Ambrosia artemisiifolia type, Ambrosia type, Ambrosia/Xanthium</i>
Genus	<i>Astragalus</i>	<i>Astragalus, Astragalus alpinus type, Astragalus type</i>
Family	Berberidaceae	Berberidaceae
Genus	<i>Berberis</i>	<i>Berberis, Berberis vulgaris, Mahonia</i>
Genus	<i>Betula</i>	<i>Betula, Betula type, Betula alba, Betula alba type, Betula pendula, Betula pendula/Betula pubescens, Betula pubescens, Betula pubescens type, Betula sect. Albae, Betula tortuosa</i>
Genus	<i>Betula (Chamaebetula)</i>	<i>Betula fruticosa, Betula humilis/Betula nana, Betula nana, Betula nana type</i>
Family	Boraginaceae	<i>Alkanna, Cynoglossum creticum, Echium, Echium type, Echium vulgare, Heliotropium type, Lithospermum, Myosotis, Myosotis arvensis type, Myosotis type, Onosma, Anchusa, Pulmonaria, Pulmonaria type, Symphytum, Symphytum type, Anchusa arvensis, Anchusa type, Boraginaceae, Borago officinalis, Cerinthe, Cerinthe minor, Cerinthe type</i>
Family	Brassicaceae	<i>Arabidopsis, Cardamine pratensis type, Cardamine type, Crambe, Descurainia, Draba, Draba type, Hornungia type, Lepidium type, Matthiola, Sinapis, Barbarea type, Sinapis type, Brassica, Brassica type, Brassicaceae, Brassicaceae type, Capsella bursa-pastoris type, Capsella type, Cardamine</i>
Genus	<i>Bruckenthalia</i>	<i>Bruckenthalia</i>
Genus	<i>Buxus</i>	<i>Buxus, Buxus sempervirens</i>
Genus	<i>Calluna</i>	<i>Calluna, Calluna type, Calluna vulgaris, Calluna vulgaris type</i>

Family	Campanulaceae	<i>Campanula, Phyteuma, Phyteuma type, Campanula type, Campanulaceae, Jasione, Jasione montana, Jasione type, Legousia, Lobelia dortmanna, Lobelia type</i>
Family	Capparaceae	<i>Capparidaceae, Capparis, Capparis spinosa, Capparis type</i>
Family	Caprifoliaceae	<i>Caprifoliaceae, Scabiosa columbaria type, Scabiosa rotata type, Scabiosa type, Scabiosa/Succisa type, Succisa, Succisa pratensis, Succisa pratensis type, Succisa type, Dipsacaceae, Dipsacus, Dipsacus fullonum type, Dipsacus type, Knautia, Knautia arvensis, Knautia type, Scabiosa</i>
Genus	<i>Carduoideae</i>	<i>Arctium, Centaurea, Centaurea collina, Centaurea collina type, Centaurea cyanus, Centaurea cyanus type, Centaurea depressa type, Centaurea jacea, Centaurea jacea type, Centaurea montana, Centaurea montana type, Arctium type, Centaurea nigra, Centaurea nigra type, Centaurea rhenana type, Centaurea scabiosa, Centaurea scabiosa type, Centaurea solstitialis, Centaurea solstitialis type, Centaurea type, Cirsium, Cirsium type, Arctium/Jurinea, Cirsium/Carduus, Cirsium/Gundelia, Cousinia, Echinops, Gundelia type, Jurinea type, Onopordum, Onopordum type, Saussurea, Saussurea alpina, Carduoideae, Saussurea type, Serratula, Serratula type, Carduus, Carduus type, Carlina, Carlina type, Carthamus</i>
Genus	<i>Carpinus betulus</i>	<i>Carpinus, Carpinus betulus, Carpinus betulus type, Carpinus type</i>
Genus	<i>Carpinus orientalis/Ostrya</i>	<i>Carpinus orientalis, Carpinus orientalis type, Carpinus orientalis/Ostrya, Carpinus orientalis/Ostrya carpinifolia, Carpinus orientalis/Ostrya carpinifolia type, Carpinus/Ostrya, Carpinus/Ostrya type, Ostrya, Ostrya type</i>
Family	Caryophyllaceae	<i>Agrostemma githago, Cerastium cerastoides type, Cerastium fontanum type, Cerastium type, Cerastium/Stellaria type, Corrigiola, Dianthus, Dianthus superbus type, Dianthus type, Frankenia, Frankenia type, Agrostemma type, Gypsophila, Gypsophila fastigiata, Gypsophila repens type, Gypsophila type, Herniaria, Herniaria glabra, Herniaria type, Herniaria/Paronychia, Illecebrum, Loeflingia, Arenaria, Lychnis, Lychnis flos-cuculi, Lychnis flos-cuculi type, Lychnis type, Lychnis viscaria type, Minuartia, Minuartia rubra type, Minuartia type, Minuartia verna type, Moehringia type, Arenaria type, Paronychia, Paronychia type, Polycarpon, Sagina, Sagina procumbens, Sagina type, Saponaria, Scleranthus, Scleranthus annuus, Scleranthus perennis, Caryophyllaceae, Scleranthus type, Silenaceae, Silene, Silene acaulis, Silene acaulis type, Silene alba type, Silene dioica type, Silene latifolia, Silene rupestris, Silene type, Caryophyllaceae subfam. Silenoideae, Silene vulgaris type, Spergula, Spergula arvensis, Spergula type, Spergularia, Spergularia type, Stellaria, Stellaria holostea, Stellaria holostea type, Stellaria nemorum, Cerastium, Stellaria nemorum type, Stellaria palustris, Stellaria type, Vaccaria type, Cerastium alpinum type, Cerastium arvense type</i>
Genus	<i>Cassiope</i>	<i>Cassiope, Cassiope type</i>
Genus	<i>Castanea</i>	<i>Castanea, Castanea sativa</i>
Genus	<i>Cedrus</i>	<i>Cedrus, Cedrus atlantica, Cedrus atlantica type, Cedrus libani</i>
Family	Celastraceae	<i>Celastraceae, Parnassia, Parnassia palustris</i>
Genus	<i>Celtis</i>	<i>Celtis, Celtis australis</i>
Genus	<i>Ceratonia</i>	<i>Ceratonia, Ceratonia siliqua, Ceratonia type</i>
Genus	<i>Cercis</i>	<i>Cercis siliquastrum</i>
Genus	<i>Chamaedaphne</i>	<i>Chamaedaphne, Chamaedaphne calyculata</i>
Genus	<i>Chamaerops</i>	<i>Chamaerops</i>

Genus	<i>Chimaphila</i>	<i>Chimaphila umbellata</i>
Genus	<i>Cichorioideae</i>	<i>Cichorioideae</i> , <i>Lactuca sativa</i> type, <i>Lactuca</i> type, <i>Leontodon helveticus</i> , <i>Leontodon</i> type, <i>Scorzonera humilis</i> type, <i>Scorzonera</i> type, <i>Sonchus</i> type, <i>Taraxacum</i> , <i>Taraxacum</i> type, <i>Cichorium</i> , <i>Cichorium intybus</i> type, <i>Cichorium</i> type, <i>Crepis</i> , <i>Crepis aurea</i> , <i>Crepis</i> type, <i>Hieracium</i> type, <i>Lactuca</i>
Family	Cistaceae	Cistaceae, <i>Halimium/Tuberaria</i> , <i>Tuberaria</i>
Genus	<i>Cistus</i>	<i>Cistus</i> , <i>Cistus salvifolius</i> type, <i>Cistus</i> type, <i>Cistus villosus</i> type, <i>Cistus albidus</i> type, <i>Cistus incanus</i> , <i>Cistus ladanifer</i> , <i>Cistus ladanifer</i> type, <i>Cistus monspeliensis</i> type, <i>Cistus populifolius</i> type, <i>Cistus salvifolius</i> , <i>Cistus salvifolius</i>
Genus	<i>Clematis</i>	<i>Clematis</i> , <i>Clematis</i> type, <i>Clematis vitalba</i> type
Genus	<i>Clethra</i>	<i>Clethra</i>
Family	Clusiaceae	<i>Guttiferae</i>
Family	Colchicaceae	<i>Colchicum</i> , <i>Colchicum autumnale</i> type, <i>Colchicum</i> type, <i>Colchicum/Merendera</i> , <i>Merendera</i>
Genus	<i>Colutea</i>	<i>Colutea</i>
Family	Convolvulaceae	<i>Calystegia</i> , <i>Calystegia sepium</i> , Convolvulaceae, <i>Convolvulus</i> , <i>Convolvulus arvensis</i> , <i>Convolvulus arvensis</i> type, <i>Corema album</i> type, <i>Cuscuta</i> , <i>Cuscuta europaea</i> type
Genus	<i>Coriaria</i>	<i>Coriaria</i> , <i>Coriaria myrtifolia</i>
Genus	<i>Cornus</i>	Cornaceae, <i>Cornus</i> , <i>Cornus mas</i> , <i>Cornus mas/Cornus suecica</i> , <i>Cornus sanguinea</i> , <i>Cornus suecica</i>
Genus	<i>Corylus</i>	<i>Corylus</i> , <i>Corylus avellana</i> , <i>Corylus avellana</i> type, <i>Corylus maxima</i> , <i>Corylus</i> type
Genus	<i>Cotinus</i>	<i>Cotinus</i> , <i>Cotinus coggygria</i>
Genus	<i>Cotoneaster</i>	<i>Cotoneaster</i>
Family	Crassulaceae	<i>Crassula</i> , Crassulaceae, <i>Sedum</i> , <i>Sedum rosea</i> , <i>Sedum</i> type, <i>Sempervivum</i> , <i>Umbilicus</i> , <i>Umbilicus rupestris</i> type
Genus	<i>Crataegus</i>	<i>Crataegus</i> , <i>Crataegus</i> type
Family	Cucurbitaceae	Cucurbitaceae
Family	Cupressaceae	Cupressaceae, Taxodiaceae, <i>Taxodium</i> , <i>Cupressus</i> , <i>Cupressus</i> type, <i>Juniperus</i> , <i>Juniperus communis</i> , <i>Juniperus communis</i> type, <i>Juniperus excelsa/Juniperus oxycedrus</i> , <i>Juniperus sabina</i> , <i>Juniperus</i> type
Genus	<i>Cynomorium</i>	<i>Cynomorium</i>
Family	Cyperaceae	<i>Carex</i> , <i>Fimbristylis</i> , <i>Rhynchospora</i> , <i>Rhynchospora alba</i> , <i>Rhynchospora</i> type, <i>Schoenoplectus</i> , <i>Schoenoplectus lacustris</i> ssp <i>lacustris</i> , <i>Schoenoplectus</i> type, <i>Schoenus</i> type, <i>Scirpus</i> , <i>Scirpus lacustris</i> type, <i>Carex hirta</i> type, <i>Scirpus</i> type, <i>Trichophorum caespitosum</i> , <i>Carex</i> type, Cyperaceae, <i>Cyperus</i> , <i>Cyperus</i> type, <i>Eleocharis palustris</i> , <i>Eriophorum angustifolium/Eriophorum vaginatum</i> , <i>Eriophorum</i> type
Family	Cytinaceae	<i>Cytinus hypocistis</i> type
Genus	<i>Daphne</i>	<i>Daphne</i> , <i>Daphne gnidium</i> , <i>Daphne gnidium</i> type, <i>Daphne</i> type
Genus	<i>Datisca</i>	<i>Datisca</i>
Genus	<i>Delphinium</i>	<i>Delphinium</i> type
Family	Dennstaedtiaceae	<i>Pteridium</i> , <i>Pteridium aquilinum</i> , <i>Pteridium aquilinum</i> type, <i>Pteridium</i> type
Genus	<i>Diapensia</i>	<i>Diapensia</i> , <i>Diapensia lapponica</i>
Genus	<i>Dryas</i>	<i>Dryas</i> , <i>Dryas octopetala</i>

Genus	<i>Elaeagnus</i>	<i>Elaeagnus</i>
Genus	<i>Empetrum</i>	<i>Empetrum, Empetrum nigrum, Empetrum</i> type
Genus	<i>Ephedra</i>	<i>Ephedra, Ephedra major</i> type, <i>Ephedra</i> type, <i>Ephedra alata</i> type, <i>Ephedra distachya, Ephedra distachya</i> type, <i>Ephedra fragilis, Ephedra fragilis</i> ssp <i>campylopoda, Ephedra fragilis</i> type, <i>Ephedra fragilis</i> var <i>campylopoda, Ephedra major</i>
Genus	<i>Equisetum</i>	<i>Equisetum</i>
Genus	<i>Erica</i>	<i>Erica, Erica lusitanica</i> type, <i>Erica scoparia</i> type, <i>Erica tetralix, Erica tetralix</i> type, <i>Erica</i> type, <i>Erica umbellata</i> type, <i>Erica arborea, Erica arborea</i> type, <i>Erica australis, Erica australis</i> type, <i>Erica cinerea, Erica cinerea</i> type, <i>Erica erigena</i> type, <i>Erica lusitanica</i>
Family	Ericaceae	Ericaceae, <i>Ericales, Lecythis, Moneses, Orthilia, Phyllodoce, Pyrola</i>
Genus	<i>Euonymus</i>	<i>Euonymus, Euonymus europaeus</i>
Family	Euphorbiaceae	<i>Acalypha, Euphorbia, Euphorbia</i> type, Euphorbiaceae
Family	Fabaceae	Fabaceae, <i>Glycine</i>
Family	Fabaceae (herbs)	<i>Anthyllis, Lathyrus/Vicia, Lotus, Lotus corniculatus, Lotus corniculatus</i> type, <i>Lotus</i> type, <i>Lotus uliginosus, Medicago, Medicago littoralis</i> type, <i>Medicago sativa, Medicago</i> type, <i>Coronilla, Melilotus, Melilotus</i> type, <i>Onobrychis, Onobrychis</i> type, <i>Oxytropis, Phaseolus</i> type, <i>Trifolium, Trifolium alpinum</i> type, <i>Trifolium badium</i> type, <i>Trifolium montanum, Ebenus/Hedysarum, Trifolium pratense, Trifolium pratense</i> type, <i>Trifolium repens, Trifolium repens</i> type, <i>Trifolium spadiceum</i> type, <i>Trifolium</i> type, <i>Vicia, Vicia cracca, Vicia cracca</i> type, <i>Vicia faba</i> type, <i>Hedysarum hedysaroides, Vicia sylvatica</i> type, <i>Vicia</i> type, Viciaceae, <i>Hippocrepis comosa, Hippocrepis</i> type, <i>Lathyrus, Lathyrus</i> type, <i>Lathyrus/Vicia</i>
Genus	<i>Fagus</i>	<i>Fagus, Fagus orientalis, Fagus sylvatica</i>
Genus	<i>Ficus</i>	<i>Ficus, Ficus carica</i>
Genus	<i>Flueggea</i>	<i>Securinega tinctoria</i> type
Genus	<i>Frangula</i>	<i>Frangula, Frangula alnus</i>
Genus	<i>Fraxinus</i>	<i>Fraxinus, Fraxinus angustifolia, Fraxinus angustifolia</i> subsp. <i>oxycarpa, Fraxinus angustifolia</i> type, <i>Fraxinus excelsior, Fraxinus excelsior</i> type, <i>Fraxinus ornus, Fraxinus ornus</i> type, <i>Fraxinus oxycarpa</i> type
Genus	<i>Genisteae</i>	<i>Cytisus</i> type, <i>Ulex, Ulex</i> type, <i>Cytisus/Genista, Cytisus/Genista</i> type, <i>Cytisus/Ulex, Genista, Genista</i> type, <i>Genista/Ulex, Sarothamnus scoparius, Spartium</i>
Family	Gentianaceae	<i>Centaurium, Gentiana purpurea</i> type, Gentianaceae, <i>Gentianella, Gentianella campestris</i> type, <i>Swertia perennis, Centaurium maritimum, Centaurium</i> type, <i>Gentiana, Gentiana lutea/Gentiana pneumonanthe, Gentiana nivalis</i> type, <i>Gentiana pneumonanthe, Gentiana pneumonanthe</i> type, <i>Gentiana purpurea</i>
Family	Geraniaceae	<i>Erodium, Geraniaceae, Geranium, Geranium sylvaticum</i> type, <i>Geranium</i> type
Genus	<i>Halimium</i>	<i>Halimium, Halimium</i> type
Genus	<i>Hedera</i>	<i>Hedera, Hedera helix, Hedera</i> type
Genus	<i>Helianthemum</i>	<i>Helianthemum, Helianthemum croceum</i> type, <i>Helianthemum nummularium</i> type, <i>Helianthemum salicifolium</i> type, <i>Helianthemum</i> type
Genus	<i>Helleborus</i>	<i>Helleborus, Helleborus foetidus, Helleborus viridis</i> type
Genus	<i>Hippophae</i>	<i>Hippophae, Hippophae rhamnoides</i>
Genus	<i>Huperzia</i>	<i>Huperzia selago, Lycopodium selago</i>

Family	Hymenophyllaceae	<i>Hymenophyllum tunbrigense</i> , <i>Hymenophyllum wilsonii</i> , <i>Trichomanes speciosum</i>
Family	Hypericaceae	<i>Hypericum</i> , <i>Hypericum hyssopifolium</i> , <i>Hypericum perforatum</i> type, <i>Hypericum pulchrum</i> type, <i>Hypericum</i> type
Genus	<i>Ilex</i>	<i>Ilex</i> , <i>Ilex aquifolium</i>
Genus	<i>Impatiens</i>	<i>Impatiens</i>
Family	Iridaceae	<i>Crocus</i> , Iridaceae, <i>Iris</i> , <i>Iris pseudacorus</i> , <i>Iris pseudacorus</i> type, <i>Iris</i> type
Genus	<i>Jasminum</i>	<i>Jasminum</i> , <i>Jasminum fruticans</i> , <i>Jasminum</i> type
Family	Juglandaceae	Juglandaceae
Genus	<i>Juglans</i>	<i>Juglans</i> , <i>Juglans regia</i>
Family	Juncaceae	Juncaceae, <i>Juncus</i> , <i>Luzula</i>
Genus	<i>Kalmia</i>	<i>Loiseleuria procumbens</i>
Genus	<i>Koenigia</i>	<i>Koenigia islandica</i>
Genus	<i>Laburnum</i>	<i>Laburnum anagyroides</i>
Family	Lamiaceae	<i>Ajuga</i> , <i>Lycopus</i> type, <i>Lycopus/Mentha</i> , <i>Marrubium</i> , <i>Mentha</i> , <i>Mentha</i> type, <i>Mentha/Thymus</i> , <i>Origanum vulgare</i> , <i>Phlomis</i> , <i>Prunella</i> , <i>Prunella</i> type, <i>Ballota</i> , <i>Prunella vulgaris</i> type, <i>Scutellaria</i> , <i>Scutellaria</i> type, <i>Sideritis</i> , <i>Stachys</i> , <i>Stachys sylvatica</i> type, <i>Stachys sylvestris</i> , <i>Stachys</i> type, <i>Thymus</i> , <i>Thymus serpyllum</i> , <i>Galeopsis</i> , <i>Thymus</i> type, <i>Galeopsis</i> type, <i>Glechoma</i> type, Lamiaceae, <i>Lamium</i> , <i>Lamium</i> type, <i>Lycopus</i>
Genus	<i>Larix</i>	<i>Larix</i> , <i>Larix decidua</i> , <i>Larix decidua</i> type, <i>Larix/Pseudotsuga</i>
Genus	<i>Lavandula</i>	<i>Lavandula stoechas</i> type
Genus	<i>Ledum</i>	<i>Ledum</i> , <i>Ledum palustre</i> , <i>Ledum</i> type
Genus	<i>Ligustrum</i>	<i>Ligustrum</i> , <i>Ligustrum vulgare</i> , <i>Ligustrum vulgare</i> type
Family	Liliaceae	<i>Allium</i> , <i>Lilium martagon</i> type, <i>Lloydia serotina</i> , <i>Allium</i> type, <i>Anthericum</i> , <i>Anthericum</i> type, <i>Fritillaria lusitanica</i> , <i>Fritillaria</i> type, <i>Gagea</i> , Liliaceae, <i>Lilium</i>
Family	Linaceae	Linaceae, <i>Radiola linoides</i>
Genus	<i>Linnaea</i>	<i>Linnaea</i> , <i>Linnaea borealis</i>
Genus	<i>Linum</i>	<i>Linum</i> , <i>Linum bienne</i> type, <i>Linum catharticum</i> , <i>Linum catharticum</i> type, <i>Linum</i> type
Genus	<i>Lonicera</i>	<i>Lonicera</i> , <i>Lonicera caerulea</i> , <i>Lonicera hispida</i> , <i>Lonicera implexa</i> , <i>Lonicera periclymenum</i> , <i>Lonicera periclymenum</i> type, <i>Lonicera</i> type, <i>Lonicera xylosteum</i> type
Family	Loranthaceae	Loranthaceae
Genus	<i>Lycopodiella</i>	<i>Lepidotis inundata</i> , <i>Lycopodium inundatum</i>
Genus	<i>Lycopodium</i>	<i>Diphasiastrum</i> , <i>Lycopodium alpinum</i> , <i>Lycopodium annotinum</i> , <i>Lycopodium annotinum</i> type, <i>Lycopodium clavatum</i> , <i>Lycopodium clavatum</i> type, <i>Lycopodium complanatum</i> , <i>Lycopodium dubium</i> , <i>Lycopodium</i> type, <i>Diphasiastrum alpinum</i> , <i>Diphasium</i> , <i>Diphasium alpinum</i> , <i>Diphasium alpinum</i> type, <i>Diphasium complanatum</i> , <i>Diphasium tristachyum</i> , <i>Diphasium</i> type, <i>Lycopodium</i>
Genus	<i>Lysimachia</i>	<i>Lysimachia</i> , <i>Lysimachia maritima</i> , <i>Lysimachia nemorum</i> , <i>Lysimachia thyrsiflora</i> , <i>Lysimachia</i> type, <i>Lysimachia vulgaris</i> , <i>Lysimachia vulgaris</i> type
Family	Lythraceae	Lythraceae, <i>Lythrum</i> , <i>Lythrum salicaria</i> , <i>Lythrum salicaria</i> type, <i>Lythrum salicaria</i> / <i>Lythrum hyssopifolia</i> , <i>Peplis</i>
Family	Magnoliaceae	Magnoliaceae
Genus	<i>Malus</i>	<i>Malus</i> , <i>Malus</i> type

Family	Malvaceae	<i>Hibiscus</i> , <i>Lavatera</i> type, <i>Malva</i> , <i>Malva sylvestris</i> type, Malvaceae, <i>Sterculia</i>
Family	Melanthiaceae	<i>Veratrum</i> , <i>Veratrum</i> type
Genus	<i>Mercurialis</i>	<i>Mercurialis</i> , <i>Mercurialis annua</i> , <i>Mercurialis annua</i> type, <i>Mercurialis perennis</i> , <i>Mercurialis perennis</i> type
Genus	<i>Moltkia</i>	<i>Moltkia</i>
Family	Montiaceae	<i>Montia</i>
Family	Moraceae	Moraceae, <i>Morus</i> , <i>Morus alba</i> , <i>Morus alba</i> type, <i>Morus nigra</i>
Genus	<i>Myrica</i>	<i>Corylus</i> / <i>Myrica</i> , <i>Myrica</i> , <i>Myrica gale</i> , <i>Myrica gale</i> type, <i>Myrica</i> type
Genus	<i>Myricaria</i>	<i>Myricaria</i>
Family	Myrtaceae	Myrtaceae, <i>Myrtus</i> , <i>Myrtus communis</i>
Family	Nartheciaceae	<i>Narthecium</i> , <i>Narthecium ossifragum</i> , <i>Narthecium</i> type
Genus	<i>Nerium</i>	<i>Nerium</i> , <i>Nerium oleander</i>
Genus	<i>Nigella</i>	<i>Nigella</i>
Family	Nitrariaceae	<i>Nitraria</i> , <i>Peganum harmala</i>
Genus	<i>Olea</i>	<i>Olea</i> , <i>Olea europaea</i> , <i>Olea</i> type
Family	Oleaceae	Fontanesia/ <i>Phillyrea</i> , <i>Olea/<i>Ligustrum</i>, Oleaceae</i>
Family	Onagraceae	<i>Chamaenerion</i> , <i>Chamaenerion angustifolium</i> , <i>Circaeaa</i> , <i>Epilobium</i> , <i>Epilobium</i> type, Onagraceae
Genus	<i>Ononis</i>	<i>Ononis</i> , <i>Ononis</i> type
Family	Ophioglossaceae	<i>Botrychium</i> , <i>Botrychium lunaria</i> , <i>Botrychium lunaria</i> type, <i>Botrychium</i> type, Ophioglossaceae, <i>Ophioglossum</i> , <i>Ophioglossum vulgatum</i>
Family	Orchidaceae	<i>Neottia</i> type, Orchidaceae
Family	Orobanchaceae	<i>Euphrasia</i> , <i>Euphrasia</i> type, <i>Melampyrum</i> , <i>Pedicularis</i> , <i>Pedicularis oederi</i> type, <i>Pedicularis palustris</i> type, <i>Pedicularis</i> type, <i>Rhinanthus</i> , <i>Rhinanthus</i> type
Family	Osmundaceae	<i>Osmunda</i> , <i>Osmunda regalis</i>
Family	Oxalidaceae	Oxalidaceae, <i>Oxalis</i> , <i>Oxalis acetosella</i> , <i>Oxalis stricta</i>
Genus	<i>Oxyria/Rumex</i>	<i>Oxyria</i> , <i>Rumex acetosa</i> / <i>Rumex acetosella</i> , <i>Rumex acetosa</i> / <i>Rumex acetosella</i> type, <i>Rumex acetosa</i> / <i>Rumex scutatus</i> type, <i>Rumex acetosella</i> , <i>Rumex acetosella</i> type, <i>Rumex alpestris</i> , <i>Rumex alpinus</i> , <i>Rumex alpinus</i> type, <i>Rumex aquaticus</i> , <i>Rumex aquaticus</i> type, <i>Oxyria digyna</i> , <i>Rumex conglomeratus</i> type, <i>Rumex crispus</i> , <i>Rumex crispus</i> type, <i>Rumex hydrolapathum</i> , <i>Rumex hydrolapathum</i> type, <i>Rumex longifolius</i> , <i>Rumex longifolius</i> type, <i>Rumex obtusifolius</i> type, <i>Rumex patentia</i> type, <i>Rumex sanguineus</i> type, <i>Oxyria</i> type, <i>Rumex</i> type, <i>Oxyria/Rumex</i> , <i>Oxyria/Rumex</i> type, <i>Rumex acetosa</i> , <i>Rumex acetosa</i> type, <i>Rumex acetosa</i> / <i>Oxyria</i> type
Genus	<i>Paeonia</i>	<i>Paeonia</i>
Genus	<i>Paliurus</i>	<i>Paliurus</i> , <i>Paliurus spina-christi</i>
Family	Papaveraceae	<i>Chelidonium majus</i> , <i>Papaver</i> , <i>Papaver argemone</i> , <i>Papaver rhoes</i> type, <i>Papaver</i> type, Papaveraceae, <i>Roemeria</i> , <i>Corydalis</i> , <i>Corydalis solida</i> type, <i>Corydalis</i> type, <i>Fumana</i> , <i>Fumaria</i> , <i>Fumaria officinalis</i> type, <i>Glaucium</i> , <i>Hypecoum</i>
Genus	<i>Parrotia</i>	<i>Parrotia persica</i>
Genus	<i>Periploca</i>	<i>Periploca</i>
Genus	<i>Phillyrea</i>	<i>Olea/Phillyrea</i> , <i>Phillyrea</i> , <i>Phillyrea angustifolia</i> , <i>Phillyrea angustifolia</i> type, <i>Phillyrea media</i> , <i>Phillyrea</i> type
Family	Phyllanthaceae	<i>Andrachne</i> , <i>Andrachne telephiooides</i>

Genus	<i>Picea</i>	<i>Picea</i> , <i>Picea abies</i> , <i>Picea abies</i> subsp <i>abies</i>
Genus	<i>Picea orientalis</i>	<i>Picea orientalis</i>
Genus	<i>Pinus</i>	<i>Pinus</i>
Genus sub-group	<i>Pinus (diploxylon)</i>	<i>Pinus (Diploxylon)</i> , <i>Pinus subg. Pinus</i> , <i>Pinus sylvestris</i> , <i>Pinus sylvestris</i> type, <i>Pinus sylvestris/Pinus nigra</i> type, <i>Pinus</i> type, <i>Pinus halepensis</i> , <i>Pinus nigra</i> type, <i>Pinus non-cembra</i> , <i>Pinus pinaster</i> , <i>Pinus pinaster</i> type, <i>Pinus pinaster/Pinus halepensis</i> , <i>Pinus pinea</i> type, <i>Pinus pinea/Pinus halepensis</i> type
Genus sub-group	<i>Pinus (haploxyton)</i>	<i>Pinus (Haploxyton)</i> , <i>Pinus cembra</i> , <i>Pinus cembra</i> type, <i>Pinus peuce</i> , <i>Pinus sibirica</i>
Genus	<i>Pistacia</i>	<i>Pistacia</i> , <i>Pistacia lentiscus</i> , <i>Pistacia lentiscus</i> type, <i>Pistacia terebinthus</i> , <i>Pistacia terebinthus</i> type, <i>Pistacia</i> type
Family	Plantaginaceae	<i>Globularia</i> , <i>Plantago coronopus</i> type, <i>Plantago cylindrica</i> type, <i>Plantago lanceolata</i> , <i>Plantago lanceolata</i> type, <i>Plantago lusitanica</i> , <i>Plantago major</i> , <i>Plantago major</i> type, <i>Plantago major/Plantago media</i> , <i>Plantago maritima</i> , <i>Plantago maritima</i> , <i>Gratiola officinalis</i> , <i>Plantago maritima</i> type, <i>Plantago media</i> , <i>Plantago media</i> type, <i>Plantago media/Plantago major</i> , <i>Plantago media/Plantago major</i> type, <i>Plantago montana</i> type, <i>Plantago ovata</i> type, <i>Plantago psyllium</i> type, <i>Plantago tenuiflora</i> type, <i>Plantago</i> type, Plantaginaceae, <i>Plantago</i> , <i>Plantago afra</i> type, <i>Plantago albicans</i> , <i>Plantago alpina</i> , <i>Plantago alpina</i> type, <i>Plantago coronopus</i>
Genus	<i>Platanus</i>	<i>Platanus</i> , <i>Platanus orientalis</i> , <i>Platanus</i> type
Family	Plumbaginaceae	<i>Acantholimon</i> , <i>Limonium vulgare</i> , Plumbaginaceae, <i>Plumbago</i> , <i>Armeria</i> , <i>Armeria maritima</i> , <i>Armeria maritima</i> subsp <i>elongata</i> , <i>Armeria</i> type, <i>Armeria/Limonium</i> , <i>Armeria/Limonium</i> type, <i>Limonium</i> , <i>Limonium</i> type
Family	Poaceae	<i>Anthoxanthum</i> , <i>Stipa</i> , <i>Deschampsia</i> , <i>Elymus</i> , <i>Lygeum</i> , <i>Lygeum spartum</i> , <i>Nardus</i> , <i>Poa/Festuca</i> type, Poaceae, <i>Setaria</i>
Family	Polemoniaceae	Polemoniaceae, <i>Polemonium</i>
Family	Polygalaceae	<i>Polygala</i> , <i>Polygala</i> type, <i>Polygala vulgaris</i> , <i>Polygala vulgaris</i> type, Polygalaceae, <i>Polygaloides chamaebuxus</i>
Family	Polygonaceae	<i>Atraphaxis</i> , <i>Persicaria amphibia</i> , Polygonaceae, <i>Pteropyrum</i> , <i>Rheum</i> , <i>Rheum ribes</i> , <i>Rheum</i> type, <i>Bilderdykia convolvulus</i> , <i>Bilderdykia convolvulus</i> type, <i>Bistorta officinalis</i> type, <i>Bistorta vivipara</i> , <i>Calligonum</i> , <i>Fallopia convolvulus</i> , <i>Fallopia convolvulus</i> type, <i>Persicaria</i>
Genus	<i>Polygonum</i>	<i>Polygonum</i> , <i>Polygonum convolvulus</i> , <i>Polygonum convolvulus</i> type, <i>Polygonum oxyspermum</i> type, <i>Polygonum persicaria</i> , <i>Polygonum persicaria</i> type, <i>Polygonum sect. Persicaria</i> , <i>Polygonum</i> type, <i>Polygonum viviparum</i> , <i>Polygonum alpinum</i> , <i>Polygonum amphibium</i> , <i>Polygonum amphibium</i> type, <i>Polygonum aviculare</i> , <i>Polygonum aviculare</i> type, <i>Polygonum bistorta</i> , <i>Polygonum bistorta</i> type, <i>Polygonum bistorta/Polygonum viviparum</i>

Genus	<i>Polypodiaceae</i>	<i>Aspidium, Blechnum, Blechnum spicant, Cystopteris, Cystopteris fragilis, Cystopteris type, Dryopteridaceae/Polypodiaceae, Dryopteris, Dryopteris carthusiana, Dryopteris carthusiana type, Dryopteris cristata, Asplenium, Dryopteris cristata type, Dryopteris dilatata, Dryopteris dilatata type, Dryopteris filix-mas, Dryopteris filix-mas type, Dryopteris type, Dryopteris/Thelypteris, Grammitis, Gymnocarpium, Gymnocarpium dryopteris, Asplenium nidus, Pilularia, Polypodiaceae, Polypodiales, Polypodium, Polypodium vulgare, Polypodium vulgare type, Polystichum, Polystichum type, Thelypteris, Thelypteris palustris, Asplenium type, Thelypteris palustris type, Thelypteris phegopteris, Thelypteris type, Asplenium viride, Athyrium, Athyrium alpestre type, Athyrium distentifolium type, Athyrium filix-femina</i>
Genus	<i>Populus</i>	<i>Populus, Populus tremula, Populus tremula type</i>
Family	<i>Portulacaceae</i>	<i>Portulacaceae</i>
Genus	<i>Potentilla</i>	<i>Potentilla, Potentilla aurea, Potentilla micrantha type, Potentilla recta, Potentilla type</i>
Family	<i>Primulaceae</i>	<i>Anagallis, Primula, Primula clusiana type, Primula farinosa, Primula farinosa type, Primula hirsuta type, Primula type, Primula veris type, Primula vulgaris type, Primulaceae, Soldanella, Anagallis arvensis, Trientalis, Trientalis europaea, Anagallis arvensis type, Anagallis tenella, Anagallis type, Androsace, Androsaceae, Cyclamen, Cyclamen hederifolium</i>
Genus	<i>Prosopis</i>	<i>Lagonychium type, Prosopis</i>
Genus	<i>Prunus</i>	<i>Prunus, Prunus avium, Prunus padus, Prunus spinosa type, Prunus type</i>
Family	<i>Pteridaceae</i>	<i>Adiantum, Cheilanthes, Cryptogramma, Cryptogramma crispa, Cryptogramma crispa type, Pteris</i>
Genus	<i>Pterocarya</i>	<i>Pterocarya, Pterocarya fraxinifolia</i>
Genus	<i>Punica</i>	<i>Punica</i>
Genus	<i>Pyrus</i>	<i>Pyrus, Pyrus type</i>
Genus	<i>Quercus</i> (deciduous)	<i>Quercus, Quercus robur type, Quercus robur/Quercus petraea, Quercus (deciduous), Quercus cerris, Quercus cerris type, Quercus deciduous, Quercus ithaburensis, Quercus ithaburensis type, Quercus petraea, Quercus robur</i>
Genus	<i>Quercus</i> (evergreen)	<i>Quercus (evergreen), Quercus rotundifolia type, Quercus suber, Quercus suber type, Quercus calliprinos, Quercus calliprinos type, Quercus coccifera, Quercus coccifera type, Quercus coccifera/Quercus ilex, Quercus evergreen, Quercus ilex, Quercus ilex type</i>
Genus	<i>Quercus</i> (intermediate)	<i>Quercus canariensis type, Quercus cerris/Quercus suber, Quercus cerris/Quercus suber type, Quercus faginea, Quercus faginea/Quercus pubescens, Quercus faginea/Quercus pyrenaica, Quercus pubescens type, Quercus pyrenaica type, Quercus robur/Quercus pubescens type</i>
Family	<i>Ranunculaceae</i>	<i>Anemone, Anemone nemorosa, Anemone nemorosa type, Anemone nemorosa type/Hepatica nobilis, Anemone nemorosa/Anemone ranunculoides, Anemone type, Hepatica, Pulsatilla, Ranunculaceae</i>
Genus	<i>Ranunculus</i>	<i>Ranunculus, Ranunculus ficaria type, Ranunculus flammula type, Ranunculus glacialis type, Ranunculus montanus type, Ranunculus muricatus type, Ranunculus nivalis type, Ranunculus parviflorus, Ranunculus repens type, Ranunculus sceleratus type, Ranunculus type, Ranunculus acer type, Ranunculus aconitifolius, Ranunculus aconitifolius type, Ranunculus acris, Ranunculus acris type, Ranunculus arvensis, Ranunculus arvensis type, Ranunculus asiaticus type</i>

Family	Resedaceae	<i>Reseda, Reseda lutea</i> type, Resedaceae
Family	Rhamnaceae	Rhamnaceae
Genus	<i>Rhamnus</i>	<i>Rhamnus, Rhamnus catharticus, Rhamnus</i> type
Genus	<i>Rhododendron</i>	<i>Rhododendron, Rhododendron ferrugineum, Rhododendron</i> type
Genus	<i>Rhus</i>	<i>Rhus, Rhus coriaria</i>
Genus	<i>Ribes</i>	<i>Ribes, Ribes</i> type
Family	Rosaceae	<i>Agrimonia, Fragaria</i> type, <i>Geum, Geum rivale</i> type, <i>Geum</i> type, <i>Pirus</i> type, <i>Prunus/Rubus</i> type, <i>Pyrus/Malus, Rosa, Rosa canina</i> type, <i>Rosa</i> type, <i>Agrimonia eupatoria, Rosa/Prunus, Rosaceae, Spiraea, Alchemilla, Alchemilla</i> type, <i>Filipendula, Filipendula</i> type, <i>Filipendula ulmaria, Filipendula vulgaris, Fragaria</i>
Genus	<i>Rosmarinus</i>	<i>Rosmarinus, Rosmarinus</i> type
Family	Rubiaceae	<i>Asperula, Galium, Galium</i> type, Rubiaceae, <i>Theligonum</i>
Genus	<i>Rubus</i>	<i>Rubus, Rubus arcticus, Rubus arcticus</i> type, <i>Rubus chamaemorus, Rubus fruticosus</i> type, <i>Rubus idaeus</i> type, <i>Rubus saxatilis, Rubus</i> type
Genus	<i>Ruscus</i>	<i>Ruscus</i>
Family	Rutaceae	<i>Haplophyllum, Ruta, Rutaceae</i>
Genus	<i>Salix</i>	<i>Salix, Salix glauca</i> type, <i>Salix helvetica</i> type, <i>Salix herbacea, Salix herbacea</i> type, <i>Salix herbacea/Salix reticulata, Salix pentandra</i> type
Genus	<i>Salvia</i>	<i>Salvia, Salvia verticillata</i> type
Genus	<i>Sambucus</i>	<i>Sambucus, Sambucus ebulus, Sambucus nigra, Sambucus nigra</i> type, <i>Sambucus nigra/Sambucus racemosa, Sambucus racemosa, Sambucus</i> type
Genus	<i>Sanguisorba group</i>	<i>Poterium, Sanguisorba, Sanguisorba minor, Sanguisorba minor ssp minor, Sanguisorba minor</i> type, <i>Sanguisorba officinalis, Sanguisorba</i> type, <i>Sarcopoterium</i>
Family	Santalaceae	<i>Arceuthobium oxycedri, Comandra elegans, Osyris alba</i> type, <i>Thesium</i>
Family	Saxifragaceae	<i>Chrysosplenium, Saxifraga oppositifolia, Saxifraga oppositifolia</i> type, <i>Saxifraga paniculata</i> type, <i>Saxifraga stellaris, Saxifraga stellaris</i> type, <i>Saxifraga tricuspidata, Saxifragaceae, Chrysosplenium</i> type, <i>Micranthes nivalis</i> type, <i>Saxifraga, Saxifraga cernua</i> type, <i>Saxifraga cespitosa</i> type, <i>Saxifraga foliolosa</i> type, <i>Saxifraga granulata, Saxifraga granulata</i> type
Family	Scrophulariaceae	<i>Antirrhinum</i> type, <i>Scrophularia/Verbascum, Scrophulariaceae, Verbascum, Verbascum</i> type, <i>Veronica, Veronica</i> type, <i>Antirrhinum/Linaria, Digitalis, Digitalis purpurea</i> type, <i>Digitalis</i> type, <i>Linaria, Linaria</i> type, <i>Scrophularia, Scrophularia</i> type
Genus	<i>Smilax</i>	<i>Smilax</i>
Family	Solanaceae	<i>Capsicum</i> type, <i>Lycium, Solanaceae, Solanum, Solanum dulcamara, Solanum nigrum, Solanum nigrum</i> type
Genus	<i>Sorbus</i>	<i>Sorbus, Sorbus aria, Sorbus aucuparia, Sorbus aucuparia</i> type, <i>Sorbus</i> type
Genus	<i>Styrax</i>	<i>Styrax officinalis</i>
Genus	<i>Suaeda</i>	<i>Suaeda, Suaeda</i> type
Genus	<i>Syringa</i>	<i>Syringa</i>
Genus	<i>Tamarix</i>	<i>Tamarix</i>
Genus	<i>Taxus</i>	<i>Taxus, Taxus baccata</i>
Genus	<i>Teucrium</i>	<i>Teucrium, Teucrium</i> type

Genus	<i>Thalictrum</i>	<i>Thalictrum</i> , <i>Thalictrum alpinum</i> , <i>Thalictrum aquilegiifolium</i> , <i>Thalictrum flavum</i> type, <i>Thalictrum lucidum</i> , <i>Thalictrum</i> type
Family	Thymelaeaceae	<i>Thymelaea</i> , Thymelaeaceae
Genus	<i>Tilia</i>	<i>Tilia</i> , <i>Tilia cordata</i> , <i>Tilia cordata</i> type, <i>Tilia platyphyllos</i> , <i>Tilia platyphyllos</i> type
Genus	<i>Tofieldia</i>	<i>Tofieldia</i>
Genus	<i>Trollius</i>	<i>Trollius</i> , <i>Trollius europaeus</i> , <i>Trollius</i> type
Genus	<i>Ulmus</i>	<i>Ulmus</i> , <i>Ulmus glabra</i> , <i>Ulmus glabra</i> type, <i>Ulmus minor</i>
Genus	<i>Ulmus/Zelkova</i>	<i>Ulmus/Zelkova</i> , <i>Zelkova</i> , <i>Zelkova</i> type
Family	Urticaceae	<i>Parietaria</i> , <i>Parietaria/Urtica</i> , <i>Urtica</i> , <i>Urtica dioica</i> , <i>Urtica dioica</i> type, <i>Urtica pilulifera</i> type, <i>Urtica</i> type, <i>Urtica urens</i> , Urticaceae
Genus	<i>Vaccinium</i>	<i>Vaccinium</i> , <i>Vaccinium myrtillus</i> , <i>Vaccinium myrtillus</i> type, <i>Vaccinium oxycoccus</i> , <i>Vaccinium</i> type, <i>Vaccinium uliginosum</i> type, <i>Vaccinium/Oxycoccus</i>
Family	Valerianaceae	<i>Centranthus</i> , <i>Valerianella</i> , <i>Valeriana</i> , <i>Valeriana dioica</i> type, <i>Valeriana officinalis</i> , <i>Valeriana officinalis</i> type, <i>Valeriana sambucifolia</i> type, <i>Valeriana tripteris</i> type, <i>Valeriana</i> type, Valerianaceae
Family	Verbenaceae	<i>Verbena</i> , <i>Verbena officinalis</i>
Genus	<i>Viburnum</i>	<i>Viburnum</i> , <i>Viburnum opulus</i> , <i>Viburnum opulus</i> type, <i>Viburnum</i> type
Family	Violaceae	<i>Viola</i> , <i>Viola arvensis</i> type, <i>Viola canina</i> type, <i>Viola palustris</i> , <i>Viola palustris</i> type, <i>Viola tricolor</i> , <i>Viola tricolor</i> / <i>Viola arvensis</i> , Violaceae
Genus	<i>Viscum</i>	<i>Viscum</i> , <i>Viscum album</i> , <i>Viscum album</i> type, <i>Viscum</i> type
Genus	<i>Vitex</i>	<i>Vitex</i>
Genus	<i>Ziziphus</i>	<i>Ziziphus</i> type, <i>Zizyphus</i> , <i>Zizyphus lotus</i>
Family	Zygophyllaceae	<i>Tribulus</i> , <i>Tribulus terrestris</i> , Zygophyllaceae, <i>Zygophyllum</i>

**Table S2.** Metadata of the pollen records used in the reconstructions.

Latitude position	Entity name	Latitude	Longitude	Elevation	References
1	Kismohos	48.33724	20.42333	315	Willis et al (1997)
2	Preluca	47.8175	23.5358	730	Feurdean (2005); Feurdean & Bennike (2004); Feurdean et al (2008)
3	Steregoiu	47.813	23.5447	790	Björkman et al. (2003); Feurdean & Bennike (2004); Feurdean et al (2008)
4	Iaz Core	47.10833	22.66111	300	Grindean et al. (2014)
5	Kardashinski Swamp	46.51667	32.61667	4	Kremenetski (1995)
6	Capatana core	46.46611	23.13639	1220	Farcas et al. (2003)
7	Mohos1	46.083	25.9167	1050	Tantau (2003); Tantau et al. (2003)
8	Avrig 1	45.716	24.383	400	Tantau (2003); Tantau et al. (2006)
9	Pesteana peat bog	45.5433	22.8061	480	Farcas & Tantau (2012)
10	Taul Zanogutii core	45.32778	22.80278	1840	Farcas et al. (1999)
11	Semenic 1	45.18	22.0594	1400	Roesch & Fischer (2000)
12	Chernaya NG-2	44.57	33.6	2	Cordova & Lehman (2005)
13	Yaila	44.49	34.06	1205	Cordova & Lehman (2003); Cordova & Lehman (2005)
14	Lake Srebarna Lazarova94 Core	44.10914	27.06915	20	Lazarova (1995)
15	Mire Garvan Lazarova94 Core	44.10825	26.98818	20	Lazarova (1995)
16	Luganskoe	43.72	40.68	2428	Kvavadze et al. (1994)
17	Quartzvoe	43.67	41.17	2726	Kvavadze & Efremov (1996)
18	Serni Core	43.66667	40.480556	2485	Kvavadze & Efremov (1994)
19	Lake Durankulak 3	43.66667	28.55	4	Marinova (2003)
20	Adange core 1	43.31	41.33	1750	Kvavadze & Rukhadze (1989)
21	Amtkel core 1	43.27	41.31	1830	Kvavadze & Rukhadze (1989)
22	Sibista	43.23333	41.43056	2160	Kvavadze & Rukhadze (1989)
23	Lake Varna - 3	43.2	27.83333	0	Filipova-Marinova et al. (2014)
24	Khodzal Kvavadze89 Core	42.95417	41.91111	2030	Kvavadze & Rukhadze (1989)
24	Khodzal Kvavadze89 Core	42.95417	41.91111	2030	Kvavadze & Rukhadze (1989)
25	Sredna Gora Mountains	42.83333	24.83333	1300	Filipovitch (1977); Filipovitch (1992); Filipovitch et al. (1998); Petrov and Filipovitch (1987)
26	Straldza	42.6308	26.7728	137	Tonkov et al. (2008); Tonkov et al. (2009)
27	Straldzha mire CANAL	42.6308	26.7728	137	Connor et al. (2013)
28	Kumata Core	42.59028	23.25167	1770	Tonkov & Possnert (2016)
29	Vitosha Mountain Filipovitch81 Core	42.56809	23.26895	2000	Filipovitch (1975); Filipovitch (1985)
30	Beg Bunar peat bog	42.1525	22.535	1750	Lazarova et al. (2009)
31	Dry Lake 2	42.038	23.533	1900	Bozilova & Smit (1979); Bozilova et al. (1986)
32	Kupena-3	41.98333	24.3333	1356	Tonkov et al. (2013); Tonkov et al. (2014)
33	Besbog-2 Stefanova87	41.75	23.66667	2240	Stefanova et al. (2006)
34	Popovo Ezero Stefanova86	41.71667	23.66667	2185	Stefanova & Bozilova (1995)
35	Didachara core	41.68389	42.49694	2000	Connor et al. (2017)
36	Imera core 1	41.65	44.22	1610	Connor & Sagona (2007); Connor et al. (2004)
37	Aligol core 1	41.63	44.02	1550	Connor & Sagona (2007); Connor et al. (2004)

38	Lake Blatisto	41.62139	24.67806	1540	van Huis et al. (2013a); van Huis et al. (2013b)
39	Kumisi core 1	41.58	44.83	469	Connor et al (2004)
40	Sakhare core 1	41.58	45.32	800	Connor et al (2004)
41	Mutorog Bozilova93 Core	41.52432	23.61661	1700	Panovska et al. (1995)
42	Elatia-Rhodopes	41.47972	24.32583	1520	Athanasiadis et al. (1993)
42	Elatia-Rhodopes	41.47972	24.32583	1520	Gerasimidis & Athanasiadis (1995)
43	Beles Mountain	41.31944	23.01611	1400	Athanasiadis et al. (2003)
44	Lailias_core	41.26778	23.59944	1420	Gerasimidis (2000); Gerasimidis & Athanasiadis (1995)
45	Paiko	41.05167	22.27472	1080	Gerasimidis & Athanasiadis (1995); Gerasimidis et al. (2008)
46	Voras	41.0179	21.9122	1640	Gerasimidis & Athanasiadis (1995); Gerasimidis et al. (2009)
47	Lake Ohrid	40.938	20.759	693	Wagner et al. (2009)
48	Edessa1	40.81806	21.9525	350	Bottema (1974)
49	Vegoritis 8 Bottema Core	40.75	21.75	570	Bottema (1982)
50	Sapanca long core SA03R6	40.71806	30.25833	30	Leroy et al. (2010)
51	Khimaditis Ib Bottema65 Core	40.61667	21.58333	560	Bottema (1974)
52	Orestias G25	40.5117	21.2578	630	Kouli & Dermitzakis (2010)
53	Kaz Gölü	40.28333	36.15		Bottema et al. (1993)
54	Flambouro mire	40.25944	22.17083	1645	Gerasimidis & Athanasiadis (1995)
54	Flambouro mire	40.25944	22.17083	1645	Gerasimidis & Panajiotidis (2010)
55	Litochoro_core	40.13889	22.54611	25	Athanasiadis (1975)
56	Rezina	39.98778	20.77556	1760	Willis (1992)
57	Demiryurt Gölü Bottema Core	39.73333	37.383333		Bottema et al. (1993)
58	Pertouli core	39.52417	21.4775	1440	Athanasiadis (1975)
59	Trikhonis 5 Bottema Core	38.6	21.5	20	Bottema(1982)
60	Lake Almalou	37.66528	46.63194	2410	Djamali et al. (2009); Djamali et al. (2010)
61	Lake Lerna	37.58083	22.73	0	Jahns (1993)
62	HCGA05-core	37.46944	47.3525	-27	Leroy et al. (2011); Amini et al. (2012)
63	Köycegiz Gölü Bottema70 Core	36.875	28.641667	1491.76	Bottema & Woldring (1984)
64	EIG	36.55	51.4833	550	Ramezani et al. (2013)
65	Asi Gonia 1	35.24861	24.27778	780	Atherden & Hall (1999)
66	Asi Gonia 2	35.24861	24.2778	780	Atherden & Hall (1999)
67	Bouara Bottema84 core	35.23333	41.18333		Gremmen & Bottema (1991)
68	Chamsine	33.75278	35.948056	856	Hajar et al. (2010); Cheddadi & Khater (2016)
69	Wadi Shallalah	32.6	35.9	385	Cordova (2007)
70	Dead Sea DS7-1SC core	31.493	35.4361	-402	Leroy (2010)
71	Ein Gedi	31.46528	35.39417	-413	Litt et al. (2012)

## References for pollen records

- Amini, A., Harami, R.M., Lahijani, H., and Mahboubi, A.(2012) Holocene sedimentation rate in Gorgan Bay and adjacent coast in Southeast of Caspian Sea. *Journal of Basic and Applied Scientific Research* 2: 289-297.
- Athanasiadis, N. (1975) Zur postglazialen Vegetationsentwicklung von Litochoro Katerinis und Pertouli Trikalon (Griechenland). *Flora* 164: 99-132.
- Athanasiadis, N., Gerasimidis, A., and Panajiotidis, S. (2003) A palynological study in the Beles Mountains, Northern Greece. In: *Aspects of Palynology and Palaeoecology. Festschrift in Honour of Elissaveta Bozilova*, pp. 185-197. PENSOFT, Sofia-Moscow.
- Athanasiadis, N., Gerasimidis, A., Eleftheriadou, E., and Theodoropoulos. K. (1993) Zur postglazialen Vegetationsentwicklung des Rhodopi-Gebirges (Elatia Dramas - Griechenland). *Dissertationes botanicae*, 196: 427-437.
- Atherden, M.A., and Hall, J.A. (1999) Human impact on vegetation in the White Mountains of Crete since AD 500. *The Holocene*, 9:183-193.
- Björkman, L., Feurdean, A., and Wohlfarth, B., (2003) Late-Glacial and Holocene forest dynamics at Steregou in the Gutaiului Mountains, Northwest Romania. *Review of Palaeobotany and Palynology* 124: 79-111.
- Bottema, S. (1974) Late Quaternary Vegetation History of Northwestern Greece. Ph.D. Dissertation. University of Groningen, Groningen, The Netherlands
- Bottema, S., (1982) Palynological investigations in Greece with special reference to pollen as indicator of human activity. *Palaeohistoria*, 24: 257-289.
- Bottema, S., and Woldring, H. (1984) Late Quaternary vegetation and climate of southwestern Turkey. Part II. *Palaeohistoria* 26: 123-149.
- Bottema,S., Woldring, H. and Aytug, B. (1993) Late Quaternary vegetation history of northern Turkey. *Palaeohistoria* 35/36: 13-72
- Bozilova, E., and Smit, A.G. (1979) Palynology of lake Sucho Ezero from South Rila Mountain (Bulgaria). *Phytologia* 11: 54-67.
- Bozilova, E., Tonkov, S., and Pavlova, D. (1986) Pollen and plant macrofossil analyses of the Lake Sucho Ezero in the south Rila mountains. *Annual Journal of Sofia University, Faculty of Biology* 80: 48-57.
- Cheddadi, R., and Khater, C. (2016) Climate change since the last glacial period in Lebanon and the persistence of Mediterranean species. *Quaternary Science Reviews* 150: 146-157.
- Connor, SE, and Sagona, A, (2007) Environment and society in the late prehistory of southern Georgia, Caucasus. In B. Lyonnet (ed.) *Les cultures du Caucase (VI-IIIeme millénaires av. notre ère)*. Leurs relations avec le Proche-Orient Ancien, Peeters Press, pp. 21-26.
- Connor, S.E., D. Colombaroli, F. Confortini, E. Gobet, B.P. Ilyashuk, E.A. Ilyashuk, J.F.N. van Leeuwen, M. Lamentowicz, W.O. van der Knaap, E. Malysheva, A. Marchetto, N. Margalitadze, Y. Mazei, E.A.D. Mitchell, R.J. Payne, and B. Ammann (2017) Long-term population dynamics – theory and reality in a peatland ecosystem. *Journal of Ecology* DOI: 10.1111/1365-2745.12865
- Connor, S.E., Ross, S.A., Sobotkova, A., Herries, A.I.R., Mooney, S.D., Longford, C. and Iliev, I. (2013) Environmental conditions in the SE Balkans since the Last Glacial Maximum and their influence on the spread of agriculture into Europe. *Quaternary Science Reviews*, 68: 200-215.
- Connor, S.E., Thomas, I., Kvavadze, E.V., Arabuli, G.J., Avakov, G.S., & Sagona, A. (2004) A survey of modern pollen and vegetation along an altitudinal transect in southern Georgia, Caucasus region. *Review of Palaeobotany and Palynology* 129: 229-250.
- Cordova, C.E. (2007). *Millennial Landscape Change in Jordan: Geoarchaeology and Cultural Ecology*. Tucson: University of Arizona Pres 272 p.
- Cordova, C.E., and Lehman, P.H. (2003) Archaeopalynology of synanthropic vegetation in the chora of Chersonesos, Crimea, Ukraine. *Journal of Archaeological Science* 30:1483-1501.
- Cordova, C.E., and Lehman, P.H. (2005) Holocene environmental change in southwestern Crimea (Ukraine) in pollen and soil records. *The Holocene* 15:263-277.
- Djamali, M., de Beaulieu, J.L., Andrieu-Ponel, V., Berberian, M., Miller, N.F., Gandonin, E., Lahijani, H.A.K., Shah-Hosseini, M., Ponel, P., Salimian, M., and Guiter, F. (2009) A late Holocene pollen record from Lake

- Almalou in NW Iran: evidence for changing land-use in relation to some historical events during the last 3700 years. *Journal of Archaeological Science*, 36: 1363-1375.
- Djamali, M., Miller, N.F., Ramezani, E., Andrieu-Ponel, V., de Beaulieu, J.L., Berberian, M., Guibal, F., Lahijani, H.A.K., Lak, R., and Ponel, P. (2010) Notes on arboricultural and agricultural practices in Ancient Iran based on new pollen evidence. *Paléorient* 36: 175-188.
- Farcas, S., and Tantau, I. (2012) Contribution to the European Pollen Database. 16. Poiana Rusca Mountains (Romania): Pesteana peat bog. *Grana* 51: 249-251.
- Farcas, S., de Beaulieu, J.L., Reille, M., Coldea, G., Diaconeasa, B., Goeury, C., Goslar, T., and Jull, T. (1999) First  $^{14}\text{C}$  dating of Late Glacial and Holocene pollen sequences from Romanian Carpathes. *Compte Rendu de l'Académie des Sciences Paris, Série III, Sciences de la Vie* 322: 799-807.
- Farcas, S., Lupșa, V., Tantau, I., and Bodnariuc, A. (2003) Reflectarea procesului de antropizare în diagramele sporo-polinice din Munții Apuseni. In: *Environment and Progress*, Cluj-Napoca, pp. 231-236.
- Feurdean, A. (2005) Holocene forest dynamics in northwestern Romania. *The Holocene* 15: 435-446.
- Feurdean, A., and Bennike, O. (2004) Late Quaternary palaeoecological and palaeoclimatological reconstruction in the Gutaiului Mountains, northwest Romania. *Journal of Quaternary Science* 19: 808-827.
- Feurdean, A., Klotz, S., Mosbrugger, V., and Wohlfarth, B. (2008) Pollen-based quantitative reconstructions of Holocene climate variability in NW Romania. *Palaeogeography, Palaeoclimatology, Palaeoecology* 260: 494-504.
- Filipova-Marinova M., Pavlov, D., Vergiev, S., Slavchev, V., and Giosan, L. (2014) Contributions to the European Pollen Database. 24. Varna Lake (north-eastern Bulgaria): vegetation history and human impact during the last 8000 years. *Grana* 53: 309-311.
- Filipovitch, L. (1975) Vegetation history of the high parts of Vitosha mountain during the Late Postglacial times. *Fitologija* 34: 3-27
- Filipovitch, L. (1977). Palynological data for the postglacial distribution of Juglans in the composition of Bulgarian flora. *Phytology* 6: 32-37.
- Filipovitch, L. (1985) Palynological studies of peat bogs on the southern slopes of Vitosha mountain. *Forest Science* 2: 3-16.
- Filipovitch, L. (1992) Anthropogenic activity as a factor for the formation of contemporary plant communities in the central Sredna Gora mountain. *Fitologija* 43: 30-35.
- Filipovitch, L., Lazarova, M., Stefanova, I., and Petrova, M. (1998) Development of vegetation in Mt Sredna Gora during the Holocene. *Phytologia Balcanica* 4: 13-29.
- Gerasimidis, A. (2000) Palynological evidence for human influence on the vegetation of mountain regions in northern Greece: the case of Lailias, Serres. *Sheffield Studies in Aegian Archaeology*. Sheffield Academic Press, Sheffield England.
- Gerasimidis, A., and Athanasiadis, N. (1995) Woodland history of northern Greece from the mid Holocene to recent time based on evidence from peat pollen profiles. *Vegetation History and Archaeobotany* 4: 109-116.
- Gerasimidis, A., and Panajiotidis, S. (2010) Contributions to the European Pollen Database. 9. Flambouro, Pieria Mountains (northern Greece). *Grana* 49: 76-78
- Gerasimidis, A., Athanasiadis, N., and Panajiotidis, S. (2008) Contributions to the European Pollen Database. 4. Mount Paiko (northern Greece). *Grana* 47: 316-318.
- Gerasimidis, A., Athanasiadis, N., and Panajiotidis, S. (2009) Contributions to the European Pollen Database. 8. Mount Voras (north-west Greece). *Grana* 48: 316-318.
- Gremmen, W.H.E., and Bottema, S. (1991). Palynological investigations in the Syrian Gazira. In H. Kühne (Ed.), *Die rezente Umwelt von Tall Seh Hamad und Daten zur Umweltrekonstruktion der assyrischen Stadt Dur-Katlimmu*. Dietrich Reimer Verlag, Berlin, Germany, pp 105-116.
- Grindean, R., Tantau, I., Farcas, S., and Panait, A. (2014) Middle to Late Holocene vegetation shifts in the NW Transylvanian lowlands (Romania). *Studia UBB Geologia* 59: 29-37.
- Hajar, L., Haïdar-Boustani, M., Khater, C., and Cheddadi, R. (2010) Environmental changes in Lebanon during the Holocene: Man vs. climate impacts. *Journal of Arid Environments* 74: 746-755.

- Jahns, S. (1993) On the Holocene vegetation history of the Argive plain (Peloponnese, southern Greece). *Vegetation History and Archaeobotany* 2: 187-203.
- Kouli, K., and Dermitzakis, M.D. (2010) Contributions to the European Pollen Database. 11. Lake Orestiás (Kastoria, northern Greece). *Grana* 49:154-156.
- Kremenetski, C. (1995) Holocene vegetation and climate history of southwestern Ukraine. *Review of Paleobotany and Palynology* 85: 289-301
- Kvavadze, E.V., and Efremov, Y.V. (1994) Palynological studies of Holocene lake sediments in the headwaters of the river Bezymianka (West Caucasus). *Acta Palaeobotanica* 34: 205-214.
- Kvavadze, E. V, and Efremov, Y.V. (1996): Palynological studies of lake and lake-swamp sediments of the Holocene in the high mountains of Arkhys (Western Caucasus). *Acta Palaeobotanica* 36: 107-119.
- Kvavadze, E.V., and Rukhadze, L.I. (1989). *Rastitel'nost' i klimat golotsena Abkhazii* (Vegetation and climate of the Holocene in Abkhazia). Metsniereba, Tbilisi, 137pp
- Kvavadze, E.V., Efremov, Y.V., Bukreeva, G.V., and Akatov, V.V. (1994) Palynological characteristic of the series of lacustrine and paludal deposits of the Holocene in the headwaters of the Zakan river (Western Caucasus). *Bulletin of the Georgian Academy of Sciences* 150: 177-184.
- Lazarova, M.A. (1995): Human impact on the natural vegetation in the region of Lake Srebarna and mire Garvan (northeastern Bulgaria). Palynological and palaeoethnobotanical evidence. In: E. Bozilova and Tonkov, S. (Eds.). *Advances in Holocene Palaeoecology in Bulgaria*, pp. 47-67
- Lazarova, M.A., Tonkov, S., Snowball, I., and Marinova, E. (2009) Contribution to the European Pollen Database. 6. Peat-bog Begubar (Osogovo Mountains, south-west Bulgaria): Four millennia of vegetation history. *Grana* 48: 147-149.
- Leroy, S.A.G. (2010) Pollen analysis of core DS7-1SC (Dead Sea) showing intertwined effects of climatic change and human activities in the Late Holocene. *Journal of Archaeological Science* 37: 306-316.
- Leroy, S.A.G., Lahijani, H.A.K., Djamali, M., Naqinezhad, A., Moghadam, M.V., Arpe, K., Shah-Hosseini, M., Hosseindoust, M., Miller, C.S., Tavakoli, V., Habibi, P., Naderi Beni. M. (2011) Late Little Ice Age palaeoenvironmental records from the Anzali and Amirkola Lagoons (south Caspian Sea): Vegetation and sea level changes. *Palaeogeography, Palaeoclimatology, Palaeoecology* 302:415-434.
- Leroy, S.A.G., Schwab, M.J., Costa, P.J.M. (2010) Seismic influence on the last 1500-year infill history of Lake Sapanca (North Anatolian Fault, NW Turkey). *Tectonophysics* 486: 15-27
- Litt, T., Ohlwein, C., Neumann, F.H., Hense, A., Stein, M. (2012): Holocene climate variability in the Levant from the Dead Sea pollen record. *Quaternary Science Reviews* 49: 95-105.
- Marinova, E. (2003) The new pollen core Lake Durankulak-3: a contribution to the vegetation history and human impact in Northeastern Bulgaria. In Tonkov, S. (Ed.) *Aspects of Palynology and Palaeoecology: Festschrift in Honour of Elissaveta Bozilova*, pp. 279-288.
- Panovska, H., Bozilova, E., Tonkov, S. (1995) A palaeoecological investigation on the vegetation history in the Southern Pirin Mts. (SW. Bulgaria). In: *Advances in Holocene Palaeoecology in Bulgaria*. Bozilova, E. and Tonkov, S. (Eds.) Pensoft Publications, Sofia-Moscow, pp. 32-46.
- Ramezani, E., Marvie Mohadjer, M.R., Knapp, H.D., Theuerkauf, M., Manthey, M., and Joosten, H. (2013) Pollen-vegetation relationships in the central Caspian (Hyrcanian) forests of northern Iran. *Review of Palaeobotany and Palynology* 189: 38-49.
- Roesch, M., and Fischer, E. (2000) A radiocarbon dated Holocene pollen profile from the Banat mountains (Southwestern Carpathians, Romania). *Flora* 195: 277-286.
- Stefanova, I., Bozilova, E. (1995) Studies on the Holocene history of vegetation in the Northern Pirin Mts., southwestern Bulgaria. In: *Advances in Holocene Palaeoecology in Bulgaria*, Bozilova, E. and Tonkov, S. (Eds.) Pensoft Publications, Sofia-Moscow, 9-31.
- Stefanova, I., Atanassova, J., Delcheva, M., Wright, H.E. (2006) Chronological framework for the Lateglacial pollen and macrofossil sequence in the Pirin Mountains, Bulgaria: Lake Besbog and Lake Kremensko-5. *The Holocene* 16: 877-892.
- Tantau, I. (2003) Pollen Analytic Researches in the Eastern Romanian Carpathians. History of Vegetation and Human Impact. PhD thesis Aix-Marseille III University and Babes-Bolyai of Cluj-Napoca University.

- Tantau, I., Reille, M., De Beaulieu, J.-L., Farcas, S., Goslar, T., and Paterne, M. (2003) Vegetation history in the Eastern Romanian Carpathians: pollen analysis of the two sequences from the Mohos crater. *Vegetation History and Archaeobotany* 12: 113-125.
- Tantau, I., Reille, M., De Beaulieu, J.-L., and Farcas, S. (2006) Late Glacial and Holocene vegetation history in the southern part of Transylvania (Romania): pollen analysis of two sequences from Avrig. *Journal of Quaternary Science* 21: 49-61.
- Tonkov, S., and Possnert, G. (2016) Contributions to the European Pollen Database. 30. Peat bog Kumata-1, Vitosha Mountain (Bulgaria). *Grana* 55: 250-252.
- Tonkov, S., Bozilova, E., Marinova, E., and Jungner, H. (2008) History of vegetation and landscape during the last 4000 years in the area of Straldzha mire (southeastern Bulgaria). *Phytologia Balcanica* 14: 185-191.
- Tonkov, S., Bozilova, E., and Jungner, H. (2009) Contributions to the European Pollen Database. 7. Mire Staldza (Southeastern Bulgaria): Late Holocene vegetation history. *Grana* 48: 235-237.
- Tonkov, S., Lazarova, M.A., Bozilova, E., Ivanov, D., and Snowball, I. (2013) Contributions to the European Pollen Database. 19. Mire Kupena, Westren Rhodopes Mountains (South Bulgaria). *Grana* 52: 238-240.
- Tonkov, S., Lazarova, M.A., Bozilova, E., Ivanov, D., and Snowball, I. (2014) A 30,000-year pollen record from Mire Kupena, Western Rhodopes Mountains (south Bulgaria). *Review of Palaeobotany and Palynology* 209: 41-51.
- van Huis, J., Tonkov, S., and Bozilova, E. (2013a). Contributions to the European Pollen Database. 18. Lake Blatisto, Rhodopes Mountains (South Bulgaria). *Grana* 52:78-80.
- van Huis, J., Tonkov, S., and Bozilova, E. (2013b) Two millennia of vegetation history in the Smolyan lake area, Central Rhodopes Mountains (Bulgaria). *Phytologia Balcanica* 19: 169-178.
- Wagner, B., Lotter, A.F., Nowaczyk, N.R., Reed, J.M., Schwalb, A., Sulpizio, R., Valsecchi, V., Wessels, M., and Zanchetta, G. (2009): A 40,000-year record of environmental change from ancient Lake Ohrid (Albania and Macedonia). *Journal of Paleolimnology*, 41, 407-430.
- Willis, K.J. (1992) The late Quaternary vegetational history of northwest Greece. II. Rezina marsh. *New Phytologist* 121: 119-138.
- Willis, K.J., Braun, M., Sumegi, P., and Toth, A. (1997) Does soil change cause vegetation change or vice versa? A temporal perspective from Hungary. *Ecology* 73: 740-750.

**Table S3.** Details of the models used for the transient climate simulations.

Model	Model code	Time frame (yr BP)	Horizontal resolution (lat x long)	Vegetation	References
Institut Pierre Simon Laplace Earth System Model	IPSL-CMIP5	6000-0	1.875 x 3.75	prescribed	Dufresne et al., 2013; Sepulcre et al., 2020; Braconnot et al., 2019a, b
Institut Pierre Simon Laplace Earth System Model	IPSL-CMIP5	6000-0	1.25 x 2.5	dynamic	Dufresne et al., 2013; Braconnot et al., 2019a, b
Max Planck Institute Earth System Model version 1.2	MPI	7950-100	T63	dynamic	Bader et al., 2020; Dallmeyer et al., 2021
Alfred Wegener Institute Earth System Model version 2	AWI	6000-0	T63	dynamic	Sidorenko et al., 2019; Lamping et al., 2021; Shi et al., 2022
LOVECLIM	LOVECLIM	11500-0	T21	dynamic	Goosse et al., 2010; Zhang et al., 2016
Community Climate System Model, version 3	TRACE-21k-I	22000-0	T31	dynamic	Collins et al., 2006; Otto-Bleisner et al., 2006; Liu et al., 2009
Community Climate System Model, version 3	TRACE-21k-II	22000-0	T31	dynamic	He and Clark, 2022

### References for model simulations


- Bader, J., Jungclaus, J., Krivova, N., Lorenz, S., Maycock, A., Raddatz, T., Schmidt, H., Toohey, M., Wu, C.-J., and Claussen, M.: Global temperature modes shed light on the Holocene temperature conundrum. *Nat. Commun.* 11, 4726, <https://doi.org/10.1038/s41467-020-18478-6>, 2020.
- Braconnot, P., Cretat, J., Marti, O., Balkanski, Y., Caubel, A., Cozic, A., Foujols, M.-A., and Sanogo, S.: Impact of multiscale variability on last 6,000 Years Indian and West african monsoon rain. *Geophys. Res. Lett.* 46, 14021e14029, <https://doi.org/10.1029/2019GL084797>, 2019a.
- Braconnot, P., Zhu, D., Marti, O., and Servonnat, J.: Strengths and challenges for transient Mid- to Late Holocene simulations with dynamical vegetation. *Clim. Past* 15, 997e1024, 2019b.
- Dallmeyer, A., Claussen, M., Lorenz, S.J., and Shanahan, T.: The end of the African humid period as seen by a transient comprehensive Earth system model simulation of the last 8000-years. *Clim. Past*, 16, 117–140, <https://doi.org/10.5194/cp-16-117-2020>, 2020.
- Dufresne, J.-L., Foujols, M.-A., Denvil, S., Caubel, A., Marti, O., Aumont, O., Balkanski, Y., Bekki, S., Bellenger, H., Benshila, R., Bony, S., Bopp, L., Braconnot, P., Brockmann, P., Cadule, P., Cheruy, F., Codron, F., Cozic, A., Cugnet, D., de Noblet, N., Duvel, J.-P., Ethe, C., Fairhead, L., Fichefet, T., Flavoni, S., Friedlingstein, P., Grandpeix, J.-Y., Guez, L., Guilyardi, E., Hauglustaine, D., Hourdin, F., Idelkadi, A., Ghattas, J., Joussaume, S., Kageyama, M., Krinner, G., Labetoulle, S., Lahellec, A., Lefebvre, M.-P., Lefevre, F., Levy, C., Li, Z.X., Lloyd, J., Lott, F., Madec, G., Mancip, M., Marchand, M., Masson, S., Meurdesoif, Y., Mignot, J., Musat, I., Parouty, S., Polcher, J., Rio, C., Schulz, M., Swingedouw, D., Szopa, S., Talandier, C., Terray, P., Viovy, N., and Vuichard, N.: Climate change projections using the IPSL-CM5 earth system model: from CMIP3 to CMIP5. *Clim. Dynam.* 40, 2123e2165, <https://doi.org/10.1007/s00382-012-1636-1>, 2013.
- Goosse, H., Brovkin, V., Fichefet, T., Haarsma, R., Huybrechts, P., Jongma, J., Mouchet, A., Selten, F., Barriat, P.-Y., Campin, J.-M., Deleersnijder, E., Driesschaert, E., Goelzer, H., Janssens, I., Loutre, M.-F., Morales Maqueda, M. A., Opsteegh, T., Mathieu, P.-P., Munhoven, G., Pettersson, E. J., Renssen, H., Roche, D. M., Schaeffer, M., Tartinville, B., Timmermann, A., and Weber, S. L.: Description of the Earth system model of intermediate complexity LOVECLIM version 1.2, *Geosci. Model Dev.*, 3, 603–633, <https://doi.org/10.5194/gmd-3-603-2010>, 2010.

- He, F., and Clark, P.U.: Freshwater forcing of the Atlantic Meridional Overturning Circulation revisited. *Nat. Clim. Change*, 12, 449–454, <https://doi.org/10.1038/s41558-022-01328-2>, 2022
- Lamping, N., Müller, J., Hefter, J., Mollenhauer, G., Haas, C., Shi, X., Vorrath, M.-E., Lohmann, G., and Hillenbrand, C.-D.: Evaluation of lipid biomarkers as proxies for sea ice and ocean temperatures along the Antarctic continental margin. *Clim. Past*, 17, 2305–2326, <https://doi.org/10.5194/cp-17-2305-2021>, 2021.
- Liu, Z., Otto-Bliesner, B. L., He, F., Brady, E. C., Tomas, R., Clark, P. U., Carlson, A. E., Lynch-Stieglitz, J., Curry, W., Brook, E., Erickson, D., Jacob, R., Kutzbach, J., and Cheng, J.: Transient Simulation of Last Deglaciation with a New Mechanism for Bolling-Allerod Warming. *Science*, 325, 310-314, doi:10.1126/science.1171041, 2009.
- Otto-Bliesner, B.L., Hewitt, C.D., Marchitto, T.M., Brady, E., Abe-Ouchi, A., Crucifix, M., Murakami, S., and Weber, S.L.: Last Glacial Maximum ocean thermohaline circulation: PMIP2 model intercomparisons and data constraints, *Geophys. Res. Lett.*, 34, L12706, doi:10.1029/2007GL029475, 2007
- Sepulchre, P., Caubel, A., Ladant, J.-B., Bopp, L., Boucher, O., Braconnot, P., Brockmann, P., Cozic, A., Donnadieu, Y., Dufresne, J.-L., Estella-Perez, V., Ethe, C., Fluteau, F., Foujols, M.-A., Gastineau, G., Ghattas, J., Hauglustaine, D., Hourdin, F., Kageyama, M., Khodri, M., Marti, O., Meurdesoif, Y., Mignot, J., Sarr, A.-C., Servonnat, J., Swingedouw, D., Szopa, S., and Tardif, D.: IPSL-CM5A2 e an Earth system model designed for multi-millennial climate simulations. *Geosci. Model Dev.*, 13, 3011e3053. <https://doi.org/10.5194/gmd-13-3011-2020>, 2020.
- Sidorenko, D., Goessling, H. f., von Koldunov, N., Scholz, P., Danilov, S., Barbi, D., Cabos, W., Gurses, O., Harig, S., Hinrichs, C., Juricke, S., Lohmann, G., Losch, M., Mu, L., Rackow, T., Rakowsky, N., Sein, D., Semmler, T., Shi, X., ... and Jung, T.: Evaluation of FESOM2.0 coupled to ECHAM6.3: Preindustrial and HighResMIP simulations. *J. Adv. Model. Earth Syst.*, 11, 3794–3815. <https://doi.org/10.1029/2019MS001696>, 2019.
- Zhang, Y., Renssen, H., and Seppä, H.: Effects of melting ice sheets and orbital forcing on the early Holocene warming in the extratropical Northern Hemisphere. *Clim. Past*, 12, 1119–1135. <https://doi.org/10.5194/cp-12-1119-2016>, 2016.


**Table S4.** Leave-out cross-validation fitness of fxTWA-PLSv2 for mean temperature of the coldest month (MTCO), mean temperature of the warmest month (MTWA), growing degree days above base level 0°C (GDD0) and plant-available moisture ( $\alpha$ ) with p-spline smoothed fx estimation, using bins of 0.02, 0.02 and 0.002, showing results for all the components. RMSEP is the root-mean-square error of prediction. p assesses whether using the current number of components is significantly different from using one component less; the last significant number of components is indicated in bold. The degree of overall compression is assessed by linear regression of the cross-validated reconstructions onto the climate variable, where b1 and b1.se are the slope and the standard error of the slope, respectively. The overall compression is reduced as the slope approaches 1.

Variable	Component	R2	Average bias	Max absolute	Min absolute	RMSEP	p	b1	b1.se
				bias	bias				
MTCO	1	0.67	-0.41	19.78	0.00	4.08	0.001	0.82	0.01
MTCO	2	0.70	-0.37	16.47	0.00	3.85	0.001	0.84	0.01
MTCO	3	0.72	-0.20	22.75	0.00	3.72	0.001	0.86	0.01
<b>MTCO</b>	<b>4</b>	<b>0.73</b>	<b>-0.22</b>	<b>26.35</b>	<b>0.00</b>	<b>3.67</b>	<b>0.001</b>	<b>0.86</b>	<b>0.01</b>
MTCO	5	0.73	-0.22	30.22	0.00	3.70	0.948	0.87	0.01
MTWA	1	0.61	-0.19	15.33	0.00	3.36	0.001	0.76	0.01
<b>MTWA</b>	<b>2</b>	<b>0.63</b>	<b>-0.10</b>	<b>14.05</b>	<b>0.00</b>	<b>3.22</b>	<b>0.001</b>	<b>0.78</b>	<b>0.01</b>
MTWA	3	0.63	-0.08	13.90	0.00	3.22	0.699	0.78	0.01
MTWA	4	0.64	-0.13	15.07	0.00	3.20	0.027	0.78	0.01
MTWA	5	0.64	-0.11	13.87	0.00	3.20	0.405	0.79	0.01
GDD0	1	0.67	67.56	3907.85	0.56	916.31	0.001	0.78	0.01
<b>GDD0</b>	<b>2</b>	<b>0.69</b>	<b>56.46</b>	<b>3702.27</b>	<b>0.24</b>	<b>880.33</b>	<b>0.001</b>	<b>0.79</b>	<b>0.01</b>
GDD0	3	0.70	57.82	3740.39	0.02	877.97	0.155	0.79	0.01
GDD0	4	0.70	34.31	4231.43	0.65	871.31	0.069	0.79	0.01
GDD0	5	0.70	36.70	4961.93	0.00	872.04	0.654	0.80	0.01
$\alpha$	1	0.71	-0.01	0.64	0.00	0.16	0.001	0.79	0.01
$\alpha$	<b>2</b>	<b>0.73</b>	<b>-0.01</b>	<b>0.65</b>	<b>0.00</b>	<b>0.15</b>	<b>0.001</b>	<b>0.80</b>	<b>0.01</b>
$\alpha$	3	0.73	-0.01	0.65	0.00	0.15	0.593	0.80	0.01
$\alpha$	4	0.74	-0.01	0.65	0.00	0.15	0.001	0.82	0.01
$\alpha$	5	0.74	-0.01	0.68	0.00	0.15	0.431	0.83	0.01


**Figure S1.** Map of distribution of the modern pollen samples the SPECIAL Modern Pollen Data Set (SMPDS) (Harrison, 2019) used to train the model.




**Figure S2.** Distribution of Hill N2 values of the fossil pollen samples. Samples with an N2 value of <2 (indicated by the red dotted line) were excluded from the analysis.



**Figure S3.** Impact of correcting for the direct effect of changing CO<sub>2</sub> levels following Prentice et al. (2022) on the reconstruction of  $\alpha$ . The original reconstruction is shown in blue and the corrected reconstruction in red.



**Figure S4.** Comparison of mean temperature of the coldest month (MTCO) and mean temperature of the warmest month (MTWA) in the EMBSeCBIO domain from the TRACE-21K-I simulation, showing both the calendar adjusted version (green) and non-calendar adjusted version (orange), and compared to the non-calendar adjusted outputs from the TRACE-21K-II (red) simulation.



**Figure S5.** Geopotential height, expressed as anomalies compared to present, from the LOVECLIM simulations for four key times during the Holocene:  $11 \pm 0.15$ ,  $9 \pm 0.15$ ,  $6 \pm 0.15$  and  $3 \pm 0.15$  ka.

