



Supplement of

Evaluation of regional climate features over Antarctica in the PMIP past1000 experiment and implications for 21st-century sea level rise

Vincent Charnay et al.

Correspondence to: Vincent Charnay (vincent.charnay@vuw.ac.nz)

The copyright of individual parts of the supplement might differ from the article licence.

Supplement of 'Evaluation of regional climate features over Antarctica in the PMIP past1000 experiment and implications for 21st-century sea level rise'

Vincent Charnay ¹, Daniel P. Lowry ^{1,2}, Elizabeth D. Keller ^{1,2}, and Abha Sood ³

¹Antarctic Research Centre, Victoria University of Wellington, Wellington, New Zealand

²Department of Surface Geosciences, GNS Science, Lower Hutt, New Zealand

³Centre of Sustainability, University of Otago, Dunedin, New Zealand

Correspondence: Vincent Charnay (vincent.arnay@vuw.ac.nz)

S1 Data tables

Table S1. Ice core sites used for snow accumulation reconstructions.

Site name	Latitude (°)	Longitude (°)	Elevation (m)	Years	Citations
Vostok composite VRS13	-78.47	106.83	3488	1654-2010	Ekaykin et al. (2014)
B31Site DML07	-75.58	-3.43	2680	1000-1994	Oerter et al. (2000)
B32Site DML05	-75	-0.01	2892	1248-1996	Oerter et al. (2000)
B33Site DML17	-75.17	6.5	3160	1250-1997	Oerter et al. (2000)
FB9804	-75.25	-6	2630	1801-1996	Oerter et al. (2000)
FB9805	-75.17	-0.99	2840	1800-1997	Oerter et al. (2000)
FB9807	-74.99	0.03	2880	1758-1997	Oerter et al. (2000)
FB9808	-74.75	0.99	2860	1801-1997	Oerter et al. (2000)
FB9809	-74.49	1.96	2843	1801-1997	Oerter et al. (2000)
FB9810	-74.66	4	2980	1801-1997	Oerter et al. (2000)
FB9811	-75.08	6.5	3160	1801-1997	Oerter et al. (2000)
FB9812	-75.25	6.50	3160	1810-1997	Oerter et al. (2000)
FB9813	-75.16	5	3100	1800-1997	Oerter et al. (2000)
FB9814	-75.08	2.5	2970	1801-1997	Oerter et al. (2000)
FB9815	-74.95	-1.5	2840	1801-1997	Oerter et al. (2000)
FB9816	-75	-4.5	2740	1800-1997	Oerter et al. (2000)
FB9817	-75	-6.49	2680	1800-1997	Oerter et al. (2000)

South Pole 1995	-90	0	2850	1801-1991	Mosley-Thompson et al. (1999)
GV2	-71.71	145.26	2143	1670-2003	Frezzotti et al. (2013)
LGB65	-71.85	77.92	1850	1745-1996	Xiao et al. (2004)
US-ITASE-2002-4	-86.5	-107.99	2586	1594-2003	Mayewski and Dixon (2013)
DSS Law Dome	-66.77	112.80	1370	-22-1995	Roberts et al. (2015)
200th km	-68.25	94.08	1990	1640-1988	Ekaykin et al. (2016)
Berkner Island (South)	-79.57	-45.72	890	1000-1992	Mulvaney et al. (2002)
James Ross Island	-64.22	-57.68	1640	1832-1997	Aristarain et al. (2004)
Ferrigno	-74.57	-86.9	1354	1703-2010	Thomas and Bracegirdle (2015)
Bryan Coast	-74.49	-81.67	1177	1712-2010	Thomas and Bracegirdle (2015)
DIV2010	-76.77	-101.74	1330	1786-2010	Medley et al. (2013)
WDC05A	-79.46	-112.09	1806	1775-2005	Banta et al. (2008)
WD05Q	-79.46	-112.09	1759	1522-2005	Banta et al. (2008)
WAIS 2014	-79.46	-112.09	1759	0-2006	Fudge et al. (2016)
Ross ice drainage system A	-78.73	-116.33	1740	1831-1995	Kaspari et al. (2004)
US-ITASE-1999-1	-80.62	-122.63	1350	1724-2000	Kaspari et al. (2004)
US-ITASE-2000-1	-79.38	-111.24	1791	1673-2001	Kaspari et al. (2004)
US-ITASE-2000-4	-78.08	-120.07	1697	1798-2000	Kaspari et al. (2004)
US-ITASE-2000-5	-77.68	-123.99	1828	1718-1999	Kaspari et al. (2004)
US-ITASE-2001-5	-77.05	-89.13	1239	1780-2002	Kaspari et al. (2004)
Hercules Névé	-73.1	165.4	2960	1770-1992	Stenni et al. (1999)
TD96 Talos Dome	-72.8	159.06	2316	1232-1995	Graf et al. (2002)
GV5	-71.89	158.54	2184	1777-2004	Frezzotti et al. (2007)
RICE	-79.36	161.64	560	0-2012	Bertler et al. (2018)
Fimbulisen S100	-70.24	4.8	48	1737-1999	Kaczmarska et al. (2004)
H72	-69.2	41.08	1214	1832-1999	Nishio et al. (2002)
Derwael Ice Rise IC12	-70.25	26.34	450	1744-2011	Philippe et al. (2016)

Table S2. Marine sediments sites used for Southern Ocean SST reconstructions, Site 1 (i.e. Southern1159aSepulveda2009_CF7-PC33), Site 2 (i.e. Southern0483aShevenell2011_ODP-1098B), Site 3 (i.e. Southern0485aMohtadi2007_GeoB7186-3) and Site 4 (i.e. Southern0045aLamy2002_GeoB3313-1).

Site name	Latitude (°)	Longitude (°)	Season	Years	Proxy type	Citations
Site 1	-44.33	-72.97	SON	867-1784	Alkenones	Sepúlveda et al. (2009)
Site 2	-64.87	-64.20	SON	885-1816	TEX86	Shevenell et al. (2011)
Site 3	-44.15	-75.16	Annual	863-1851	Alkenones	Mohtadi et al. (2007)
Site 4	-41	-74.45	Annual	870-1650	Alkenones	Lamy et al. (2002)

S2 SAT time series - CESM-LME




Figure S1. Same as Figure 5 but for the 13 ensemble members of CESM-LME.




Figure S2. Same as Figure 7 but for the 13 ensemble members of CESM-LME.

S3 SST time series - CESM-LME




Figure S3. Same as Figure 9 but for the 13 ensemble members of CESM-LME.

S4 Reconstructed Niño 3.4 index




Figure S4. Reconstructed Niño 3.4 index over 1400-1850 CE (Cook et al., 2008), with El Niño events shown in red and La Niña events in blue.




Figure S5. Spatial plot of the future [2025-2100] SMB change in [%] under the intermediate emission SSP2-4.5 scenario.

References

- Aristarain, A. J., Delmas, R. J., and Stievenard, M.: Ice-core study of the link between sea-salt aerosol, sea-ice cover and climate in the Antarctic Peninsula area, *Climatic Change*, 67, 63–86, 2004.
- Banta, J. R., McConnell, J. R., Frey, M. M., Bales, R. C., and Taylor, K.: Spatial and temporal variability in snow accumulation at the West Antarctic Ice Sheet Divide over recent centuries, *Journal of Geophysical Research: Atmospheres*, 113, 2008.
- Bertler, N. A., Conway, H., Dahl-Jensen, D., Emanuelsson, D. B., Winstrup, M., Vallelonga, P. T., Lee, J. E., Brook, E. J., Severinghaus, J. P., Fudge, T. J., et al.: The Ross Sea Dipole–temperature, snow accumulation and sea ice variability in the Ross Sea region, Antarctica, over the past 2700 years, *Climate of the Past*, 14, 193–214, 2018.
- Cook, E., D’Arrigo, R., and Anchukaitis, K.: ENSO reconstructions from long tree-ring chronologies: Unifying the differences, in: Talk presented at a special workshop on Reconciling ENSO Chronologies for the Past, vol. 500, p. 15, 2008.
- Ekaykin, A., Kozachek, A., Lipenkov, V., and Shibaev, Y.: Multiple climate shifts in the Southern Hemisphere over the past three centuries based on central Antarctic snow pits and core studies, *Annals of Glaciology*, 55, <https://doi.org/10.3189/2014AoG66A189>, 2014.
- Ekaykin, A., Eberlein, L., Lipenkov, V., Popov, S., Scheinert, M., Schröder, L., and Turkeev, A.: Non-climatic signal in ice core records: lessons from Antarctic megadunes, *The Cryosphere*, 10, 1217–1227, 2016.
- Frezzotti, M., Urbini, S., Proposito, M., Scarchilli, C., and Gandolfi, S.: Spatial and temporal variability of surface mass balance near Talos Dome, East Antarctica, *Journal of Geophysical Research: Earth Surface*, 112, 2007.
- Frezzotti, M., Scarchilli, C., Becagli, S., Proposito, M., and Urbini, S.: A synthesis of the Antarctic surface mass balance during the last 800 yr, *The Cryosphere*, 7, 303–319, 2013.
- Fudge, T., Markle, B. R., Cuffey, K. M., Buizert, C., Taylor, K. C., Steig, E. J., Waddington, E. D., Conway, H., and Koutnik, M.: Variable relationship between accumulation and temperature in West Antarctica for the past 31,000 years, *Geophysical Research Letters*, 43, 3795–3803, 2016.
- Graf, W., Oerter, H., Reinwarth, O., Stichler, W., Wilhelms, F., Miller, H., and Mulvaney, R.: Stable-isotope records from Dronning Maud Land, Antarctica, *Annals of Glaciology*, 35, 195–201, 2002.
- Kaczmarek, M., Isaksson, E., Karlöf, L., Winther, J.-G., Kohler, J., Godtliebsen, F., Olsen, L. R., Hofstede, C. M., Van Den Broeke, M. R., Van De Wal, R. S., et al.: Accumulation variability derived from an ice core from coastal Dronning Maud Land, Antarctica, *Annals of Glaciology*, 39, 339–345, 2004.
- Kaspari, S., Mayewski, P. A., Dixon, D. A., Spikes, V. B., Sneed, S. B., Handley, M. J., and Hamilton, G. S.: Climate variability in West Antarctica derived from annual accumulation-rate records from ITASE firn/ice cores, *Annals of Glaciology*, 39, 585–594, 2004.
- Lamy, F., Rühlemann, C., Hebbeln, D., and Wefer, G.: Temperature and salinity reconstruction for sediment core GeoB3313-1, <https://doi.org/10.1594/PANGAEA.735166>, 2002.
- Mayewski, P. A. and Dixon, D. A.: U.S. International Trans Antarctic Scientific Expedition (US ITASE) glaciochemical data, version 2, National Snow and Ice Data Center, accessed: 5 January 2015, 2013.
- Medley, B., Joughin, I., Das, S. B., Steig, E. J., Conway, H., Gogineni, S., Criscitiello, A. S., McConnell, J. R., Smith, B., van den Broeke, M. R., et al.: Airborne-radar and ice-core observations of annual snow accumulation over Thwaites Glacier, West Antarctica confirm the spatiotemporal variability of global and regional atmospheric models, *Geophysical Research Letters*, 40, 3649–3654, 2013.

- Mohtadi, M., Max, L., Hebbeln, D., Baumgart, A., Krück, N., and Jennerjahn, T.: Modern environmental conditions recorded in surface sediment samples off W and SW Indonesia: Planktonic foraminifera and biogenic compounds analyses, *Marine Micropaleontology*, 65, 96–112, 2007.
- 45 Mosley-Thompson, E., Paskievitch, J. F., Gow, A. J., and Thompson, L. G.: Late 20th century increase in South Pole snow accumulation, *Journal of Geophysical Research: Atmospheres*, 104, 3877–3886, 1999.
- Mulvaney, R., Oerter, H., Peel, D. A., Graf, W., Arrowsmith, C., Pasteur, E. C., Knight, B., Littot, G. C., and Miners, W. D.: 1000 year ice-core records from Berkner Island, Antarctica, *Annals of Glaciology*, 35, 45–51, 2002.
- Nishio, F., Furukawa, T., Hashida, G., Igarashi, M., Kameda, T., Kohno, M., Motoyama, H., Naoki, K., Satow, K., Suzuki, K., et al.: Annual-layer determinations and 167 year records of past climate of H72 ice core in east Dronning Maud Land, Antarctica, *Annals of Glaciology*, 50 35, 471–479, 2002.
- Oerter, H., Wilhelms, F., Jung-Rothenhäusler, F., Göktas, F., Miller, H., Graf, W., and Sommer, S.: Accumulation rates in Dronning Maud Land, Antarctica, as revealed by dielectric-profiling measurements of shallow firn cores, *Annals of Glaciology*, 30, 27–34, 2000.
- Philippe, M., Tison, J.-L., Fjøsne, K., Hubbard, B., Kjær, H. A., Lenaerts, J. T., Sheldon, S. G., De Bondt, K., Claeys, P., and Pattyn, F.: Ice core evidence for a recent increase in snow accumulation in coastal Dronning Maud Land, East Antarctica, *Cryosphere Discussions*, 10, 55 2501–2516, 2016.
- Roberts, J., Plummer, C., Vance, T., van Ommen, T., Moy, A., Poynter, S., Treverrow, A., Curran, M., and George, S.: A 2000-year annual record of snow accumulation rates for Law Dome, East Antarctica, *Climate of the Past*, 11, 697–707, 2015.
- Sepúlveda, J., Wendler, J., Leider, A., Kuss, H.-J., Summons, R. E., and Hinrichs, K.-U.: Molecular isotopic evidence of environmental and ecological changes across the Cenomanian–Turonian boundary in the Levant Platform of central Jordan, *Organic Geochemistry*, 40, 60 553–568, 2009.
- Shevenell, A. E., Ingalls, A., Domack, E., and Kelly, C.: Holocene Southern Ocean surface temperature variability west of the Antarctic Peninsula, *Nature*, 470, 250–254, 2011.
- Stenni, B., Caprioli, R., Cimino, L., Cremisini, C., Flora, O., Gagnani, R., Longinelli, A., Maggi, V., and Torcini, S.: 200 years of isotope and chemical records in a firn core from Hercules Neve, northern Victoria Land, Antarctica, *Annals of Glaciology*, 29, 106–112, 1999.
- 65 Thomas, E. R. and Bracegirdle, T. J.: Precipitation pathways for five new ice core sites in Ellsworth Land, West Antarctica, *Climate dynamics*, 44, 2067–2078, 2015.
- Xiao, C., Allison, I., Ren, J., Qin, D., Zhang, M., and Li, Z.: Meteorological and glaciological evidence for different climatic variations on the east and west sides of the Lambert Glacier basin, Antarctica, *Annals of Glaciology*, 39, 188, 2004.