

Interactive comment on “A high resolution record of atmospheric carbon dioxide and its stable carbon isotopic composition from the penultimate glacial maximum to the glacial inception” by R. Schneider et al.

R. Schneider et al.

robert_schneider@posteo.de

Received and published: 5 July 2013

Anonymous Referee #1 Received and published: 28 May 2013 Review of Schneider et al (CPD).

Specific Comments: (1) Why it is difficult to reconstruct the causes of past changes in CO₂. The authors state the difficulties in disentangling the complex set of simultaneous changes that could cause atmospheric CO₂ to vary (Line 20 p 216 to line 5 p217): “Various processes are known to influence changes in the carbon distribution and its

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper



isotopic signature between the ocean, the atmosphere, terrestrial and marine organic carbon, reactive sediments and the lithosphere. Multiple processes operate simultaneously, and interact with each other non-linearly (Köhler et al., 2005; Brovkin et al., 2007; Sigman et al., 2010; Fischer et al., 2010; Tschumi et al., 2011) allowing for a wide range of possible scenarios to explain observed natural changes in atmospheric CO₂. Thus, an unequivocal interpretation of past variations in the global carbon cycle is difficult.”

I disagree with the emphasis of this paragraph being entirely on one reason: that difficulty in reconstructing the causes of past CO₂ change is entirely down to multiple processes operating simultaneously and interacting non-linearly. While the simultaneous and non-linear interactions undoubtedly do not help, a recent study (Goodwin, Oliver and Lenton, 2011 in GBC) showed that the way in which the proxies combine together can be key to allowing an accurate past reconstruction. In the paragraph above, the authors should state that the way in which the available proxies combine together to constrain the system is important for determining how difficult it is to make an unequivocal interpretation of past variations in the global carbon cycle. For example, if there are adequate proxies that allow a well-conditioned reconstruction of the processes you are considering, then an unequivocal reconstruction of past carbon cycling is difficult but still possible. However, if the available proxies combine to only allow an ill-conditioned reconstruction then an unequivocal reconstruction of past carbon cycling is impossible. For these reasons I think the authors should say that the extent and nature of the proxies available helps determine how difficult it is to find an unequivocal interpretation of past variations in the global carbon cycle.

We agree with the reviewer comment that it is not only the multitude of processes involved but also that the measured parameters do not constrain sufficiently the solution. In this context we would prefer to speak of insufficient constraints than of ill-conditioned reconstruction. This is not so much due to the data quality (as neither CO₂ nor d13Catm are proxies, but direct atmospheric measurements) but due to the way

[Full Screen / Esc](#)[Printer-friendly Version](#)[Interactive Discussion](#)[Discussion Paper](#)

they are coupled in the carbon cycle. We agree with Goodwin et al, that a good reconstruction of global $\delta^{13}\text{C}_{\text{DIC}}$ represent a most important target for future research. In our revised manuscript we now point out the insufficient constraint provided by the data available and cite the paper by Goodwin et al. (2011) in the corresponding paragraph.

(2) Motivation for measuring $\delta^{13}\text{C}_{\text{atm}}$ and the information it provides: The authors state the specific motivation for measuring $\delta^{13}\text{C}_{\text{atm}}$: “The stable carbon isotope signal of atmospheric CO_2 ($\delta^{13}\text{C}_{\text{atm}}$) represents a valuable tool to constrain processes affecting the global carbon cycle. Scrutinizing the potential processes and their contributions to the observed CO_2 variations, using long-term $\delta^{13}\text{C}_{\text{atm}}$ data sets represents an objective way to analyse the carbon cycle of the past.” I disagree with the emphasis here because $\delta^{13}\text{C}_{\text{atm}}$ is a multi-proxy: its value is affected by multiple processes. Therefore, it is not very useful to measure in isolation (because no multiproxy is very useful to measure in isolation). Re-stating this, it is necessary to measure many different proxies, but none are necessarily better than the others on their own. Again, it is how the proxies combine together to help disentangle the system that is important. The authors could improve their motivation for measuring $\delta^{13}\text{C}_{\text{atm}}$ by stating that $\delta^{13}\text{C}_{\text{atm}}$ provides a valuable tool, when used in conjunction with other proxies, to help disentangle the complex simultaneous set of processes affecting the carbon cycle in the past. Important for motivating measurements in $\delta^{13}\text{C}_{\text{atm}}$ is it reacts differently than mean $\delta^{13}\text{C}_{\text{ocean}}$ to ocean biology. This allows terrestrial and ocean biological signals to be disentangled if both $\delta^{13}\text{C}_{\text{atm}}$ and $\delta^{13}\text{C}_{\text{ocean}}$ are measured.

We added the remarks to the corresponding paragraph.

(2) Holocene CO_2 rise Section 5: p2041 line 22 to p 2042 line3 – When discussing the rise in CO_2 during the Holocene, the authors should also see Goodwin et al, (2011) GBC which presents an assessment of all the processes that are data-consistent with the Holocene rise in CO_2 . It also shows how important $\delta^{13}\text{C}_{\text{atm}}$ is for constraining the Holocene rise in CO_2 .

[Full Screen / Esc](#)[Printer-friendly Version](#)[Interactive Discussion](#)[Discussion Paper](#)

As outlined above we agree with the reviewer that the data constraint is not sufficient to unambiguously constrain the subtle carbon cycle changes during the Holocene. However, this time period is not the focus of this publication. The changes in CO₂, d13Catm, d13CDIC and temperature over the glacial/interglacial termination are much more pronounced and provide better constraints for the respective changes in the carbon cycle. However, as pointed out in our manuscript, they still do not allow for a unique scenario of the sequence of events in carbon cycle processes.

(3) Statements of accuracy rather than data-consistency: P2033 line 11: “In summary, taking into account CO₂ and $\delta^{13}\text{C}_{\text{atm}}$ data, essentially the same processes have been active during Termination II as in Termination I but with different strengths, different relative timing and from different starting conditions” This is too strongly worded, indicating that the following described sequence (lines 14 to 20) is known with greater certainty than is possible from CO₂ and $\delta^{13}\text{C}_{\text{atm}}$ alone. Firstly (and most importantly), the system is not adequately constrained from CO₂ and $\delta^{13}\text{C}_{\text{atm}}$ – because there are more than two potential processes to be analysed from only two proxies to measure (The authors later recognise this p2033 line 27, but it should also be alluded to in wording of above sentence). Secondly, I am not sure that the then described sequence is pinned down with certainty for Termination I – although it is likely as a leading contender in the literature. I would suggest re-wording to state that the CO₂ and $\delta^{13}\text{C}$ data are consistent with the same processes having been active during Termination II as Termination I, but with different strengths, timings and starting conditions. The current wording suggests that a conclusion is accurately known from the proxies, the suggested change indicates that the same conclusion is data-consistent with the proxies. I think the authors have shown the data-consistency of their conclusion, but not shown that their conclusion is necessarily accurate.

We adapted the wording.

Abstract: "Our isotopic data suggest that the carbon cycle evolution along Termination II and the subsequent interglacial was controlled by essentially the same processes

[Full Screen / Esc](#)[Printer-friendly Version](#)[Interactive Discussion](#)[Discussion Paper](#)

as during the last 24000 yr, but with different phasing and magnitudes." I think the isotopic data is 'consistent with' rather than 'suggests', but this is more subtle than the other examples. If in the main manuscript the issues surrounding the data consistency versus accuracy are made clear, then 'suggest' would probably read fine here.

After rewording of the above paragraphs, we kept the original wording here.

Technical Corrections: (1) There is an o`L immediately prior to the word 'Accumulation' on line 26 p2026.

corrected.

Interactive comment on Clim. Past Discuss., 9, 2015, 2013.

CPD

9, C1385–C1389, 2013

Interactive
Comment

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper

