

5 **Table S1: Metadata of the isotopic data used in the manuscript. The first table corresponds to data provided by the A2k group, the second table corresponds to data extracted from the surface database from Masson, 2008, and the third table correspond to precipitation data (pers. Communication, 2016 and extracted from the GNIP/IAEA network). For each data, we give the name of the site, the latitude (noted as “Lat.”) (in °), the longitude (noted as “Lon.”) (in °C), the reference and the covered period. Data in green refer to ice cores, while data in orange refer to precipitations. Finally, symbols on the very left inform about the analysed water stable isotope(s): □ dD only, ○ dO18 only, and ♦ dD and dO18.**

Site	Lat. (°)	Lon. (°)	Reference	Period
□ Vostok	-78.47	106.83	(Ekaykin et al., 2014)	1979-2010
○ DML07	-75.58	356.57	(Graf et al., 2002; Sommer et al., 2000)	1979-1994
○ DML05	-75.00	359.99	(Graf et al., 2002; Sommer et al., 2000)	1979-1996
○ DML17	-75.17	6.50	(Graf et al., 2002; Sommer et al., 2000)	1979-1997
○ Eastern DML (Ice divide traverse E)	-72.68	3.67	(Isaksson et al., 1999)	1979-1996
○ Eastern DML (Ice divide traverse L)	-74.65	12.80	(Isaksson et al., 1999)	1979-1996
○ DML Plateau Amundsenisen	-74.86	357.45	(Isaksson et al., 1999)	1979-1995
○ DML Plateau Amundsenisen	-74.97	356.08	(Isaksson et al., 1999)	1979-1995
○ DML Plateau Amundsenisen	-74.49	1.97	(Isaksson et al., 1999)	1979-1996
○ DML Plateau Amundsenisen	-74.41	7.22	(Isaksson et al., 1999)	1979-1996
○	-75.00	0.01	(Isaksson et al., 1999)	1979-1996
○ DML Plateau Amundsenisen	-75.00	8.01	(Isaksson et al., 1999)	1979-1996
○ DML Plateau Amundsenisen	-74.59	356.56	(Isaksson et al., 1999)	1979-1996
○ DML Plateau Amundsenisen	-75.75	3.29	(Isaksson et al., 1999)	1979-1996
○ DML Plateau Amundsenisen	-75.93	7.22	(Isaksson et al., 1999)	1979-1996
○ DML Plateau Amundsenisen	-75.22	11.35	(Isaksson et al., 1999)	1979-1996
○ DML Plateau	-74.85	351.50	(Isaksson et al., 1999)	1979-1997
○ DML Plateau	-75.25	354.00	(Isaksson et al., 1999)	1979-1996

○ DML Plateau	-75.17	359.01	(Isaksson et al., 1999)	1979-1997
○ DML Plateau	-75.00	0.04	(Isaksson et al., 1999)	1979-1997
○ DML Plateau	-74.75	1.00	(Isaksson et al., 1999)	1979-1997
○ DML Plateau	-74.50	1.96	(Isaksson et al., 1999)	1979-1997
○ DML Plateau	-74.67	4.00	(Isaksson et al., 1999)	1979-1997
○ DML Plateau	-75.08	6.50	(Isaksson et al., 1999)	1979-1997
○ DML Plateau	-75.25	6.50	(Isaksson et al., 1999)	1979-1997
○ DML Plateau	-75.17	5.00	(Isaksson et al., 1999)	1979-1997
○ DML Plateau	-75.08	2.50	(Isaksson et al., 1999)	1979-1997
○ DML Plateau	-74.96	358.50	(Isaksson et al., 1999)	1979-1997
○ DML Plateau	-75.00	355.50	(Isaksson et al., 1999)	1979-1997
○ DML Plateau	-75.00	353.50	(Isaksson et al., 1999)	1979-1997
○ DML Plateau	-74.97	3.92	(Isaksson et al., 1999)	1979-1997
○ WAIS	-86.50	252.01	(Steig et al., 2013)	1979-2003
○ Plateau Remote	-84.00	43.00	(Consortium, 2013)	1979-1986
○ Talos Dome	-72.82	159.18	(Stenni et al., 2011)	1979-1991
□ Talos Dome	-72.80	159.06	(Consortium, 2013; Stenni et al., 2002)	1979-1995
□ SPRESSO (South Pole)	-89.93	144.39	(Steig et al., 2013)	1979-1998
❖ NUS 08-7	-74.12	1.60	(Steig et al., 2013)	1979-2008
❖ NUS 07-1	-73.72	7.94	(Steig et al., 2013)	1979-2005
□ 400th km	-69.95	95.62	(Ekaykin et al., 2017)	1979-1987
□ NVFL-3	-76.41	102.17	(Ekaykin et al., 2017)	1979-2009
❖ PV-10	-72.81	79.93	(Ekaykin et al., 2017)	1979-2009
○ DSS	-66.77	112.81	(Consortium, 2013; Plummer et al., 2012)	1979-1995
□ 105 th km	-67.43	93.38	(Ekaykin et al., 2017)	1979-1987

○ Berkner island B25	-79.57	314.28	(Mulvaney et al., 2002; Ruth et al., 2004)	1979-1992
○ Gomez	-73.59	289.64	(Thomas et al., 2009; Thomas et al., 2008)	1979-2006
□ James Ross Island	-64.20	302.32	(Consortium, 2013; Mulvaney et al., 2012)	1979-2007
○ Dyer Plateau	-70.68	295.13	(Thompson et al., 1994)	1979-2002
○ Bruce Plateau	-66.04	295.92	(Goodwin et al., 2016)	1979-2009
□ Ferrigno	-74.97	273.18	(Thomas et al., 2013)	1979-2010
○ Siple station	-75.92	275.75	(Consortium, 2013)	1979-1983
❖ WAIS	-79.46	247.91	(Steig et al., 2013)	1979-2005
○ WAIS	-80.62	237.37	(Steig et al., 2013)	1979-2000
○ WAIS	-79.38	248.76	(Steig et al., 2013)	1979-2001
○ WAIS	-79.73	248.50	(Steig et al., 2013)	1979-2000
□ WAIS	-78.43	248.08	(Steig et al., 2013)	1979-2001
○ WAIS	-78.08	239.92	(Steig et al., 2013)	1979-2000
○ WAIS	-77.68	236.01	(Steig et al., 2013)	1979-1999
○ WAIS	-78.33	235.52	(Steig et al., 2013)	1979-1998
○ WAIS	-79.16	255.03	(Steig et al., 2013)	1986-2002
○ WAIS	-82.00	249.99	(Steig et al., 2013)	1979-2002
□ WAIS	-78.12	264.35	(Steig et al., 2013)	1979-2002
○ WAIS	-77.61	267.75	(Steig et al., 2013)	1979-2001
○ WAIS	-77.06	270.86	(Steig et al., 2013)	1979-2002
○ WAIS	-82.00	249.99	(Steig et al., 2013)	1979-2003
○ WAIS	-83.50	255.01	(Steig et al., 2013)	1979-2002
□ RICE (Roosevelt Island)	-83.50	255.01	(pers. Comm., RICE Science Team. Bertler, 2016 et al., 2016)	1979-2011

○	Victoria Land (north: Hercule Neve plateau)	-73.10	165.40	(pers. Comm., Stenni, 2016)	1979-1992
□	Victoria Lower Glacier	-77.33	162.53	(Bertler et al., 2011)	1979-2000
□	Mt Erebus Saddle	-77.52	167.68	(Rhodes et al., 2012)	1979-2007
□	Whitehall Glacier	-72.90	169.08	(Sinclair et al., 2014; Sinclair et al., 2012)	1979-2006
○	IND 22B4 Coastal Dronning Maud Land (hereafter, DML)	-70.86	11.54	(Consortium, 2013)	1979-1994
○	IND 25B5 Coastal DML	-71.34	11.59	(Naik et al., 2010)	1979-2006
○	DML Fimbulisen G3	-69.83	359.38	(Schlosser et al., 2012)	1993-2009
○	DML Fimbulisen G4	-70.90	359.60	(Schlosser et al., 2012)	1983-2009
○	DML Fimbulisen G5	-70.55	359.95	(Schlosser et al., 2012)	1983-2009
○	DML Fimbulisen G8	-70.42	2.02	(Schlosser et al., 2012)	1991-2009
○	DML Fimbulisen LP1	-70.24	4.80	(Schlosser et al., 2012)	1992-2009
○	DML Fimbulisen M2	-70.33	359.89	(Schlosser et al., 2012)	1981-2009
○	DML Fimbulisen S20	-70.25	4.82	(Schlosser et al., 2012)	1979-1996
○	DML Fimbulisen S32	-70.32	359.20	(Schlosser et al., 2012)	1995-2009
○	DML Fimbulisen S100	-70.24	4.80	(Kaczmarska et al., 2004)	1979-1999
○	DML Ritscherflya A89	-72.66	343.35	(Isaksson and Karlén, 1994)	1979-1988
○	DML Ritscherflya C89	-72.77	345.23	(Isaksson and Karlén, 1994)	1979-1987
○	DML Ritscherflya D89	-73.46	347.44	(Isaksson and Karlén, 1994)	1979-1988
○	DML Ritscherflya E89	-73.60	347.57	(Isaksson and Karlén, 1994)	1979-1988
○	DML Ritscherflya E91	-73.60	347.57	(Isaksson et al., 1996)	1979-1991
○	DML Ritscherflya F89	-73.83	347.78	(Isaksson and Karlén, 1994)	1979-1988
○	DML Ritscherflya G89	-74.02	347.97	(Isaksson and Karlén, 1994)	1979-1988

○	DML Ritscherflya H89	-74.35	348.27	(Isaksson and Karlén, 1994)	1979-1988
○	DML Georg-von-Neumayer station B04	-70.62	351.63	(Schlosser, 1999)	1979-1981
○	DLM Ekstroem E002	-70.62	351.63	(Oerter et al., 1999)	1979-1986
○	DLM Ekstroem E040	-70.96	351.48	(Oerter et al., 1999)	1979-1986
○	DLM Ekstroem E090	-71.40	351.64	(Oerter et al., 1999)	1979-1986
○	DLM Ekstroem E160	-71.98	351.27	(Oerter et al., 1999)	1979-1986
○	DLM Ekstroem E180	-72.17	351.17	(Oerter et al., 1999)	1979-1984
○	DML Neumayer FB0189	-70.66	351.75	(Schlosser, 1999)	1979-1988
○	DML Halvfarryggen FRBO101	-71.21	353.21	(Fernandoy et al., 2010)	1995-2001
○	DML Søråsen FB0203	-71.46	350.14	(Fernandoy et al., 2010)	1996-2001
○	Eastern DM A98 (DML Ice Divide traverse A)	-71.90	3.08	(Isaksson et al., 1999)	1979-1996
○	Eastern DML B89 (DML Ice divide traverse B)	-72.13	3.18	(Isaksson et al., 1999)	1979-1996
○	Eastern DML S15 (DML Ice divide traverse S15)	-71.20	4.61	(Isaksson et al., 1999)	1979-1996
○	DML Plateau (Kottas Camp) FB9802	-74.21	350.25	(Oerter et al., 2000)	1979-1997
❖	King George Island (South Shetland Islands)	-62.13	301.33	(Fernandoy et al., 2012)	-
❖	King George Island (South Shetland Islands)	-62.13	301.23	(Fernandoy et al., 2012)	-
❖	King George Island (South Shetland Islands)	-62.16	301.11	(Fernandoy et al., 2012)	-
❖	O'Higgins (Northern Peninsula)	-63.33	302.16	(Fernandoy et al., 2012)	-

❖	O'Higgins (Northern Peninsula)	-63.36	302.20	(Fernandoy et al., 2012)	-
❖	O'Higgins (Northern Peninsula)	-63.38	302.38	(Fernandoy et al., 2012)	-
❖	O'Higgins (Northern Peninsula)	-63.45	302.24	(Fernandoy et al., 2012)	-
○	f	-74.68	164.50	(Graghani et al., 1998)	-
○	Dolleman Island	-70.59	299.08	(Peel and Mulvaney, 1992)	-
❖	37.00	-77.69	164.40	(Gooseff et al., 2006)	-
❖	236.00	-77.00	163.00	(Gooseff et al., 2006)	-
○	A	-72.65	343.37	(Isaksson and Karlén, 1994)	-
❖	MirnyVostokVK 1385			(Ekaykin et al., 2001; Lipenkov and Barkov, 1998)	-
❖	121.00	-66.56	93.27		-
❖	121.00	-77.73	163.21	(Gooseff et al., 2006)	-
❖	38.00	-77.69	163.11	(Gooseff et al., 2006)	-
❖	77.00	-77.69	163.09	(Gooseff et al., 2006)	-
❖	78.00	-77.69	163.09	(Gooseff et al., 2006)	-
❖	79.00	-77.69	163.09	(Gooseff et al., 2006)	-
❖	80.00	-77.69	163.09	(Gooseff et al., 2006)	-
❖	81.00	-77.69	163.09	(Gooseff et al., 2006)	-
❖	82.00	-77.69	163.09	(Gooseff et al., 2006)	-
❖	83.00	-77.69	163.09	(Gooseff et al., 2006)	-
❖	84.00	-77.69	163.09	(Gooseff et al., 2006)	-
❖	85.00	-77.69	163.09	(Gooseff et al., 2006)	-
□	86.00	-77.69	163.09	(Gooseff et al., 2006)	-
□	87.00	-77.69	163.09	(Gooseff et al., 2006)	-
□	88.00	-77.69	163.09	(Gooseff et al., 2006)	-
❖	39.00	-77.68	163.11	(Gooseff et al., 2006)	-
□	75.00	-77.68	163.09	(Gooseff et al., 2006)	-

□	76.00	-77.68	163.09	(Gooseff et al., 2006)	-
□	77.00	-77.68	163.09	(Gooseff et al., 2006)	-
□	78.00	-77.68	163.09	(Gooseff et al., 2006)	-
□	79.00	-77.68	163.09	(Gooseff et al., 2006)	-
□	80.00	-77.68	163.09	(Gooseff et al., 2006)	-
□	81.00	-77.68	163.09	(Gooseff et al., 2006)	-
□	82.00	-77.68	163.09	(Gooseff et al., 2006)	-
❖	41.00	-77.68	163.08	(Gooseff et al., 2006)	-
□	90.00	-77.67	163.08	(Gooseff et al., 2006)	-
❖	29.00	-77.68	163.08	(Gooseff et al., 2006)	-
❖	33.00	-77.67	163.09	(Gooseff et al., 2006)	-
❖	40.00	-77.68	163.08	(Gooseff et al., 2006)	-
❖	42.00	-77.68	163.08	(Gooseff et al., 2006)	-
□	92.00	-77.67	163.09	(Gooseff et al., 2006)	-
❖	31.00	-77.67	163.08	(Gooseff et al., 2006)	-
❖	46.00	-77.68	163.07	(Gooseff et al., 2006)	-
❖	54.00	-77.58	163.33	(Gooseff et al., 2006)	-
❖	254.00	-77.59	163.32	(Gooseff et al., 2006)	-
❖	28.00	-77.67	163.08	(Gooseff et al., 2006)	-
❖	47.00	-77.59	163.31	(Gooseff et al., 2006)	-
❖	45.00	-77.68	163.06	(Gooseff et al., 2006)	-
❖	57.00	-77.58	163.34	(Gooseff et al., 2006)	-
□	93.00	-77.66	163.08	(Gooseff et al., 2006)	-
□	94.00	-77.66	163.08	(Gooseff et al., 2006)	-
□	95.00	-77.66	163.08	(Gooseff et al., 2006)	-
□	96.00	-77.66	163.08	(Gooseff et al., 2006)	-
❖	27.00	-77.69	163.05	(Gooseff et al., 2006)	-
❖	30.00	-77.67	163.07	(Gooseff et al., 2006)	-
❖	32.00	-77.67	163.07	(Gooseff et al., 2006)	-

❖	43.00	-77.69	163.05	(Gooseff et al., 2006)	-
❖	44.00	-77.68	163.05	(Gooseff et al., 2006)	-
❖	58.00	-77.58	163.33	(Gooseff et al., 2006)	-
□	91.00	-77.67	163.07	(Gooseff et al., 2006)	-
❖	56.00	-77.58	163.34	(Gooseff et al., 2006)	-
❖	61.00	-77.58	163.32	(Gooseff et al., 2006)	-
□	63.00	-77.57	163.34	(Gooseff et al., 2006)	-
□	7.00	-77.70	163.02	(Gooseff et al., 2006)	-
□	8.00	-77.70	163.02	(Gooseff et al., 2006)	-
□	9.00	-77.70	163.02	(Gooseff et al., 2006)	-
□	54.00	-77.59	163.27	(Gooseff et al., 2006)	-
❖	59.00	-77.59	163.27	(Gooseff et al., 2006)	-
❖	256.00	-77.57	163.32	(Gooseff et al., 2006)	-
○	D140/FILCHNER	-77.13	309.50	(Graf et al., 1988)	-
❖	60.00	-77.57	163.33	(Gooseff et al., 2006)	-
❖	48.00	-77.57	163.31	(Gooseff et al., 2006)	-
❖	49.00	-77.58	163.29	(Gooseff et al., 2006)	-
❖	50.00	-77.58	163.27	(Gooseff et al., 2006)	-
❖	51.00	-77.57	163.30	(Gooseff et al., 2006)	-
❖	55.00	-77.57	163.35	(Gooseff et al., 2006)	-
❖	246.00	-77.58	163.27	(Gooseff et al., 2006)	-
❖	52.00	-77.57	163.33	(Gooseff et al., 2006)	-
❖	53.00	-77.57	163.27	(Gooseff et al., 2006)	-
❖	89.00	-77.56	163.34	(Gooseff et al., 2006)	-
❖	36.00	-77.57	163.29	(Gooseff et al., 2006)	-
❖	257.00	-77.56	163.32	(Gooseff et al., 2006)	-
❖	35.00	-77.56	163.28	(Gooseff et al., 2006)	-
❖	108.00	-77.62	163.05	(Gooseff et al., 2006)	-
❖	117.00	-77.62	163.03	(Gooseff et al., 2006)	-

❖	23.00	-77.63	163.01	(Gooseff et al., 2006)	-
❖	4.00	-77.62	163.03	(Gooseff et al., 2006)	-
❖	136.00	-77.63	163.00	(Gooseff et al., 2006)	-
□	109.00	-77.56	163.25	(Gooseff et al., 2006)	-
❖	242.00	-77.56	163.23	(Gooseff et al., 2006)	-
❖	3.00	-77.63	163.01	(Gooseff et al., 2006)	-
□	110.00	-77.56	163.25	(Gooseff et al., 2006)	-
□	106.00	-77.56	163.25	(Gooseff et al., 2006)	-
□	107.00	-77.56	163.25	(Gooseff et al., 2006)	-
□	108.00	-77.56	163.25	(Gooseff et al., 2006)	-
❖	116.00	-77.62	163.02	(Gooseff et al., 2006)	-
❖	5.00	-77.62	163.01	(Gooseff et al., 2006)	-
□	BC90	-76.98	307.73	(Graf et al., 1994)	-
	Ronne Ice Shelf. BC90 (B13)	-76.98	307.73	(Graf et al., 1994)	-
❖	1.00	-65.08	300.42	(Dahe et al., 1994)	-
❖	146.00	-77.62	163.00	(Gooseff et al., 2006)	-
❖	115.00	-77.62	163.00	(Gooseff et al., 2006)	-
❖	105.00	-77.63	162.99	(Gooseff et al., 2006)	-
❖	106.00	-77.63	162.99	(Gooseff et al., 2006)	-
❖	107.00	-77.63	162.99	(Gooseff et al., 2006)	-
❖	145.00	-77.63	162.98	(Gooseff et al., 2006)	-
❖	2.00	-77.62	162.98	(Gooseff et al., 2006)	-
❖	142.00	-77.63	162.95	(Gooseff et al., 2006)	-
❖	143.00	-77.63	162.96	(Gooseff et al., 2006)	-
❖	144.00	-77.63	162.96	(Gooseff et al., 2006)	-
❖	141.00	-77.63	162.95	(Gooseff et al., 2006)	-
❖	118.00	-77.63	162.96	(Gooseff et al., 2006)	-
❖	111.00	-77.61	162.99	(Gooseff et al., 2006)	-
❖	1.00	-77.63	162.95	(Gooseff et al., 2006)	-

❖	21.00	-77.62	162.97	(Gooseff et al., 2006)	-
❖	20.00	-77.61	162.99	(Gooseff et al., 2006)	-
❖	22.00	-77.63	162.93	(Gooseff et al., 2006)	-
□	5.00	-77.63	162.93	(Gooseff et al., 2006)	-
❖	135.00	-77.61	162.97	(Gooseff et al., 2006)	-
❖	147.00	-77.61	162.96	(Gooseff et al., 2006)	-
❖	105.00	-77.61	162.98	(Gooseff et al., 2006)	-
❖	112.00	-77.61	162.96	(Gooseff et al., 2006)	-
❖	11.00	-77.62	162.96	(Gooseff et al., 2006)	-
❖	18.00	-77.61	162.96	(Gooseff et al., 2006)	-
❖	19.00	-77.61	162.98	(Gooseff et al., 2006)	-
○	BHC1	-66.13	110.94	(Morgan, 1982)	-
○	BHC2	-66.13	110.94	(Morgan, 1982)	-
○	SGA	-66.13	110.94	(Morgan, 1982)	-
❖	104.00	-77.61	162.98	(Gooseff et al., 2006)	-
❖	7.00	-77.62	162.93	(Gooseff et al., 2006)	-
○	Russian airport	-69.43	76.34	(Morgan, 1982)	-
❖	113.00	-77.61	162.95	(Gooseff et al., 2006)	-
❖	114.00	-77.62	162.94	(Gooseff et al., 2006)	-
❖	12.00	-77.61	162.96	(Gooseff et al., 2006)	-
❖	103.00	-77.61	162.97	(Gooseff et al., 2006)	-
❖	102.00	-77.61	162.96	(Gooseff et al., 2006)	-
❖	10.00	-77.62	162.94	(Gooseff et al., 2006)	-
❖	17.00	-77.61	162.96	(Gooseff et al., 2006)	-
❖	15.00	-77.61	162.95	(Gooseff et al., 2006)	-
❖	16.00	-77.61	162.95	(Gooseff et al., 2006)	-
❖	100.00	-77.61	162.95	(Gooseff et al., 2006)	-
❖	99.00	-77.61	162.94	(Gooseff et al., 2006)	-
❖	134.00	-77.61	162.94	(Gooseff et al., 2006)	-

❖	70.00	-77.54	163.18	(Gooseff et al., 2006)	-
❖	71.00	-77.54	163.18	(Gooseff et al., 2006)	-
❖	72.00	-77.54	163.18	(Gooseff et al., 2006)	-
❖	73.00	-77.54	163.18	(Gooseff et al., 2006)	-
❖	74.00	-77.54	163.18	(Gooseff et al., 2006)	-
❖	75.00	-77.54	163.18	(Gooseff et al., 2006)	-
❖	76.00	-77.54	163.18	(Gooseff et al., 2006)	-
□	91.00	-77.63	162.90	(Gooseff et al., 2006)	-
❖	9.00	-77.62	162.92	(Gooseff et al., 2006)	-
○	BHF	-66.15	111.00	(Morgan, 1982)	-
❖	98.00	-77.61	162.93	(Gooseff et al., 2006)	-
❖	13.00	-77.61	162.93	(Gooseff et al., 2006)	-
❖	14.00	-77.61	162.94	(Gooseff et al., 2006)	-
❖	133.00	-77.61	162.93	(Gooseff et al., 2006)	-
❖	97.00	-77.61	162.93	(Gooseff et al., 2006)	-
○	S20	-70.24	355.19	(Isaksson et al., 1999)	-
○	Site B-Campbell Glacier. northern				-
○	Victoria Land	-74.25	164.07	(Gagnani et al., 1998)	-
□	39.00	-77.53	163.22	(Gooseff et al., 2006)	-
□	40.00	-77.53	163.22	(Gooseff et al., 2006)	-
□	41.00	-77.53	163.22	(Gooseff et al., 2006)	-
□	42.00	-77.53	163.22	(Gooseff et al., 2006)	-
□	43.00	-77.53	163.22	(Gooseff et al., 2006)	-
□	44.00	-77.53	163.22	(Gooseff et al., 2006)	-
□	45.00	-77.53	163.22	(Gooseff et al., 2006)	-
□	46.00	-77.53	163.22	(Gooseff et al., 2006)	-
□	47.00	-77.53	163.22	(Gooseff et al., 2006)	-
□	26.00	-77.56	163.05	(Gooseff et al., 2006)	-
□	27.00	-77.56	163.05	(Gooseff et al., 2006)	-

□	28.00	-77.56	163.05	(Gooseff et al., 2006)	-
□	29.00	-77.56	163.05	(Gooseff et al., 2006)	-
❖	8.00	-77.62	162.88	(Gooseff et al., 2006)	-
❖	149.00	-77.60	162.89	(Gooseff et al., 2006)	-
❖	119.00	-77.60	162.89	(Gooseff et al., 2006)	-
□	30.00	-77.54	163.10	(Gooseff et al., 2006)	-
□	31.00	-77.54	163.10	(Gooseff et al., 2006)	-
□	32.00	-77.54	163.10	(Gooseff et al., 2006)	-
□	33.00	-77.54	163.10	(Gooseff et al., 2006)	-
□	34.00	-77.54	163.10	(Gooseff et al., 2006)	-
□	35.00	-77.54	163.10	(Gooseff et al., 2006)	-
□	68.00	-77.54	163.10	(Gooseff et al., 2006)	-
❖	6.00	-77.57	162.96	(Gooseff et al., 2006)	-
❖	150.00	-77.60	162.86	(Gooseff et al., 2006)	-
❖	151.00	-77.60	162.86	(Gooseff et al., 2006)	-
❖	152.00	-77.61	162.83	(Gooseff et al., 2006)	-
❖	66.00	-77.55	163.04	(Gooseff et al., 2006)	-
❖	67.00	-77.55	163.04	(Gooseff et al., 2006)	-
❖	69.00	-77.55	163.04	(Gooseff et al., 2006)	-
❖	153.00	-77.61	162.82	(Gooseff et al., 2006)	-
□	22.00	-77.54	163.05	(Gooseff et al., 2006)	-
□	23.00	-77.54	163.05	(Gooseff et al., 2006)	-
□	24.00	-77.54	163.05	(Gooseff et al., 2006)	-
□	25.00	-77.54	163.05	(Gooseff et al., 2006)	-
❖	154.00	-77.60	162.84	(Gooseff et al., 2006)	-
□	15.00	-77.55	163.00	(Gooseff et al., 2006)	-
□	16.00	-77.55	163.00	(Gooseff et al., 2006)	-
□	17.00	-77.55	163.00	(Gooseff et al., 2006)	-
□	18.00	-77.55	163.00	(Gooseff et al., 2006)	-

❑	19.00	-77.55	163.00	(Gooseff et al., 2006)	-
❑	89.00	-77.65	162.73	(Gooseff et al., 2006)	-
❖	25.00	-77.65	162.73	(Gooseff et al., 2006)	-
❑	65.00	-77.55	162.98	(Gooseff et al., 2006)	-
❖	24.00	-77.65	162.71	(Gooseff et al., 2006)	-
❑	90.00	-77.65	162.71	(Gooseff et al., 2006)	-
❖	26.00	-77.65	162.71	(Gooseff et al., 2006)	-
○	D141	-77.58	309.42	(Gragnani et al., 1998)	-
○	SGP	-66.23	111.23	(Morgan, 1982)	-
❑	Erebus	-77.53	167.28	(Masson-Delmotte et al., 2008)	-
❑	Erebus	-77.53	167.28	(Masson-Delmotte et al., 2008)	-
❑	Erebus	-77.53	167.28	(Masson-Delmotte et al., 2008)	-
❑	Erebus	-77.53	167.28	(Masson-Delmotte et al., 2008)	-
❑	Erebus	-77.53	167.28	(Masson-Delmotte et al., 2008)	-
❑	Erebus	-77.53	167.28	(Masson-Delmotte et al., 2008)	-
❑	Erebus	-77.53	167.28	(Masson-Delmotte et al., 2008)	-
❑	Erebus	-77.53	167.28	(Masson-Delmotte et al., 2008)	-
❖	90.00	-77.74	162.48	(Gooseff et al., 2006)	-
❑	87.00	-77.74	162.47	(Gooseff et al., 2006)	-
❖	91.00	-77.74	162.46	(Gooseff et al., 2006)	-
❑	88.00	-77.74	162.46	(Gooseff et al., 2006)	-
❖	92.00	-77.74	162.44	(Gooseff et al., 2006)	-
❖	93.00	-77.74	162.44	(Gooseff et al., 2006)	-
○	SGJ	-65.85	113.18	(Morgan, 1982)	-
❖	Reinwarthöhe/North dome	-78.30	313.72	(Wagenhach et al., 1994)	-
❑	US_ITASE_2000_5	-77.68	236.01	(Masson-Delmotte et al., 2008)	-
❖	R1-North Dome-Berkner Island	-78.31	313.73	(Ruth et al., 2004)	-
❖	71.00	-77.73	162.29	(Gooseff et al., 2006)	-
	Ekströmis. km40	-70.95	351.48	(Oerter et al., 1999)	-

❖	BHF	-66.15	112.81	(Delmotte et al., 2000)	-
❖	69.00	-77.72	162.27	(Gooseff et al., 2006)	-
❖	73.00	-77.72	162.25	(Gooseff et al., 2006)	-
□	74.00	-77.73	162.25	(Gooseff et al., 2006)	-
○	C	-72.73	344.03	(Isaksson and Karlén, 1994)	-
○	MB10/2 in Wilhelm II Land	-68.91	78.85	(Smith et al., 2002)	-
❖	74.00	-77.73	162.23	(Gooseff et al., 2006)	-
❖	127.00	-77.73	162.21	(Gooseff et al., 2006)	-
❖	76.00	-77.73	162.21	(Gooseff et al., 2006)	-
○	MB8/3 in Wilhelm II Land	-68.00	81.00	(Smith et al., 2002)	-
○	Drygalski Gl.	-75.52	165.32	(Stenni et al., 2000)	-
❖	77.00	-77.73	162.20	(Gooseff et al., 2006)	-
❖	128.00	-77.73	162.19	(Gooseff et al., 2006)	-
□	64.00	-77.73	162.19	(Gooseff et al., 2006)	-
❖	88.00	-77.73	162.19	(Gooseff et al., 2006)	-
❖	122.00	-77.73	162.19	(Gooseff et al., 2006)	-
❖	78.00	-77.73	162.17	(Gooseff et al., 2006)	-
❖	2.00	-65.17	300.02	(Dahe et al., 1994)	-
○	SGB	-66.30	111.46	(Morgan, 1982)	-
❖	129.00	-77.73	162.16	(Gooseff et al., 2006)	-
❖	79.00	-77.73	162.16	(Gooseff et al., 2006)	-
❖	123.00	-77.73	162.16	(Gooseff et al., 2006)	-
□	65.00	-77.73	162.15	(Gooseff et al., 2006)	-
❖	80.00	-77.73	162.14	(Gooseff et al., 2006)	-
❖	131.00	-77.74	162.13	(Gooseff et al., 2006)	-
❖	132.00	-77.75	162.13	(Gooseff et al., 2006)	-
□	67.00	-77.74	162.13	(Gooseff et al., 2006)	-
□	68.00	-77.75	162.13	(Gooseff et al., 2006)	-
❖	84.00	-77.75	162.13	(Gooseff et al., 2006)	-

❖	87.00	-77.74	162.13	(Gooseff et al., 2006)	-
❖	125.00	-77.74	162.13	(Gooseff et al., 2006)	-
❖	126.00	-77.75	162.13	(Gooseff et al., 2006)	-
❖	130.00	-77.73	162.12	(Gooseff et al., 2006)	-
□	66.00	-77.73	162.12	(Gooseff et al., 2006)	-
❖	81.00	-77.73	162.12	(Gooseff et al., 2006)	-
❖	124.00	-77.73	162.12	(Gooseff et al., 2006)	-
❖	82.00	-77.73	162.09	(Gooseff et al., 2006)	-
❖	83.00	-77.74	162.06	(Gooseff et al., 2006)	-
❖	114.00	-77.74	162.06	(Gooseff et al., 2006)	-
○	LGB72	-69.92	76.49	(Morgan, 1982)	-
❖	104.00	-77.75	162.03	(Gooseff et al., 2006)	-
❖	103.00	-77.75	162.02	(Gooseff et al., 2006)	-
❖	113.00	-77.75	162.02	(Gooseff et al., 2006)	-
❖	94.00	-77.73	162.01	(Gooseff et al., 2006)	-
❖	LGB72	-69.93	76.49	(Delmotte et al., 1997)	-
❖	102.00	-77.75	162.00	(Gooseff et al., 2006)	-
❖	101.00	-77.75	161.97	(Gooseff et al., 2006)	-
○	Aviator Glacier	-73.85	165.10	(Stenni et al., 2000)	-
❖	100.00	-77.75	161.95	(Gooseff et al., 2006)	-
□	Caroline	-66.67	140.02	(Yao et al., 1990)	-
□	71.00	-77.75	161.93	(Gooseff et al., 2006)	-
❖	99.00	-77.75	161.93	(Gooseff et al., 2006)	-
❖	111.00	-77.75	161.93	(Gooseff et al., 2006)	-
❖	98.00	-77.75	161.91	(Gooseff et al., 2006)	-
❖	D136	-77.19	306.86	(Graf et al., 1994)	-
❖	97.00	-77.75	161.89	(Gooseff et al., 2006)	-
❖	110.00	-77.75	161.89	(Gooseff et al., 2006)	-
□	72.00	-77.75	161.88	(Gooseff et al., 2006)	-

❖	96.00	-77.76	161.87	(Gooseff et al., 2006)	-
☐	US_ITASE_2000_4	-78.08	239.92	(Masson-Delmotte et al., 2008)	-
☐	73.00	-77.76	161.84	(Gooseff et al., 2006)	-
❖	95.00	-77.76	161.84	(Gooseff et al., 2006)	-
❖	109.00	-77.76	161.84	(Gooseff et al., 2006)	-
○	McCarthy	-74.60	163.05	(Stenni et al., 2000)	-
❖	63.00	-77.76	161.80	(Gooseff et al., 2006)	-
❖	64.00	-77.75	161.77	(Gooseff et al., 2006)	-
○	Styx Glacier	-73.92	163.75	(Stenni et al., 2000)	-
❖	62.00	-77.74	161.68	(Gooseff et al., 2006)	-
❖	AWS4	-72.75	344.50	(Helsen et al., 2006)	-
❖	66.00	-77.75	161.65	(Gooseff et al., 2006)	-
❖	68.00	-77.72	161.65	(Gooseff et al., 2006)	-
○	D	-72.45	347.45	(Isaksson and Karlén, 1994)	-
❖	James Ross Island (Dallinger Dome)	-57.68	295.78	(Aristarain et al., 2004)	-
❖	James Ross Island (Dallinger Dome)	-57.68	295.80	(Aristarain et al., 2004)	-
○	BHQ	-66.38	111.73	(Morgan, 1982)	-
☐	D131	-76.96	305.31	(Graf et al., 1994)	-
❖	3.00	-65.28	299.68	(Dahe et al., 1994)	-
○	D131	-76.99	305.17	(Graf et al., 1988)	-
○	Søråsen. DML65 (FB0203)	-71.45	350.14	(Masson-Delmotte et al., 2008)	-
○	MB10/8 in Wilhelm II Land	-66.91	91.75	(Smith et al., 2002)	-
❖	MirnyVostokVK 1307	-67.23	94.03	(Ekaykin et al., 2001; Lipenkov and Barkov, 1998)	-
❖	15.00	-68.95	294.57	(Dahe et al., 1994)	-
❖	13.00	-68.72	294.57	(Dahe et al., 1994)	-
❖	14.00	-68.80	294.63	(Dahe et al., 1994)	-

❖	4.00	-65.45	299.25	(Dahe et al., 1994)	-
○	Ekströmisen. BC-2	-71.24	351.47	(Oerter et al., 1999)	-
❖	12.00	-68.42	294.75	(Dahe et al., 1994)	-
❖	VL 30			(Becagli et al., 2004; Magand et	-
	Ekströmisen. km70-W	-70.36	158.42	al., 2004)	-
		-71.25	351.35	(Oerter et al., 1999)	-
❖	5.00	-65.58	298.83	(Dahe et al., 1994)	-
❖	VL 32			(Becagli et al., 2004; Magand et	-
		-70.52	158.64	al., 2004)	-
❖	16.00	-69.07	294.67	(Dahe et al., 1994)	-
○	MB15/2 in Wilhelm II Land	-69.20	79.79	(Smith et al., 2002)	-
○	site C-Campbell Glacier. northern				-
○	Victoria Land	-73.75	163.33	(Gagnani et al., 1998)	-
○	D240	-77.86	307.23	(Graf et al., 1988)	-
○	S13	-67.34	93.52	(Petit et al., 1991)	-
❖	104.00	-67.35	93.43	(Dahe et al., 1994)	-
○	DE08	-66.72	113.20	(Morgan, 1982)	-
○	DE08-2	-66.72	113.21	(Morgan, 1982)	-
○	GL16/245	-77.99	308.47	(Graf et al., 1999)	-
○	D240	-77.87	307.20	(Graf et al., 1988)	-
□	US_ITASE_2001_3	-78.12	264.35	(Masson-Delmotte et al., 2008)	-
○	Halvfarryggen. DML64 (FB0201)	-71.21	353.21	(Masson-Delmotte et al., 2008)	-
○	GV7	-70.68	158.86	Maga	-
❖	VL1 28			(Becagli et al., 2004; Magand et	-
		-70.68	158.86	al., 2004)	-
❖	17.00	-69.17	294.70	(Dahe et al., 1994)	-
○	LGB71	-70.26	76.68	(Morgan, 1982)	-
❖	LGB71	-70.26	76.69	(Delmotte, 1997)	-
□	US_ITASE_2000_3	-78.43	244.08	(Masson-Delmotte et al., 2008)	-

❖	6.00	-65.70	298.47	(Dahe et al., 1994)	-
❖	HWF	-78.32	320.57	(Graf et al., 1994)	-
❖	2.00	-67.43	93.38	(Petit et al., 1991)	-
○	Hercules Névé	-73.10	165.47	(Stenni et al., 1999)	-
❖	MirnyVostok KM105			(Ekaykin et al., 2001; Lipenkov and Barkov, 1998)	-
		-67.43	93.38		
❖	11.00	-67.78	295.30	(Dahe et al., 1994)	-
❖	7.00	-65.83	298.05	(Dahe et al., 1994)	-
○	BHD	-66.72	112.84	(Morgan, 1982)	-
○	SGD	-66.73	112.84	(Morgan, 1982)	-
❖	DE08-2	-66.72	112.81	(Masson-Delmotte et al., 2003)	-
❖	A001	-66.73	112.83	(Delmotte et al., 1997)	-
❖	Ekströmisen. km90	-71.40	351.65	(Oerter et al., 1999)	-
○	DSSW25k	-66.78	112.23	(Morgan, 1982)	-
❖	VL1 26			(Becagli et al., 2004; Magand et al., 2004)	-
		-70.76	158.70		
○	97W25k	-66.78	112.24	(Morgan, 1982)	-
○	MB9/4 in Wilhelm II Land	-67.72	83.66	(Smith et al., 2002)	-
❖	DSS87P	-66.77	112.81	(Delmotte et al., 2000)	-
○	DSS87P	-66.77	112.81	(Morgan, 1982)	-
□	D235	-77.51	305.45	(Graf et al., 1994)	-
○	DSS97	-66.78	112.81	(Morgan, 1982)	-
○	DSS92P	-66.77	112.80	(Morgan, 1982)	-
○	DSSW0k	-66.78	112.80	(Morgan, 1982)	-
○	DSSW2k	-66.77	112.76	(Morgan, 1982)	-
○	MB10/6 in Wilhelm II Land	-67.23	88.24	(Smith et al., 2002)	-
❖	8.00	-66.33	297.40	(Dahe et al., 1994)	-
○	97W20k	-66.77	112.36	(Morgan, 1982)	-
○	MB12/4 in Wilhelm II Land	-68.01	83.65	(Smith et al., 2002)	-

❖	10.00	-67.33	295.88	(Dahe et al., 1994)	-
❖	VL1 24	-70.82	158.56	(Becagli et al., 2004; Magand et al., 2004)	-
❖	GC25	-67.71	109.80	(Delmotte et al., 1997)	-
○	97W15k	-66.77	112.46	(Morgan, 1982)	-
○	MB15/8 in Wilhelm II Land	-67.52	92.19	(Smith et al., 2002)	-
○	DSSW12k	-66.78	112.53	(Morgan, 1982)	-
○	D230	-77.36	303.96	(Graf et al., 1988)	-
○	Ekströmisen. km105	-71.54	351.72	(Oerter et al., 1999)	-
❖	D230	-77.36	303.94	(Graf et al., 1994)	-
○	Potsdam Gletscher. FB0405	-71.04	12.33	(Masson-Delmotte et al., 2008)	-
○	US_ITASE_2001_2	-77.84	257.09	(Masson-Delmotte et al., 2008)	-
❖	LGB00	-68.65	61.12	(Delmotte et al., 1997)	-
❖	27.00	-74.05	290.05	(Dahe et al., 1994)	-
❖	VL1 22	-70.90	158.44	(Becagli et al., 2004; Magand et al., 2004)	-
❖	9.00	-66.90	296.47	(Dahe et al., 1994)	-
○	Potsdam Gletscher. FB0404	-71.08	11.60	(Masson-Delmotte et al., 2008)	-
❖	Ritscherflya. km125	-71.68	351.50	(Oerter et al., 1999)	-
❖	MirnyVostokVK 1257	-67.66	94.53	(Ekaykin et al., 2001; Lipenkov and Barkov, 1998)	-
❖	Taylor Dome	-77.48	158.72	(Steig et al., 1998)	-
○	MGA	-68.65	60.25	(Xiao et al., 2004)	-
❖	103.00	-67.70	93.65	(Dahe et al., 1994)	-
❖	LGB70	-70.58	76.87	(Delmotte et al., 1997)	-
❖	VL1 20	-70.99	158.37	(Becagli et al., 2004; Magand et al., 2004)	-
○	Potsdam Gletscher. FB0402	-71.14	11.69	(Masson-Delmotte et al., 2008)	-
❖	18.00	-69.68	294.78	(Dahe et al., 1994)	-

□	Ritscherflya. km143	-71.83	351.39	(Oerter et al., 1999)	-
❖	Ritscherflya. km143	-71.83	351.39	(Oerter et al., 1999)	-
○	S15	-71.19	4.60	(Isaksson et al., 1999)	-
○	MB18/2 in Wilhelm II Land	-69.50	80.75	(Smith et al., 2002)	-
❖	AWS5	-73.10	346.83	(Helsen et al., 2006)	-
❖	Druzhnaya 1	-76.64	320.00	(Masson-Delmotte et al., 2008)	-
○	D241	-78.23	305.98	(Graf et al., 1988)	-
❖	VL1 18			(Becagli et al., 2004; Magand et al., 2004)	-
		-71.08	158.32		
○	MB15/4 in Wilhelm II Land	-68.35	84.00	(Smith et al., 2002)	-
○	D241	-78.24	305.95	(Graf et al., 1988)	-
○	GL15/246	-78.41	307.53	(Graf et al., 1999)	-
○	D246	-78.43	307.49	(Graf et al., 1994)	-
❖	Ritscherflya. km160	-71.98	351.28	(Oerter et al., 1999)	-
❖	Ritscherflya. km160	-71.98	351.28	(Oerter et al., 1999)	-
○	Potsdam Gletscher. FB0401	-71.11	1.65	(Masson-Delmotte et al., 2008)	-
❖	ITS7			(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
		-74.70	159.70		
❖	3.00	-67.86	93.75	(Petit et al., 1991)	-
○	Potsdam Gletscher. FB0403	-71.25	11.12	(Masson-Delmotte et al., 2008)	-
❖	VL1 16			(Becagli et al., 2004; Magand et al., 2004)	-
		-71.18	158.28		
❖	ITS9			(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
		-74.69	159.37		
❖	LGB01	-68.94	61.11	(Delmotte et al., 1997)	-
❖	MirnyVostokVK 1233			(Ekaykin et al., 2001; Lipenkov and Barkov, 1998)	-
		-67.88	94.77		
❖	Ritscherflya. km180	-72.16	351.18	(Oerter et al., 1999)	-
○	Ritscherflya. km180	-72.16	351.18	(Oerter et al., 1999)	-

	Ronne Ice Shelf. D236 (B15)	-77.94	304.06	(Graf et al., 1994)	-
❖	VL1 14	-71.25	158.46	(Becagli et al., 2004; Magand et al., 2004)	-
❖	D236	-77.94	304.02	(Graf et al., 1994)	-
❖	MB15/6 in Wilhelm II Land	-67.91	88.35	(Smith et al., 2002)	-
❖	ITS10	-74.69	159.19	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖	Ritscherflya. BC-1	-72.50	350.91	(Oerter et al., 1999)	-
□	Ritscherflya. B08_BC-1	-72.50	350.91	(Oerter et al., 1999)	-
❖	ITS11	-74.68	159.02	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖	LGB69 (LT 940)	-70.83	77.08	(Morgan, 1982)	-
❖	LGB69 30/1/97	-70.83	77.08	(Morgan, 1982)	-
❖	LGB69	-70.84	77.08	(Delmotte et al., 1997)	-
❖	VL 12	-71.33	158.56	(Becagli et al., 2004; Magand et al., 2004)	-
❖	MB18/8 in Wilhelm II Land	-68.00	92.56	(Smith et al., 2002)	-
□	D231	-77.68	302.67	(Graf et al., 1994)	-
❖	ITS12	-74.68	158.87	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖	19.00	-70.42	295.27	(Dahe et al., 1994)	-
❖	Frei Station	-62.20	301.05	(Simões et al., 2004)	-
❖	LGBUW450	-68.97	60.03	(Delmotte et al., 1997)	-
❖	D231	-77.71	302.56	(Graf et al., 1988)	-
❖	20.00	-70.97	295.32	(Dahe et al., 1994)	-
❖	Ritscherflya. km270	-72.92	350.33	(Oerter et al., 1999)	-
□	Ritscherflya. km270	-72.92	350.33	(Oerter et al., 1999)	-
❖	ITS13	-74.68	158.68	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-

❖ U2 in Wilhelm II Land	-69.68	81.42	(Smith et al., 2002)	-
❖ Dyer Plateau	-70.67	295.13	(Thompson et al., 1994)	-
❖ VL1 10	-71.42	158.59	(Becagli et al., 2004; Magand et al., 2004)	-
❖ King George Island I	-58.63	297.87	(Simões et al., 2004)	-
❖ King George Island II	-58.61	297.87	(Masson-Delmotte et al., 2008)	-
❖ ITS14	-74.68	158.51	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖ 102.00	-68.08	93.83	(Dahe et al., 1994)	-
❖ 28.00	-74.77	287.23	(Dahe et al., 1994)	-
❖ ITS15	-74.66	158.34	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖ U1- in Wilhelm II Land	-70.45	79.32	(Smith et al., 2002)	-
❖ Priestley Névé	-73.63	160.15	(Stenni et al., 2000)	-
❖ 26.00	-73.93	292.50	(Dahe et al., 1994)	-
❖ 22.00	-71.98	294.70	(Dahe et al., 1994)	-
❖ VL1 8	-71.52	158.62	(Becagli et al., 2004; Magand et al., 2004)	-
❖ B25-South Dome-Berkner Island	-79.62	314.28	(Ruth et al., 2004)	-
❖ MB18/4 in Wilhelm II Land	-68.78	84.30	(Smith et al., 2002)	-
❖ LGB02	-69.22	61.09	(Delmotte et al., 1997)	-
❖ Thyssenhöhe/South dome	-79.66	314.38	(Wagenbach et al., 1994)	-
❖ 23.00	-72.23	294.52	(Dahe et al., 1994)	-
❖ VL 6	-71.61	158.65	(Becagli et al., 2004; Magand et al., 2004)	-
❖ GL14/345	-78.84	306.53	(Graf et al., 1999)	-
❖ LGB68	-71.10	77.29	(Delmotte et al., 1997)	-
❖ 25.00	-73.23	293.20	(Dahe et al., 1994)	-
❖ D345	-78.87	306.60	(Graf et al., 1988)	-

❖	D340	-78.60	304.59	(Graf et al., 1988)	-
❖	D340	-78.61	304.57	(Graf et al., 1988)	-
❖	Ronne Ice Shelf. D340 (B08)	-78.61	304.57	(Graf et al., 1988)	-
❖	VL 4	-71.69	158.64	(Becagli et al., 2004; Magand et al., 2004)	-
❖	29.00	-74.85	284.25	(Dahe et al., 1994)	-
☐	D335/Flugdepot2	-78.30	303.02	(Graf et al., 1994)	-
❖	ITS20	-74.64	157.50	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖	GF02	-68.48	109.66	(Morgan, 1982)	-
❖	GPS2	-74.64	157.50	(Frezzotti et al., 2005; Proposito et al., 2002)	-
❖	MB18/6 in Wilhelm II Land	-68.39	88.60	(Smith et al., 2002)	-
❖	D335	-78.31	302.87	(Graf et al., 1988)	-
❖	Ritscherflya. FB96K02	-73.36	350.30	(Oerter et al., 1999)	-
❖	VL 2	-71.78	158.59	(Becagli et al., 2004; Magand et al., 2004)	-
❖	ITS21	-74.60	157.34	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖	21.00	-71.28	294.28	(Dahe et al., 1994)	-
❖	24.00	-72.55	294.08	(Dahe et al., 1994)	-
❖	ITS22	-74.57	157.22	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖	U8 in Wilhelm II Land	-68.43	92.87	(Smith et al., 2002)	-
❖	GF01	-68.50	110.85	(Morgan, 1982)	-
❖	D330	-78.03	301.31	(Graf et al., 1994)	-
❖	A	-71.90	4.60	(Isaksson et al., 1999)	-
❖	LGBUW400	-69.41	60.03	(Delmotte et al., 1997)	-

❖ ITS23	-74.54	157.10	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖ MGV 212	-71.89	158.54	(Becagli et al., 2004; Magand et al., 2004)	-
❖ GV5	-71.89	158.53	(Becagli et al., 2004; Magand et al., 2004)	-
❖ GC21	-68.16	113.26	(Morgan, 1982)	-
❖ D330	-78.06	301.22	(Graf et al., 1988)	-
❖ MirnyVostokVK 1182	-68.40	95.36	(Ekaykin et al., 2001; Lipenkov and Barkov, 1998)	-
❖ W200	-69.58	48.83	(Satow and Watanabe, 1990)	-
❖ LGB03	-69.50	61.12	(Delmotte et al., 1997)	-
❖ VL 34	-71.93	158.52	(Becagli et al., 2004; Magand et al., 2004)	-
❖ MGV 211	-71.91	158.42	(Becagli et al., 2004; Magand et al., 2004)	-
❖ GC23	-68.33	114.38	(Morgan, 1982)	-
❖ LGB67	-71.36	77.51	(Delmotte et al., 1997)	-
❖ VL 36	-72.02	158.51	(Becagli et al., 2004; Magand et al., 2004)	-
❖ AO28	-68.41	112.21	(Morgan, 1982)	-
❖ A028	-68.41	112.21	(Delmotte et al., 1997)	-
❖ ITS26	-74.44	156.74	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖ W46	-69.54	49.93	(Kato et al., 1977)	-
❖ U4 in Wilhelm II Land	-69.28	84.56	(Smith et al., 2002)	-
❖ GF13	-68.50	95.95	(Morgan, 1982)	-
❖ ITS27	-74.41	156.62	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-

❖	VL 38	-72.11	158.49	(Becagli et al., 2004; Magand et al., 2004)	-
❖	GL13	-79.27	305.80	(Graf et al., 1999)	-
❖	GD13	-68.99	128.23	(Morgan, 1982)	-
❖	ITS28	-74.38	156.50	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖	VL 40	-72.20	158.57	(Becagli et al., 2004; Magand et al., 2004)	-
❖	D336	-78.72	302.15	(Graf et al., 1994)	-
❖	D61	-68.55	137.07	(Delmotte et al., 1997)	-
❖	U6 in Wilhelm II Land	-68.83	88.93	(Smith et al., 2002)	-
❖	B	-72.13	4.18	(Isaksson et al., 1999)	-
❖	GD14	-69.02	129.51	(Morgan, 1982)	-
❖	D341	-78.94	303.18	(Graf et al., 1988)	-
❖	GD05	-69.02	117.99	(Morgan, 1982)	-
❖	D341	-78.95	303.16	(Graf et al., 1988)	-
❖	GD04	-69.01	116.75	(Morgan, 1982)	-
❖	VL 42	-72.28	158.66	(Becagli et al., 2004; Magand et al., 2004)	-
❖	ITS29	-74.32	156.39	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖	GD12	-68.99	126.94	(Morgan, 1982)	-
❖	MGV 205	-72.05	157.67	(Becagli et al., 2004; Magand et al., 2004)	-
❖	30.00	-75.43	281.52	(Dahe et al., 1994)	-
❖	LGB04	-69.79	61.12	(Delmotte et al., 1997)	-
❖	GD06	-69.00	119.28	(Morgan, 1982)	-
❖	ST556	-72.37	158.75	[Stenni et al. 2004]	-

❖ VL 44	-72.37	158.74	(Becagli et al., 2004; Magand et al., 2004)	-
❖ ITS30	-74.28	156.33	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖ LGB66	-71.62	77.73	(Delmotte et al., 1997)	-
❖ GF12	-68.49	97.19	(Morgan, 1982)	-
❖ MirnyVostokVK 1135	-68.71	95.72	(Ekaykin et al., 2001; Lipenkov and Barkov, 1998)	-
❖ 5.00	-68.78	94.30	(Petit et al., 1991)	-
❖ GD15	-69.01	130.81	(Morgan, 1982)	-
❖ GD15	-69.01	130.81	(Masson-Delmotte et al., 2008)	-
❖ ITS31	-74.23	156.27	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖ C	-72.25	2.89	(Isaksson et al., 1999)	-
❖ GD07	-69.01	120.55	(Morgan, 1982)	-
❖ GF06	-68.50	104.68	(Morgan, 1982)	-
❖ VL 46	-72.45	158.80	(Becagli et al., 2004; Magand et al., 2004)	-
❖ VL 60	-73.05	158.50	(Becagli et al., 2004; Magand et al., 2004)	-
❖ VL 62	-73.13	158.30	(Becagli et al., 2004; Magand et al., 2004)	-
❖ VL 58	-72.99	158.67	(Becagli et al., 2004; Magand et al., 2004)	-
❖ VL 64	-73.20	158.12	(Becagli et al., 2004; Magand et al., 2004)	-
❖ GD03	-69.00	115.50	(Morgan, 1982)	-
❖ VL 66	-73.28	157.95	(Becagli et al., 2004; Magand et al., 2004)	-

❖	MBS in Wilhelm II Land	-69.13	86.00	(Smith et al., 2002)	-
❖	VL 56	-72.91	158.84	(Becagli et al., 2004; Magand et al., 2004)	-
❖	GD01	-68.59	113.33	(Morgan, 1982)	-
❖	VL 68	-73.35	157.76	(Becagli et al., 2004; Magand et al., 2004)	-
❖	VL 54	-72.84	159.01	(Becagli et al., 2004; Magand et al., 2004)	-
❖	MGV 202	-72.12	157.30	(Becagli et al., 2004; Magand et al., 2004)	-
❖	GD02	-68.80	114.41	(Morgan, 1982)	-
❖	Talos Dome	-72.80	159.10	[Stenni et al. 2004]	-
❖	VL 70	-73.42	157.57	(Becagli et al., 2004; Magand et al., 2004)	-
❖	101.00	-68.85	94.62	(Dahe et al., 1994)	-
❖	VL 48	-72.54	158.88	(Becagli et al., 2004; Magand et al., 2004)	-
❖	VL 98	-74.47	155.27	(Becagli et al., 2004; Magand et al., 2004)	-
❖	ITS33	-74.15	156.15	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖	TDN	-72.77	159.07	(Becagli et al., 2004; Magand et al., 2004)	-
❖	VL 72	-73.49	157.38	(Becagli et al., 2004; Magand et al., 2004)	-
❖	LGBUW350	-69.86	59.80	(Delmotte et al., 1997)	-
❖	VL 96	-74.39	155.41	(Becagli et al., 2004; Magand et al., 2004)	-
❖	GD08	-69.01	121.81	(Morgan, 1982)	-

❖	VL 94	-74.30	155.57	(Becagli et al., 2004; Magand et al., 2004)	-
❖	VL 74	-73.56	157.19	(Becagli et al., 2004; Magand et al., 2004)	-
❖	Ritscherflya. DML74 (FB0504)	-74.06	350.14	(Masson-Delmotte et al., 2008)	-
❖	VL 92	-74.21	155.74	(Becagli et al., 2004; Magand et al., 2004)	-
❖	ITS34	-74.11	156.08	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖	VL 50	-72.63	158.95	(Becagli et al., 2004; Magand et al., 2004)	-
❖	VL 76	-73.64	157.00	(Becagli et al., 2004; Magand et al., 2004)	-
❖	GD11	-68.98	125.64	(Morgan, 1982)	-
❖	GD09	-69.01	123.06	(Morgan, 1982)	-
❖	VL 52	-72.71	159.03	(Becagli et al., 2004; Magand et al., 2004)	-
❖	VL 78	-73.71	156.80	(Becagli et al., 2004; Magand et al., 2004)	-
❖	VL 90	-74.13	155.81	(Becagli et al., 2004; Magand et al., 2004)	-
❖	D47	-74.88	154.04	(Masson-Delmotte et al., 2008)	-
❖	ITS35	-74.07	156.02	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖	VL 80	-73.78	156.63	(Becagli et al., 2004; Magand et al., 2004)	-
❖	GD10	-69.00	124.35	(Morgan, 1982)	-
❖	VL 88	-74.05	155.91	(Becagli et al., 2004; Magand et al., 2004)	-

❖	Zhong shan-Dome A traverse					-
	DT001	-71.88	77.43	(Xiao et al., 2004)		
❖	W280	-70.22	46.57	(Kato et al., 1977)		-
❖	ITS36			(Frezzotti et al., 2005; Proposito		-
		-74.03	155.96	et al., 2002; Stenni et al., 2000)		
❖	LGB05	-70.07	61.13	(Delmotte et al., 1997)		-
❖	Ritscherflya. DML71 (FB0501)	-74.14	350.32	(Masson-Delmotte et al., 2008)		-
❖	31DPT			(Frezzotti et al., 2005; Proposito		-
		-74.02	155.95	et al., 2002)		
❖	VL 86			(Becagli et al., 2004; Magand et		-
		-73.99	156.04	al., 2004)		
❖	GF07	-68.50	103.42	(Morgan, 1982)		-
❖	GL12	-79.67	305.11	(Graf et al., 1999)		-
❖	GF11	-68.51	98.44	(Morgan, 1982)		-
❖	ITS40			(Frezzotti et al., 2005; Proposito		-
		-74.04	155.83	et al., 2002; Stenni et al., 2000)		
❖	VL 82			(Becagli et al., 2004; Magand et		-
		-73.85	156.42	al., 2004)		
❖	U5 in Wilhelm II Land	-68.97	87.29	(Smith et al., 2002)		-
❖	VL 84			(Becagli et al., 2004; Magand et		-
		-73.92	156.22	al., 2004)		
❖	ITS41			(Frezzotti et al., 2005; Proposito		-
		-74.07	155.69	et al., 2002; Stenni et al., 2000)		
❖	ITS42			(Frezzotti et al., 2005; Proposito		-
		-74.09	155.57	et al., 2002; Stenni et al., 2000)		
❖	LGB65	-71.88	77.95	(Delmotte et al., 1997)		-
❖	D	-72.50	3.00	(Isaksson et al., 1999)		-
❖	ITS43			(Frezzotti et al., 2005; Proposito		-
		-74.12	155.42	et al., 2002; Stenni et al., 2000)		

❖	Ritscherflya. DML73 (FB0503)	-74.16	350.60	(Masson-Delmotte et al., 2008)	-
❖	GV 15	-68.86	136.37	(Becagli et al., 2004; Magand et al., 2004)	-
❖	D66	-68.94	136.93	(Becagli et al., 2004; Magand et al., 2004)	-
❖	Ritscherflya. KottasCamp (FB9802)	-74.21	350.26	(Masson-Delmotte et al., 2008)	-
❖	GV 12	-68.91	136.71	(Becagli et al., 2004; Magand et al., 2004)	-
❖	ITS44	-74.14	155.29	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖	D10	-74.11	155.36	(Masson-Delmotte et al., 2008)	-
❖	DT002	-71.91	77.99	(Morgan, 1982)	-
❖	D60	-76.24	152.45	(Masson-Delmotte et al., 2008)	-
❖	MGV 196	-72.25	156.53	(Becagli et al., 2004; Magand et al., 2004)	-
❖	ITS46	-74.20	155.02	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖	GV 6	-68.73	135.31	(Becagli et al., 2004; Magand et al., 2004)	-
❖	D21	-74.14	155.17	(Masson-Delmotte et al., 2008)	-
❖	AWS6	-74.48	348.48	(Helsen et al., 2006)	-
❖	D57	-75.77	152.84	(Masson-Delmotte et al., 2008)	-
❖	GV 3	-68.76	135.67	(Becagli et al., 2004; Magand et al., 2004)	-
❖	D40	-74.26	154.78	(Masson-Delmotte et al., 2008)	-
❖	ITS47	-74.22	154.88	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-

❖ ITS48			(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖ Ritscherflya. DML72 (FB0502)	-74.24	154.74		
❖ D62	-74.19	350.84	(Masson-Delmotte et al., 2008)	-
❖ ITS49	-76.24	152.19	(Masson-Delmotte et al., 2008)	-
❖ ITS50			(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖ E	-74.27	154.60		
❖ MGV 193	-74.29	154.48	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖ ITS53	-72.60	12.43	(Isaksson and Karlén, 1994)	-
❖ GC30	-72.30	156.08	(Becagli et al., 2004; Magand et al., 2004)	-
❖ E			(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖ ITS54	-74.36	154.04		
❖ MGV 22	-69.35	110.85	[Qin and Wang 1990]	-
❖ GF08	-72.68	3.66	(Isaksson et al., 1999)	-
❖ ITS56			(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖ 31.00	-74.39	153.90		
❖ MirnyVostokVK 1085	-69.14	137.18	(Becagli et al., 2004; Magand et al., 2004)	-
❖ LGB06	-68.49	102.18	(Morgan, 1982)	-
❖ MGV 25			(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
	-74.44	153.61		
	-75.78	278.33	(Dahe et al., 1994)	-
			(Ekaykin et al., 2001; Lipenkov and Barkov, 1998)	-
	-69.17	96.24		
	-70.35	61.12	(Delmotte et al., 1997)	-
	-69.22	137.42	(Becagli et al., 2004; Magand et al., 2004)	-

❖ ITS57	-74.46	153.47	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖ LGB64	-72.15	77.95	(Delmotte et al., 1997)	-
❖ ITS58	-74.48	153.33	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖ MGV 31	-69.29	138.15	(Becagli et al., 2004; Magand et al., 2004)	-
❖ GF10	-68.52	99.69	(Morgan, 1982)	-
❖ LGBUW300	-70.31	59.77	(Delmotte et al., 1997)	-
❖ ITS59	-74.51	153.19	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖ GC30	-69.35	111.86	(Morgan, 1982)	-
❖ MGV 34	-69.33	138.53	(Becagli et al., 2004; Magand et al., 2004)	-
❖ GC30	-69.35	111.85	(Delmotte et al., 1997)	-
❖ GL11/400	-80.00	304.50	(Graf et al., 1999)	-
❖ DML24 (FB9818)	-74.45	350.82	(Masson-Delmotte et al., 2008)	-
❖ D68	-69.15	136.22	(Delmotte et al., 1997)	-
❖ ITS60	-74.53	153.03	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖ GF09	-68.51	100.93	(Morgan, 1982)	-
❖ F	-72.82	347.80	(Isaksson and Karlén, 1994)	-
❖ 6.00	-69.35	95.00	(Petit et al., 1991)	-
❖ ITS61	-74.55	152.89	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖ MGV 187	-72.35	155.21	(Becagli et al., 2004; Magand et al., 2004)	-
❖ MGV 43	-69.49	139.60	(Becagli et al., 2004; Magand et al., 2004)	-

❖ ITS62	-74.58	152.74	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖ MGV 40	-69.41	139.23	(Becagli et al., 2004; Magand et al., 2004)	-
❖ J364	-71.83	44.76	(Kato et al., 1977)	-
❖ ITS63	-74.60	152.59	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖ ITS64	-74.62	152.45	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖ MGV 49	-69.74	140.04	(Becagli et al., 2004; Magand et al., 2004)	-
❖ 100.00	-69.43	95.12	(Dahe et al., 1994)	-
❖ ITS65	-74.65	152.31	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖ MGV 52	-69.84	140.22	(Becagli et al., 2004; Magand et al., 2004)	-
❖ MGV 184	-72.37	154.77	(Becagli et al., 2004; Magand et al., 2004)	-
❖ Ritscherflya. DML75 (FB9505)	-73.43	355.27	(Masson-Delmotte et al., 2008)	-
❖ ITS67	-74.70	152.02	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖ LGB63	-72.41	77.72	(Delmotte et al., 1997)	-
❖ G	-73.04	5.06	(Isaksson et al., 1999)	-
❖ Y'100	-71.28	46.31	(Kato et al., 1977)	-
❖ ITS68	-74.72	151.87	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖ MGV 58	-70.06	140.64	(Becagli et al., 2004; Magand et al., 2004)	-
❖ LGB07	-70.61	60.78	(Delmotte et al., 1997)	-

❖	GV4	-72.39	154.48	(Becagli et al., 2004; Magand et al., 2004)	-
❖	ITS69	-74.74	151.72	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖	ITS70	-74.76	151.57	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖	D80	-77.81	149.80	(Masson-Delmotte et al., 2008)	-
❖	MGV 61	-70.18	140.85	(Becagli et al., 2004; Magand et al., 2004)	-
❖	Siple Station	-75.92	275.75	(Mosley-Thompson, 1996)	-
❖	ITS71	-74.78	151.42	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖	ITS72	-74.80	151.27	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖	ITS73	-74.82	151.14	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖	MGV 178	-72.43	153.90	(Becagli et al., 2004; Magand et al., 2004)	-
❖	ITS74	-74.85	151.00	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖	GL10	-80.43	304.02	(Graf et al., 1999)	-
❖	ITS75	-74.87	150.85	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖	LGBUW250	-70.69	59.07	(Delmotte et al., 1997)	-
❖	MirnyVostokVK 1033	-69.61	96.74	(Ekaykin et al., 2001; Lipenkov and Barkov, 1998)	-
❖	GC36	-69.80	112.01	(Delmotte et al., 1997)	-
❖	LGB62	-72.67	77.49	(Delmotte et al., 1997)	-

❖ MirnyVostok Pionerskaya			(Ekaykin et al., 2001; Lipenkov and Barkov, 1998)	-
	-69.73	95.50		
❖ MGV 67			(Becagli et al., 2004; Magand et al., 2004)	-
	-70.43	141.10		
❖ DML11C98_03			(Graf et al., 2002)	-
	-74.85	351.50		
❖ 8.00			(Petit et al., 1991)	-
	-69.75	95.53		
❖ 99.00			(Dahe et al., 1994)	-
	-69.77	95.37		
❖ ITS77			(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
	-74.92	150.55		
❖ MGV 175			(Becagli et al., 2004; Magand et al., 2004)	-
	-72.46	153.47		
❖ LGB08			(Delmotte et al., 1997)	-
	-70.85	60.31		
❖ ITS78			(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
	-74.94	150.40		
❖ ITS79			(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
	-74.96	150.25		
❖ MGV 70			(Becagli et al., 2004; Magand et al., 2004)	-
	-70.56	141.19		
❖ ITS80			(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
	-74.98	150.11		
❖ ITS81			(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
	-75.00	149.96		
❖ ITS82			(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
	-75.03	149.81		
❖ LGB61			(Delmotte et al., 1997)	-
	-72.93	77.26		
❖ ITS84			(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
	-75.07	149.50		
❖ LGB09			(Delmotte et al., 1997)	-
	-71.04	59.66		

❖	MGV 76	-70.81	141.35	(Becagli et al., 2004; Magand et al., 2004)	-
❖	ITS85	-75.09	149.35	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖	MGV 169	-72.51	152.59	(Becagli et al., 2004; Magand et al., 2004)	-
☐	GL09/500	-80.83	303.41	(Graf et al., 1999)	-
❖	GC37	-70.15	111.83	(Delmotte et al., 1997)	-
❖	GV1	-70.87	141.38	(Becagli et al., 2004; Magand et al., 2004)	-
❖	GC37	-70.16	111.84	(Morgan, 1982)	-
❖	ITS86	-75.11	149.19	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖	MGV 79	-70.93	141.51	(Becagli et al., 2004; Magand et al., 2004)	-
❖	MirnyVostokVK 993	-69.94	97.11	(Ekaykin et al., 2001; Lipenkov and Barkov, 1998)	-
❖	GV2	-71.71	145.26	(Becagli et al., 2004; Magand et al., 2004)	-
❖	MGV 112	-71.71	145.26	(Becagli et al., 2004; Magand et al., 2004)	-
❖	MGV 103	-71.55	144.09	(Becagli et al., 2004; Magand et al., 2004)	-
❖	MGV 106	-71.60	144.46	(Becagli et al., 2004; Magand et al., 2004)	-
❖	MGV 109	-71.66	144.87	(Becagli et al., 2004; Magand et al., 2004)	-
❖	MGV 100	-71.50	143.70	(Becagli et al., 2004; Magand et al., 2004)	-

❖ E	-73.60	347.57	Isaksson 1996	-
❖ MGV 97	-71.44	143.31	(Becagli et al., 2004; Magand et al., 2004)	-
❖ MGV 85	-71.15	141.99	(Becagli et al., 2004; Magand et al., 2004)	-
❖ 32.00	-76.42	274.83	(Dahe et al., 1994)	-
❖ MGV 94	-71.39	142.96	(Becagli et al., 2004; Magand et al., 2004)	-
❖ DML12C98_17	-75.00	353.50	(Graf et al., 2002)	-
❖ MGV 115	-71.81	145.57	(Becagli et al., 2004; Magand et al., 2004)	-
❖ MGV 88	-71.25	142.25	(Becagli et al., 2004; Magand et al., 2004)	-
❖ ITS89			(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖ LGBUW200	-75.18	148.74		-
❖ MGV 165	-71.07	58.31	(Delmotte et al., 1997)	-
❖ 98.00	-72.54	152.06	(Becagli et al., 2004; Magand et al., 2004)	-
❖ I	-70.18	95.58	(Dahe et al., 1994)	-
❖ ITS91	-73.72	7.94	(Isaksson et al., 1999)	-
❖ LGB60			(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖ MGV 121	-75.22	148.40		-
❖ LGB10	-73.19	77.03	(Delmotte et al., 1997)	-
❖ 9.00	-72.00	146.20	(Becagli et al., 2004; Magand et al., 2004)	-
❖ MGV 124	-71.29	59.21	(Delmotte et al., 1997)	-
	-70.18	97.03	(Petit et al., 1991)	-
	-72.09	146.53	(Becagli et al., 2004; Magand et al., 2004)	-

❖	D79	-70.02	134.84	(Delmotte et al., 1997)	-
❖	GC38	-70.44	111.74	(Delmotte et al., 1997)	-
❖	GC38	-70.44	111.74	(Morgan, 1982)	-
❖	MGV 160	-72.58	151.32	(Becagli et al., 2004; Magand et al., 2004)	-
❖	ITS95	-75.30	147.79	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖	MGV 127	-72.18	146.85	(Becagli et al., 2004; Magand et al., 2004)	-
❖	Y'200	-71.73	48.68	(Kato et al., 1977)	-
□	GL08	-81.22	302.80	(Graf et al., 1999)	-
❖	ITS96	-75.32	147.64	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖	Zhong shan-Dome A traverse				-
❖	DT085	-73.37	77.02	(Xiao et al., 2004)	-
❖	MGV 130	-72.27	147.18	(Becagli et al., 2004; Magand et al., 2004)	-
❖	MGV 133	-72.33	147.51	(Becagli et al., 2004; Magand et al., 2004)	-
❖	ITS98	-75.36	147.31	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖	DML13C98_16	-75.00	355.50	(Graf et al., 2002)	-
❖	D80	-70.21	134.82	(Delmotte et al., 1997)	-
❖	MGV 157	-72.60	150.88	(Becagli et al., 2004; Magand et al., 2004)	-
❖	LGB59	-73.45	76.79	(Delmotte et al., 1997)	-
❖	ITS99	-75.37	147.15	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖	G	-74.00	348.00	(Isaksson and Karlén, 1994)	-

❖	MGV 139	-72.43	148.35	(Becagli et al., 2004; Magand et al., 2004)	-
❖	MirnyVostokVK 942	-70.38	97.61	(Ekaykin et al., 2001; Lipenkov and Barkov, 1998)	-
❖	97.00	-70.55	95.72	(Dahe et al., 1994)	-
❖	MGV 142	-72.48	148.77	(Becagli et al., 2004; Magand et al., 2004)	-
❖	J225	-73.02	46.36	(Kato et al., 1977)	-
❖	LGB11	-71.57	59.16	(Delmotte et al., 1997)	-
❖	LGBUW150	-71.47	57.81	(Delmotte et al., 1997)	-
❖	GC39	-70.75	111.56	(Delmotte et al., 1997)	-
❖	GC39	-70.76	111.57	(Morgan, 1982)	-
❖	10.00	-70.45	97.85	(Petit et al., 1991)	-
❖	MGV 148	-72.57	149.61	(Becagli et al., 2004; Magand et al., 2004)	-
❖	33.00	-76.93	273.75	(Dahe et al., 1994)	-
❖	GV3	-72.63	150.17	(Becagli et al., 2004; Magand et al., 2004)	-
❖	MGV 151	-72.62	150.03	(Becagli et al., 2004; Magand et al., 2004)	-
❖	ITS104	-75.48	146.31	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖	ITS105	-75.50	146.15	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖	DML01C96_00	-74.86	357.45	(Graf et al., 2002)	-
❖	GL07/600	-81.61	302.11	(Graf et al., 1999)	-
❖	LGB58	-73.72	76.87	(Delmotte et al., 1997)	-
❑	BAS site6	-81.62	302.08	(Graf et al., 1994)	-

❖	MPTA	-75.54	145.86	(Frezzotti et al., 2005; Proposito et al., 2002)	-
❖	Siple Dome	-81.66	211.18	(Brook et al., 2005)	-
❖	LGB12	-71.85	59.31	(Delmotte et al., 1997)	-
❖	DML04C97_00	-74.40	7.22	(Graf et al., 2002)	-
❖	H	-74.35	348.28	(Isaksson and Karlén, 1994)	-
❖	K	-74.35	11.10	(Isaksson et al., 1999)	-
❖	BAS site5	-81.46	299.39	(Graf et al., 1994)	-
❖	96.00	-70.95	95.90	(Dahe et al., 1994)	-
❖	ITS111	-75.56	145.02	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖	MirnyVostokVK 894	-70.79	98.08	(Ekaykin et al., 2001; Lipenkov and Barkov, 1998)	-
❖	GC40	-71.17	111.36	(Delmotte et al., 1997)	-
❖	GC40	-71.17	111.37	(Morgan, 1982)	-
❖	LGB57	-73.97	76.55	(Delmotte et al., 1997)	-
❖	ITS112	-75.57	144.83	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖	US_ITASE_2000_1	-79.38	248.76	(Steig et al., 2005)	-
❖	DML14C98_15	-74.95	358.51	(Graf et al., 2002)	-
❖	LGBUW100	-71.90	57.49	(Delmotte et al., 1997)	-
❖	DML03C98_09	-74.50	1.96	(Graf et al., 2002)	-
❖	DML03C97_00	-74.50	1.96	(Graf et al., 2002)	-
❖	ITS113	-75.57	144.66	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖	D95	-71.24	132.60	(Delmotte et al., 1997)	-
❖	DML07C98_31	-75.58	356.57	(Graf et al., 2002)	-
❖	DML07C97_00	-75.58	356.57	(Graf et al., 2002)	-

❖ ITS114	-75.57	144.48	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖ LGB13	-72.09	58.83	(Delmotte et al., 1997)	-
❖ 34.00	-77.60	272.88	(Dahe et al., 1994)	-
❖ DML21C98_10	-74.67	4.00	(Graf et al., 2002)	-
❖ ITS116	-75.58	144.12	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖ L	-74.65	12.79	(Isaksson et al., 1999)	-
❖ ITS117	-75.58	143.94	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖ 11.00	-70.90	99.16	(Petit et al., 1991)	-
❖ DML20C98_08	-74.75	1.00	(Graf et al., 2002)	-
❖ DML26 (FB9903)	-74.84	0.01	(Masson-Delmotte et al., 2008)	-
❖ DML19C98_05	-75.17	359.01	(Graf et al., 2002)	-
❖ DML19S98_04	-75.17	359.01	(Graf et al., 2002)	-
❖ LGB56	-74.26	76.17	(Delmotte et al., 1997)	-
❖ GL06/700	-82.34	302.17	(Graf et al., 1999)	-
❖ 35.00	-78.20	272.35	(Dahe et al., 1994)	-
❖ 95.00	-71.33	96.02	(Dahe et al., 1994)	-
❖ LGB14	-72.33	58.33	(Delmotte et al., 1997)	-
❖ ITS121	-75.60	143.22	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖ AWS9	-75.00	0.01	(Helsen et al., 2006)	-
❖ DML05C98_32	-75.00	0.01	(Graf et al., 2002)	-
❖ DML05C97_00	-75.00	0.01	(Graf et al., 2002)	-
❖ DML05C98_07	-75.00	0.04	(Graf et al., 2002)	-
❖ D101	-71.65	131.82	(Delmotte et al., 1997)	-
❖ B32 EDML	-75.00	0.07	(Oerter et al., 2004)	-
❖ Kohnen/DML76	-75.00	0.08	(Masson-Delmotte et al., 2008)	-

❖	DML25S02_03	-75.01	0.08	(Oerter et al., 2004)	-
❖	MirnyVostokVK 846	-71.19	98.54	(Ekaykin et al., 2001; Lipenkov and Barkov, 1998)	-
❖	GC41 22	-71.60	111.25	(Delmotte et al., 1997)	-
❖	GC41	-71.60	111.25	(Morgan, 1982)	-
❖	DML02C96_00	-74.97	3.92	(Graf et al., 2002)	-
❖	LGBUW050	-72.28	56.73	(Delmotte et al., 1997)	-
❖	ITS124	-75.61	142.68	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖	DML06C97_00	-75.00	8.01	(Graf et al., 2002)	-
❖	S12	-71.48	96.16	(Petit et al., 1991)	-
❖	LGB55	-74.48	75.88	(Delmotte et al., 1997)	-
❖	DML77	-75.06	0.72	(Masson-Delmotte et al., 2008)	-
❖	I235	-73.81	48.40	(Kato et al., 1977)	-
❖	DML22C98_11	-75.08	6.50	(Graf et al., 2002)	-
❖	ITS126	-75.61	142.31	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖	M	-75.00	15.00	(Isaksson et al., 1999)	-
❖	DML15C98_14	-75.08	2.50	(Graf et al., 2002)	-
❖	DML17C98_33	-75.17	6.50	(Graf et al., 2002)	-
❖	DML16C98_13	-75.17	5.00	(Graf et al., 2002)	-
❖	DML78	-75.15	1.34	(Masson-Delmotte et al., 2008)	-
❖	LGB15	-72.57	57.85	(Delmotte et al., 1997)	-
❖	D105	-71.99	131.18	(Delmotte et al., 1997)	-
❖	DML89	-75.14	9.03	(Masson-Delmotte et al., 2008)	-
❖	DML88	-75.18	8.34	(Masson-Delmotte et al., 2008)	-
❖	ITS129	-75.62	141.78	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖	DML90	-75.12	9.72	(Masson-Delmotte et al., 2008)	-

❖ DML87	-75.23	7.66	(Masson-Delmotte et al., 2008)	-
❖ DML23C98_12	-75.25	6.50	(Graf et al., 2002)	-
❖ DML82	-75.23	4.13	(Masson-Delmotte et al., 2008)	-
❖ DML83	-75.25	4.83	(Masson-Delmotte et al., 2008)	-
❖ DML86	-75.26	6.96	(Masson-Delmotte et al., 2008)	-
❖ DML85	-75.27	6.25	(Masson-Delmotte et al., 2008)	-
❖ 94.00	-71.70	96.28	(Dahe et al., 1994)	-
❖ DML84	-75.27	5.54	(Masson-Delmotte et al., 2008)	-
❖ DML79	-75.20	2.01	(Masson-Delmotte et al., 2008)	-
❖ GL03/800	-82.75	301.31	(Graf et al., 1999)	-
❖ DML10C97_00	-75.22	11.35	(Graf et al., 2002)	-
❖ DML81	-75.24	3.42	(Masson-Delmotte et al., 2008)	-
❖ DML80	-75.23	2.71	(Masson-Delmotte et al., 2008)	-
❖ LGB54	-74.73	75.53	(Delmotte et al., 1997)	-
❖ ITS131			(Frezzotti et al., 2005; Proposito	-
	-75.62	141.42	et al., 2002; Stenni et al., 2000)	-
❖ 36.00	-78.82	272.77	(Dahe et al., 1994)	-
❖ ITS132			(Frezzotti et al., 2005; Proposito	-
	-75.62	141.24	et al., 2002; Stenni et al., 2000)	-
❖ GC42 26	-72.04	110.92	(Delmotte et al., 1997)	-
❖ GC42	-72.04	110.92	(Morgan, 1982)	-
❖ MirnyVostokVK 797			(Ekaykin et al., 2001; Lipenkov	-
	-71.61	99.01	and Barkov, 1998)	-
❖ LGB16W50	-72.65	55.93	(Delmotte et al., 1997)	-
❖ LGB16	-72.81	57.33	(Delmotte et al., 1997)	-
❖ LGB16	-72.82	57.33	(Xiao et al., 2004)	-
❖ Vinson Massif	-78.58	274.58	(Masson-Delmotte et al., 2008)	-
❖ LGB53	-74.90	75.25	(Delmotte et al., 1997)	-

❖	D2			(Frezzotti et al., 2005; Proposito et al., 2002)	-
❖	13.00	-75.62	140.63	(Petit et al., 1991)	-
❖	14.00	-71.64	101.83	(Petit et al., 1991)	-
❖	14.00	-71.90	103.31	(Petit et al., 1991)	-
❖	14.00	-71.90	103.31	(Petit et al., 1991)	-
❖	37.00	-79.17	273.15	(Dahe et al., 1994)	-
❖	15.00	-72.19	105.39	(Petit et al., 1991)	-
❖	LGB52	-75.09	74.52	(Delmotte et al., 1997)	-
❖	GL01/930	-83.17	300.43	(Graf et al., 1999)	-
❖	GC43 50	-72.38	110.74	(Delmotte et al., 1997)	-
❖	MirnyVostok Vostok1			(Ekaykin et al., 2001; Lipenkov and Barkov, 1998)	-
❖	LGB17	-72.13	96.58	(Delmotte et al., 1997)	-
❖	GC44 30	-73.05	56.84	(Delmotte et al., 1997)	-
❖	Byrd	-72.43	110.70	(Delmotte et al., 1997)	-
❖	Byrd	-80.02	240.48	(Masson-Delmotte et al., 2008)	-
❖	ITS142			(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖	ITS142	-75.62	139.44	(Stenni et al., 2000)	-
❖	LGBOS17	-72.97	55.39	(Delmotte et al., 1997)	-
❖	DML08C97_00	-75.75	3.28	(Graf et al., 2002)	-
❖	US_ITASE_Byrd_1	-80.00	240.00	(Steig et al., 2005)	-
❖	LGB51	-75.28	73.78	(Delmotte et al., 1997)	-
❖	D115	-72.70	129.62	(Delmotte et al., 1997)	-
❖	MirnyVostokVK 747			(Ekaykin et al., 2001; Lipenkov and Barkov, 1998)	-
❖	MirnyVostokVK 747	-72.04	99.49	(Lipenkov and Barkov, 1998)	-
❖	I365	-74.92	47.94	(Kato et al., 1977)	-
❖	16.00	-72.54	107.06	(Petit et al., 1991)	-
❑	GL02/950	-83.39	299.94	(Graf et al., 1999)	-
❖	D116	-72.77	129.47	(Delmotte et al., 1997)	-

❖ ITS146	-75.63	138.72	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖ DML09S97_13	-75.93	7.21	(Graf et al., 2002)	-
❖ ITS147	-75.62	138.54	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖ LGB18	-73.31	56.47	(Delmotte et al., 1997)	-
❖ ITS148	-75.62	138.36	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖ LGB50	-75.47	73.03	(Delmotte et al., 1997)	-
❖ 93.00	-72.47	96.75	(Dahe et al., 1994)	-
❖ LGBOS16	-73.29	54.85	(Delmotte et al., 1997)	-
❖ James Ross Island	-58.26	295.78	(Aristarain, 1980)	-
❖ US_ITASE_1999_2	-81.20	233.83	(Steig et al., 2005)	-
❖ ITS152	-75.62	137.64	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖ GC45 46	-72.87	110.49	(Delmotte et al., 1997)	-
❖ 17.00	-72.89	108.79	(Petit et al., 1991)	-
❖ 38.00	-79.75	274.70	(Dahe et al., 1994)	-
❖ ITS153	-75.61	137.45	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖ LGB48	-75.66	72.27	(Delmotte et al., 1997)	-
❖ ITS154	-75.61	137.27	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖ LGBOS15	-73.62	54.29	(Delmotte et al., 1997)	-
❖ LGBOS14	-73.76	54.03	(Delmotte et al., 1997)	-
❖ LGB19	-73.57	56.07	(Delmotte et al., 1997)	-
❖ ITS156	-75.61	136.91	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖ US_ITASE_1999_1	-80.62	237.37	(Steig et al., 2005)	-

□	GL05/1000	-83.92	299.64	(Graf et al., 1999)	-
❖	ITS157	-75.61	136.74	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖	MirnyVostokVK 686	-72.57	100.10	(Ekaykin et al., 2001; Lipenkov and Barkov, 1998)	-
❖	92.00	-72.85	96.98	(Dahe et al., 1994)	-
❖	LGB46	-75.85	71.50	(Delmotte et al., 1997)	-
❖	LGBOS13	-74.15	54.08	(Delmotte et al., 1997)	-
❖	ITS160	-75.61	136.19	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖	LGB44	-75.86	70.40	(Delmotte et al., 1997)	-
❖	D123	-73.39	128.19	(Delmotte et al., 1997)	-
❖	GM13 34	-73.24	110.46	(Delmotte et al., 1997)	-
❖	ITS161	-75.60	136.01	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖	LGB20	-73.83	55.67	(Delmotte et al., 1997)	-
❖	LGB42	-75.86	69.30	(Delmotte et al., 1997)	-
❖	ITS162	-75.60	135.83	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖	D4	-75.60	135.81	(Frezzotti et al., 2005; Proposito et al., 2002)	-
❖	39.00	-80.30	278.65	(Dahe et al., 1994)	-
❖	LGB40	-75.86	68.20	(Delmotte et al., 1997)	-
❖	ITS164	-75.58	135.35	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖	LGBOS12	-74.50	54.24	(Delmotte et al., 1997)	-
❖	24.00	-73.44	111.00	(Petit et al., 1991)	-
❖	40.00	-80.75	278.75	(Dahe et al., 1994)	-
❖	I485	-75.99	48.10	(Kato et al., 1977)	-

❖	LGB21	-74.10	55.75	(Delmotte et al., 1997)	-
❖	ITS167	-75.58	134.81	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖	LGB39	-76.02	67.41	(Delmotte et al., 1997)	-
❖	<	-73.30	97.15	(Dahe et al., 1994)	-
❖	ITS168	-75.58	134.63	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖	MirnyVostokVK 631	-73.05	100.65	(Ekaykin et al., 2001; Lipenkov and Barkov, 1998)	-
❖	LGB36	-75.87	65.43	(Delmotte et al., 1997)	-
❖	LGBOS11	-74.86	54.40	(Delmotte et al., 1997)	-
❖	GC47 38	-73.70	110.20	(Delmotte et al., 1997)	-
❖	GC47	-73.70	110.20	(Morgan, 1982)	-
❖	41.00	-81.20	278.00	(Dahe et al., 1994)	-
❖	18.00	-73.72	113.78	(Petit et al., 1991)	-
❖	LGB22	-74.36	55.91	(Delmotte et al., 1997)	-
❖	LGB38	-76.14	66.85	(Delmotte et al., 1997)	-
❖	LGB37	-76.08	66.15	(Delmotte et al., 1997)	-
❖	LGB35	-76.04	65.02	(Delmotte et al., 1997)	-
❖	GL04/1100	-84.82	300.37	(Graf et al., 1999)	-
❖	19.00	-73.93	115.61	(Petit et al., 1991)	-
❖	LGB23	-74.63	56.04	(Delmotte et al., 1997)	-
❖	Dominion Range	-85.25	166.17	(Mayewski et al., 1990)	-
❖	LGBOS10	-75.21	54.57	(Delmotte et al., 1997)	-
❖	90.00	-73.68	97.43	(Dahe et al., 1994)	-
❖	LGB34	-76.07	63.91	(Delmotte et al., 1997)	-
❖	MirnyVostokK1	-73.49	101.15	(Ekaykin et al., 2001; Lipenkov and Barkov, 1998)	-
❖	42.00	-81.80	277.17	(Dahe et al., 1994)	-

❖	21.00	-74.18	117.72	(Petit et al., 1991)	-
❖	LGB24	-74.90	56.17	(Delmotte et al., 1997)	-
❖	ITS180	-75.52	132.48	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖	Dome F	-77.19	39.42	(Satow and Watanabe, 1990; Watanabe, 1977)	-
❖	Dome F	-77.19	39.42	(Fujita and Abe, 2006; Motoyama et al., 2005)	-
❖	20.00	-74.25	118.03	(Petit et al., 1991)	-
❖	43.00	-81.92	276.67	(Dahe et al., 1994)	-
❖	GC46 42	-74.14	109.83	(Delmotte et al., 1997)	-
❖	LGB33	-76.09	62.79	(Delmotte et al., 1997)	-
❖	ITS182	-75.52	132.12	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖	LGBOS09	-75.52	54.92	(Delmotte et al., 1997)	-
❖	MirnyVostokKOMS	-73.75	101.44	(Ekaykin et al., 2001; Lipenkov and Barkov, 1998)	-
❖	DC	-74.15	123.10	(Delmotte et al., 1997)	-
❖	LGB25	-75.16	56.31	(Delmotte et al., 1997)	-
❖	D137	-74.36	125.46	(Delmotte et al., 1997)	-
❖	LGB32	-76.10	61.68	(Delmotte et al., 1997)	-
❖	ITS185	-75.51	131.59	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖	LGBOS01	-76.52	63.91	(Delmotte et al., 1997)	-
❖	Komsomoskaia	-74.10	97.45	(Ciais and Jouzel, 1994)	-
❖	22.00	-74.49	120.96	(Petit et al., 1991)	-
❖	ITS188	-75.49	131.05	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖	LGB26	-75.43	56.45	(Delmotte et al., 1997)	-

❖ LGB31	-76.11	60.56	(Delmotte et al., 1997)	-
❖ 44.00	-82.68	276.00	(Dahe et al., 1994)	-
❖ MirnyVostokVK 168	-74.15	101.89	(Ekaykin et al., 2001; Lipenkov and Barkov, 1998)	-
❖ LGBOS08	-75.85	55.53	(Delmotte et al., 1997)	-
❖ ITS191	-75.47	130.52	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖ LGBOS02	-76.54	62.18	(Delmotte et al., 1997)	-
❖ ITS192	-75.47	130.34	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖ LGB27	-75.70	56.60	(Delmotte et al., 1997)	-
❖ LGB30	-76.11	59.44	(Delmotte et al., 1997)	-
❖ 89.00	-74.35	98.00	(Dahe et al., 1994)	-
❖ 23.00	-74.73	124.37	(Petit et al., 1991)	-
❖ LGB29	-75.98	58.48	(Delmotte et al., 1997)	-
❖ D6	-75.45	129.81	(Frezzotti et al., 2005; Proposito et al., 2002)	-
❖ 45.00	-83.08	275.25	(Dahe et al., 1994)	-
❖ LGB28	-75.84	57.53	(Delmotte et al., 1997)	-
❖ LGBOS03	-76.56	60.84	(Delmotte et al., 1997)	-
❖ ITS196	-75.44	129.58	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖ ITS197	-75.43	129.40	(Frezzotti et al., 2005; Proposito et al., 2002; Stenni et al., 2000)	-
❖ LGBOS07	-76.17	56.15	(Delmotte et al., 1997)	-
❖ LGBOS04	-76.56	59.87	(Delmotte et al., 1997)	-
❖ MirnyVostokVK 150	-74.65	102.47	(Ekaykin et al., 2001; Lipenkov and Barkov, 1998)	-
❖ S11	-74.73	97.51	(Petit et al., 1991)	-

❖	LGBOS05	-76.55	58.89	(Delmotte et al., 1997)	-
❖	88.00	-74.73	98.68	(Dahe et al., 1994)	-
❖	S10	-74.84	97.37	(Petit et al., 1991)	-
❖	EPICA Dome C	-75.10	123.35	[Stenni et al. 2001]	-
❖	LGBOS06	-76.36	57.51	(Delmotte et al., 1997)	-
❖	ITS205			(Frezzotti et al., 2005; Proposito	-
		-75.38	127.99	et al., 2002; Stenni et al., 2000)	-
❖	ITS221			(Frezzotti et al., 2005; Proposito	-
		-75.27	125.19	et al., 2002; Stenni et al., 2000)	-
❖	ITS218			(Frezzotti et al., 2005; Proposito	-
		-75.29	125.71	et al., 2002; Stenni et al., 2000)	-
❖	S9	-75.15	96.98	(Petit et al., 1991)	-
❖	46.00	-83.78	272.58	(Dahe et al., 1994)	-
❖	S8	-75.40	96.65	(Petit et al., 1991)	-
❖	47.00	-84.20	271.92	(Dahe et al., 1994)	-
❖	S6	-76.05	95.82	(Petit et al., 1991)	-
❖	S7	-76.06	95.81	(Petit et al., 1991)	-
❖	48.00	-84.58	271.08	(Dahe et al., 1994)	-
❖	S5	-76.43	95.34	(Petit et al., 1991)	-
❖	S4	-76.54	95.19	(Petit et al., 1991)	-
❖	MirnyVostokVK 114			(Ekaykin et al., 2001; Lipenkov	-
		-75.54	103.47	and Barkov, 1998)	-
❖	S3	-76.84	94.80	(Petit et al., 1991)	-
❖	49.00	-85.18	271.03	(Dahe et al., 1994)	-
❖	87.00	-75.55	100.52	(Dahe et al., 1994)	-
❖	S2	-77.08	94.50	(Petit et al., 1991)	-
❖	Dome B	-77.08	94.92	[Jouzel et al. 1995]	-
❖	50.00	-85.88	271.83	(Dahe et al., 1994)	-

❖	MirnyVostok B96			(Ekaykin et al., 2001; Lipenkov and Barkov, 1998)	-
		-76.03	104.03		
❖	86.00	-75.90	100.52	(Dahe et al., 1994)	-
❖	51.00	-86.20	271.58	(Dahe et al., 1994)	-
❖	52.00	-86.57	271.05	(Dahe et al., 1994)	-
				(Ekaykin et al., 2001; Lipenkov and Barkov, 1998)	-
❖	MirnyVostok B78	-76.49	104.55		
❖	53.00	-86.90	269.68	(Dahe et al., 1994)	-
❖	85.00	-76.60	102.00	(Dahe et al., 1994)	-
❖	US_ITASE_2002_4	-86.50	252.01	(Steig et al., 2005)	-
				(Ekaykin et al., 2001; Lipenkov and Barkov, 1998)	-
❖	MirnyVostok B58	-76.99	105.12		
□	Hercules Dome	-86.00	255.00	(Jacobel et al., 2005)	-
❖	84.00	-77.00	102.92	(Dahe et al., 1994)	-
❖	72.00	-83.73	106.40	(Dahe et al., 1994)	-
❖	54.00	-87.60	268.90	(Dahe et al., 1994)	-
❖	73.00	-83.00	106.20	(Dahe et al., 1994)	-
❖	74.00	-82.67	106.32	(Dahe et al., 1994)	-
❖	71.00	-84.12	106.28	(Dahe et al., 1994)	-
❖	70.00	-84.47	106.28	(Dahe et al., 1994)	-
❖	75.00	-81.83	106.47	(Dahe et al., 1994)	-
❖	69.00	-85.22	105.82	(Dahe et al., 1994)	-
❖	76.00	-81.08	106.43	(Dahe et al., 1994)	-
❖	55.00	-87.95	268.08	(Dahe et al., 1994)	-
❖	68.00	-85.55	105.67	(Dahe et al., 1994)	-
❖	Dome A	-80.37	77.37	(Masson-Delmotte et al., 2008)	-
❖	77.00	-80.70	106.20	(Dahe et al., 1994)	-
				(Ekaykin et al., 2001; Lipenkov and Barkov, 1998)	-
❖	MirnyVostok B37	-77.54	105.74		

❖	78.00	-80.28	106.23	(Dahe et al., 1994)	-
❖	67.00	-86.60	104.95	(Dahe et al., 1994)	-
❖	83.00	-77.72	104.78	(Dahe et al., 1994)	-
❖	56.00	-88.63	267.57	(Dahe et al., 1994)	-
❖	79.00	-79.70	106.07	(Dahe et al., 1994)	-
❖	MirnyVostokVK26			(Ekaykin et al., 2001; Lipenkov and Barkov, 1998)	-
❖	66.00	-87.33	104.42	(Dahe et al., 1994)	-
❖	US_ITASE_2001_5	-89.14	282.94	(Steig et al., 2005)	-
❖	80.00	-79.13	106.13	(Dahe et al., 1994)	-
❖	65.00	-87.70	104.65	(Dahe et al., 1994)	-
❖	57.00	-89.00	267.03	(Dahe et al., 1994)	-
❖	81.00	-78.77	106.68	(Dahe et al., 1994)	-
❖	64.00	-88.05	104.58	(Dahe et al., 1994)	-
❖	58.00	-89.37	268.35	(Dahe et al., 1994)	-
❖	82.00	-78.12	105.78	(Dahe et al., 1994)	-
❖	63.00	-88.43	104.45	(Dahe et al., 1994)	-
❖	Vostok	-78.47	106.84	(Ekaykin et al., 2002)	-
❖	Vostok BH8	-78.47	106.80	(Vimeux et al., 2001)	-
❖	62.00	-89.18	105.58	(Dahe et al., 1994)	-
❖	61.00	-89.53	108.30	(Dahe et al., 1994)	-
❖	60.00	-89.88	114.37	(Dahe et al., 1994)	-
❖	59.00	-90.00	0.00	(Dahe et al., 1994)	-
❖	South Pole	-90.00	0.00	(Jouzel et al., 1983)	-
❖	Plateau Remote	-84.00	43.00	(Mosley-Thompson, 1996)	-
❖	Halley	-75.58	339.43	(Rozanski et al., 1993)	01/1965-31/12/2014
❖	Base tte. Marsh	-62.12	301.44	(Rozanski et al., 1993)	01/1990-12/1991
❖	Rothera Point	-67.57	291.87	(Rozanski et al., 1993)	01/1996-12/2014
❖	Vernadsky	-65.08	296.02	(Rozanski et al., 1993)	01/1964-12/2013

❖ Vostok	-78.5	106.9	(Landais et al., 2012)	16/12/1999-11/10/2000
❖ DDU	-66.7	140.00	(Pers. Comm.. Jean Jouzel, 2016)	02/02/1973-27/11/1973
❖ Neumayer	-70.7	351.60	(Schlosser et al., 2008)	04.02/1999-28/09/2000
❖ Dome F	-77.3	39.7	(Fujita and Abe, 2006)	14/05/2003-19/01/2004
❖ Dome C	-75.1	123.4	(Stenni et al., 2016)	18/12/2007-30/11/2010
❖ Frei (south shetland islands)	-62.20	301.04	(Fernandoy et al., 2012)	02/2008-03/2009
❖ O'Higgins (north peninsula)	-63.32	302.10	(Fernandoy et al., 2012)	02/2008-03/2009

References

- Aristarain, A. J.: Etude glaciologique de la calotte polaire de l'île James Ross (Péninsule Antarctique), 1980. 1980.
- 5 Aristarain, A. J., Delmas, R. J., and Stievenard, M.: Ice-core study of the link between sea-salt aerosol, sea-ice cover and climate in the Antarctic Peninsula area, *Climatic Change*, 67, 63-86, 2004.
- Becagli, S., Proposito, M., Benassai, S., Flora, O., Genoni, L., Gragnani, R., Largiuni, O., Pili, S. L., Severi, M., and Stenni, B.: Chemical and isotopic snow variability in East Antarctica along the 2001/02 ITASE traverse, *Annals of Glaciology*, 39, 473-482, 2004.
- Bertler, N., Mayewski, P., and Carter, L.: Cold conditions in Antarctica during the Little Ice Age—Implications for abrupt climate change mechanisms, *Earth and Planetary Science Letters*, 308, 41-51, 2011.
- 10 Brook, E. J., White, J. W., Schilla, A. S., Bender, M. L., Barnett, B., Severinghaus, J. P., Taylor, K. C., Alley, R. B., and Steig, E. J.: Timing of millennial-scale climate change at Siple Dome, West Antarctica, during the last glacial period, *Quaternary Science Reviews*, 24, 1333-1343, 2005.
- Ciais, P. and Jouzel, J.: Deuterium and oxygen 18 in precipitation: Isotopic model, including mixed cloud processes, *Journal of Geophysical Research: Atmospheres*, 99, 16793-16803, 1994.
- 15 Consortium, P. k.: Continental-scale temperature variability during the past two millennia. *Nature Geosci* 6, 339e346. 2013.
- Dahe, Q., Petit, J., Jouzel, J., and Stievenard, M.: Distribution of stable isotopes in surface snow along the route of the 1990 International Trans-Antarctica Expedition, *Journal of Glaciology*, 40, 107-118, 1994.
- Delmotte, M.: «ENREGISTREMENTS CLIMATIQUES A LAW-DOME: VARIABILITÉ POUR LES PÉRIODES RÉCENTES ET POUR LA DÉGLACIATION», 1997. 1997.
- 20 Delmotte, M., Masson, V., Jouzel, J., and Morgan, V. I.: A seasonal deuterium excess signal at Law Dome, coastal eastern Antarctica: a southern ocean signature, *Journal of Geophysical Research: Atmospheres*, 105, 7187-7197, 2000.
- Ekaykin, A., Kozachek, A., Lipenkov, V. Y., and Shibaev, Y. A.: Multiple climate shifts in the Southern Hemisphere over the past three centuries based on central Antarctic snow pits and core studies, *Annals of Glaciology*, 55, 259-266, 2014.
- Ekaykin, A., Lipenkov, V. Y., Barkov, N., Petit, J., and Masson, V.: Izotopniy sostav poverhnostnogo sloya snezhnoy tolschi v rayone stantsii Vostok, Tsentral'naya Antarktida [Isotope composition of surface snow in the vicinity of Vostok Station, central Antarctica], *Materialy Glyatsiologicheskikh Issledovaniy*, 90, 69-79, 2001.
- 25 Ekaykin, A. A., Lipenkov, V. Y., Barkov, N. I., Petit, J. R., and Masson-Delmotte, V.: Spatial and temporal variability in isotope composition of recent snow in the vicinity of Vostok station, Antarctica: implications for ice-core record interpretation, *Annals of Glaciology*, 35, 181-186, 2002.
- 30 Ekaykin, A. A., Vladimirova, D. O., Lipenkov, V. Y., and Masson-Delmotte, V.: Climatic variability in Princess Elizabeth Land (East Antarctica) over the last 350 years, *Clim. Past*, 13, 61-71, 2017.
- Fernandoy, F., Meyer, H., Oerter, H., Wilhelms, F., Graf, W., and Schwander, J.: Temporal and spatial variation of stable-isotope ratios and accumulation rates in the hinterland of Neumayer station, East Antarctica, *Journal of glaciology*, 56, 673-687, 2010.
- Fernandoy, F., Meyer, H., and Tonelli, M.: Stable water isotopes of precipitation and firn cores from the northern Antarctic Peninsula region as a proxy for climate reconstruction, *The Cryosphere*, 6, 313-330, 2012.
- 35 Frezzotti, M., Pouchet, M., Flora, O., Gandolfi, S., Gay, M., Urbini, S., Vincent, C., Becagli, S., Gragnani, R., and Proposito, M.: Spatial and temporal variability of snow accumulation in East Antarctica from traverse data, *Journal of Glaciology*, 51, 113-124, 2005.
- Fujita, K. and Abe, O.: Stable isotopes in daily precipitation at Dome Fuji, East Antarctica, *Geophysical Research Letters*, 33, n/a-n/a, 2006.
- Goodwin, B. P., Mosley-Thompson, E., Wilson, A. B., Porter, S. E., and Sierra-Hernandez, M. R.: Accumulation Variability in the Antarctic Peninsula: The Role of Large-Scale Atmospheric Oscillations and Their Interactions*, *Journal of Climate*, 29, 2579-2596, 2016.
- 40 Gooseff, M. N., Lyons, W. B., McKnight, D. M., Vaughn, B. H., Fountain, A. G., and Dowling, C.: A stable isotopic investigation of a polar desert hydrologic system, McMurdo Dry Valleys, Antarctica, Arctic, Antarctic, and Alpine Research, 38, 60-71, 2006.
- Graf, W., Moser, H., Reinwarth, O., Kipestuhl, J., Oerter, H., Minikin, A., and Vagenbach, D.: Snow-accumulation rates and isotopic content (2H, 3H) of near-surface firn from the Filchner-Ronne Ice Shelf, Antarctica, *Annals of Glaciology*, 20, 121-128, 1994.
- 45 Graf, W., Oerter, H., Reinwarth, O., Stichler, W., Wilhelms, F., Miller, H., and Mulvaney, R.: Stable-isotope records from Dronning Maud Land, Antarctica, *Annals of Glaciology*, 35, 195-201, 2002.
- Graf, W., Reinwarth, O., Moser, H., and Stichler, W.: INVESTIGATION OF THE 180 CONTENT OF A 100 m ICE CORE FROM THE RONNE ICE SHELF. ANTARCTICA, *Ann. Glaciol*, 10, 43-47, 1988.
- Graf, W., Reinwarth, O., Oerter, H., Mayer, C., and Lambrecht, A.: Surface accumulation on foundation ice stream, Antarctica, *Annals of Glaciology*, 29, 23-28, 1999.
- 50 Gragnani, R., Smiraglia, C., Stenni, B., and Torcini, S.: Chemical and isotopic profiles from snow pits and shallow firn cores on Campbell Glacier, northern Victoria Land, Antarctica, *Annals of Glaciology*, 27, 679-684, 1998.

- Helsen, M., Van de Wal, R., Van den Broeke, M., Masson-Delmotte, V., Meijer, H., Scheele, M., and Werner, M.: Modeling the isotopic composition of Antarctic snow using backward trajectories: Simulation of snow pit records, *Journal of Geophysical Research: Atmospheres*, 111, 2006.
- 5 Isaksson, E. and Karlén, W.: High resolution climatic information from short firn cores, western Dronning Maud Land, Antarctica, *Climatic Change*, 26, 421-434, 1994.
- Isaksson, E., Karlén, W., Gundestrup, N., Mayewski, P., Whitlow, S., and Twickler, M.: A century of accumulation and temperature changes in Dronning Maud Land, Antarctica, *Journal of Geophysical Research: Atmospheres*, 101, 7085-7094, 1996.
- Isaksson, E., van den Broeke, M. R., Winther, J.-G., Karlöf, L., Pinglot, J. F., and Gundestrup, N.: Accumulation and proxy-temperature variability in Dronning Maud Land, Antarctica, determined from shallow firn cores, *Annals of Glaciology*, 29, 17-22, 1999.
- 10 Jacobel, R. W., Welch, B. C., Steig, E. J., and Schneider, D. P.: Glaciological and climatic significance of Hercules Dome, Antarctica: An optimal site for deep ice core drilling, *Journal of Geophysical Research: Earth Surface*, 110, 2005.
- Jouzel, J., Merlivat, L., Petit, J.-R., and Lorius, C.: Climatic information over the last century deduced from a detailed isotopic record in the South Pole snow, *Journal of Geophysical Research: Oceans*, 88, 2693-2703, 1983.
- 15 Kaczmarek, M., Isaksson, E., Karlöf, L., Winther, J.-G., Kohler, J., Godtliessen, F., Ringstad Olsen, L., Hofstede, C. M., Van Den Broeke, M. R., and Van De Wal, R. S.: Accumulation variability derived from an ice core from coastal Dronning Maud Land, Antarctica, *Annals of Glaciology*, 39, 339-345, 2004.
- Kato, K., Watanabe, O., and Satow, K.: Nankyoku Mizuho Kogen no yuki no sanso doita seoi (Oxygen isotopic composition of snow on Mizuho Plateau, Antarctica), *Nankyoku Shiryo (Antarct. Rec.)*, 58, 263-270, 1977.
- Landais, A., Ekaykin, A., Barkan, E., Winkler, R., and Luz, B.: Seasonal variations of ^{17}O -excess and d-excess in snow precipitation at Vostok station, East Antarctica, *Journal of Glaciology*, 58, 725-733, 2012.
- 20 Lipenkov, V. Y. and Barkov, N.: Internal structure of the Antarctic Ice Sheet as revealed by deep core drilling at Vostok Station, 1998, 31-35.
- Magand, O., Frezzotti, M., Pouchet, M., Stenni, B., Genoni, L., and Fily, M.: Climate variability along latitudinal and longitudinal transects in East Antarctica, *Annals of Glaciology*, 39, 351-358, 2004.
- 25 Masson-Delmotte, V., Delmotte, M., Morgan, V., Etheridge, D., Van Ommen, T., Tartarin, S., and Hoffmann, G.: Recent southern Indian Ocean climate variability inferred from a Law Dome ice core: New insights for the interpretation of coastal Antarctic isotopic records, *Climate Dynamics*, 21, 153-166, 2003.
- Masson-Delmotte, V., Hou, S., Ekaykin, A., Jouzel, J., Aristarain, A., Bernardo, R., Bromwich, D., Cattani, O., Delmotte, M., Falourd, S., Frezzotti, M., Gallée, H., Genoni, L., Isaksson, E., Landais, A., Helsen, M., Hoffmann, G., Lopez, J., Morgan, V., Motoyama, H., Noone, D., Oerter, H., Petit, J.-R., Royer, A., Uemura, R., Schmidt, G., Schlosser, E., Simões, J., Steig, E. J., Stenni, B., Stievenard, M., Van den Broeke, M. R., Van De Wal, R. S., Van de Berg, W., Vimeux, F., and White, J. W.: A review of Antarctic surface snow isotopic composition: observations, atmospheric circulation, and isotopic modeling*, *Journal of Climate*, 21, 3359-3387, 2008.
- 30 Mayewski, P., Lyons, W., Spencer, M., Twickler, M., Buck, C., and Whitlow, S.: An ice-core record of atmospheric response to anthropogenic sulphate and nitrate, *Nature*, 346, 554-556, 1990.
- 35 Morgan, V.: Antarctic ice sheet surface oxygen isotope values, *Journal of Glaciology*, 28, 315-323, 1982.
- Mosley-Thompson, E.: Holocene climate changes recorded in an East Antarctica ice core. In: *Climatic Variations and Forcing Mechanisms of the Last 2000 Years*, Springer, 1996.
- Motoyama, H., Hirasawa, N., Satow, K., and Watanabe, O.: Seasonal variations in oxygen isotope ratios of daily collected precipitation and wind drift samples and in the final snow cover at Dome Fuji Station, Antarctica, *Journal of Geophysical Research: Atmospheres*, 110, 2005.
- 40 Mulvaney, R., Abram, N. J., Hindmarsh, R. C., Arrowsmith, C., Fleet, L., Triest, J., Sime, L. C., Alemany, O., and Foord, S.: Recent Antarctic Peninsula warming relative to Holocene climate and ice-shelf history, *Nature*, 489, 141-144, 2012.
- Mulvaney, R., Oerter, H., Peel, D. A., Graf, W., Arrowsmith, C., Pasteur, E. C., Knight, B., Littot, G. C., and Miners, W. D.: 1000 year ice-core records from Berkner Island, Antarctica, *Annals of Glaciology*, 35, 45-51, 2002.
- 45 Naik, S. S., Thamban, M., Laluraj, C., Redkar, B., and Chaturvedi, A.: A century of climate variability in central Dronning Maud Land, East Antarctica, and its relation to Southern Annular Mode and El Niño-Southern Oscillation, *Journal of Geophysical Research: Atmospheres*, 115, 2010.
- Oerter, H., Graf, W., Meyer, H., and Wilhelms, F.: The EPICA ice core from Dronning Maud Land: first results from stable-isotope measurements, *Annals of Glaciology*, 39, 307-312, 2004.
- Oerter, H., Graf, W., Wilhelms, F., Minikin, A., and Miller, H.: Accumulation studies on Amundsenisen, Dronning Maud Land, Antarctica, by means of tritium, dielectric profiling and stable-isotope measurements: first results from the 1995-96 and 1996-97 field seasons, *Annals of Glaciology*, 29, 1-9, 1999.
- 50 Oerter, H., Wilhelms, F., Jung-Rothenhäusler, F., Göktas, F., Miller, H., Graf, W., and Sommer, S.: Accumulation rates in Dronning Maud Land, Antarctica, as revealed by dielectric-profiling measurements of shallow firn cores, *Annals of Glaciology*, 30, 27-34, 2000.
- Peel, D. and Mulvaney, R.: Time-trends in the pattern of ocean-atmosphere exchange in an ice core from the Weddell Sea sector of Antarctica, *Tellus B*, 44, 430-442, 1992.
- 55

- Petit, J., White, J., Young, N., Jouzel, J., and Korotkevich, Y. S.: Deuterium excess in recent Antarctic snow, *Journal of Geophysical Research: Atmospheres*, 96, 5113-5122, 1991.
- 5 Plummer, C., Curran, M., Ommen, T. D. v., Rasmussen, S. O., Moy, A., Vance, T., Clausen, H. B., Vinther, B. M., and Mayewski, P.: An independently dated 2000-yr volcanic record from Law Dome, East Antarctica, including a new perspective on the dating of the 1450s CE eruption of Kuwae, Vanuatu, *Climate of the Past*, 8, 1929-1940, 2012.
- Proposito, M., Becagli, S., Castellano, E., Flora, O., Genoni, L., Gragnani, R., Stenni, B., Traversi, R., Udisti, R., and Frezzotti, M.: Chemical and isotopic snow variability along the 1998 ITASE traverse from Terra Nova Bay to Dome C, East Antarctica, *Annals of Glaciology*, 35, 187-194, 2002.
- 10 Rhodes, R., Bertler, N., Baker, J., Steen-Larsen, H. C., Sneed, S., Morgenstern, U., and Johnsen, S. J.: Little Ice Age climate and oceanic conditions of the Ross Sea, Antarctica from a coastal ice core record, *Climate of the Past*, 8, 1223, 2012.
- Rozanski, K., Araguás-Araguás, L., and Gonfiantini, R.: Isotopic patterns in modern global precipitation, *Climate change in continental isotopic records*, 1993. 1-36, 1993.
- Ruth, U., Wagenbach, D., Mulvaney, R., Oerter, H., Graf, W., Pulz, H., and Littot, G.: Comprehensive 1000 year climatic history from an intermediate-depth ice core from the south dome of Berkner Island, Antarctica: methods, dating and first results, *Annals of Glaciology*, 39, 146-154, 2004.
- 15 Satow, K. and Watanabe, O.: Seasonal variation of oxygen isotopic composition of firn cores in the Antarctic ice sheet, *Annals of Glaciology*, 14, 256-260, 1990.
- Schlosser, E.: Effects of seasonal variability of accumulation on yearly mean $\delta^{18}O$ values in Antarctic snow, *Journal of Glaciology*, 45, 463-468, 1999.
- 20 Schlosser, E., Anschütz, H., Isaksson, E., Martma, T., Divine, D., and Nøst, O.-A.: Surface mass balance and stable oxygen isotope ratios from shallow firn cores on Fimbulisen, East Antarctica, *Annals of Glaciology*, 53, 70-78, 2012.
- Schlosser, E., Oerter, H., Masson-Delmotte, V., and Reijmer, C.: Atmospheric influence on the deuterium excess signal in polar firn: implications for ice-core interpretation, *Journal of glaciology*, 54, 117-124, 2008.
- 25 Simões, J. C., Ferron, F. A., Bernardo, R. T., Aristarain, A. J., Stiévenard, M., Pourchet, M., and Delmas, R. J.: Ice core study from the king george island, south shetlands, antarctica, *Pesquisa Antártica Brasileira*, 4, 9-23, 2004.
- Sinclair, K. E., Bertler, N. A., Bowen, M. M., and Arrigo, K. R.: Twentieth century sea-ice trends in the Ross Sea from a high-resolution, coastal ice-core record, *Geophysical Research Letters*, 41, 3510-3516, 2014.
- Sinclair, K. E., Bertler, N. A., and Van Ommen, T. D.: Twentieth-century surface temperature trends in the western Ross Sea, Antarctica: Evidence from a high-resolution ice core, *Journal of Climate*, 25, 3629-3636, 2012.
- 30 Smith, B. T., Van Ommen, T. D., and Morgan, V. I.: Distribution of oxygen isotope ratios and snow accumulation rates in Wilhelm II Land, East Antarctica, *Annals of Glaciology*, 35, 107-110, 2002.
- Sommer, S., Wagenbach, D., Mulvaney, R., and Fischer, H.: Glacio-chemical study spanning the past 2 kyr on three ice cores from Dronning Maud Land, Antarctica: 2. Seasonally resolved chemical records, *Journal of Geophysical Research: Atmospheres*, 105, 29423-29433, 2000.
- 35 Steig, E., Brook, E., White, J., Sucher, C., Bender, M., Lehman, S., Morse, D., Waddington, E., and Clow, G.: Synchronous climate changes in Antarctica and the North Atlantic, *Science*, 282, 92-95, 1998.
- Steig, E. J., Ding, Q., White, J. W., Küttel, M., Rupper, S. B., Neumann, T. A., Neff, P. D., Gallant, A. J., Mayewski, P. A., and Taylor, K. C.: Recent climate and ice-sheet changes in West Antarctica compared with the past 2,000 years, *Nature Geoscience*, 6, 372-375, 2013.
- Steig, E. J., Mayewski, P. A., Dixon, D. A., Kaspari, S. D., Frey, M. M., Schneider, D. P., Arcone, S. A., Hamilton, G. S., Spikes, V., and Albert, M.: High-resolution ice cores from US ITASE (West Antarctica): Development and validation of chronologies and determination of precision and accuracy, *Annals of Glaciology*, 41, 77-84, 2005.
- 40 Stenni, B., Buiron, D., Frezzotti, M., Albani, S., Barbante, C., Bard, E., Barnola, J., Baroni, M., Baumgartner, M., and Bonazza, M.: Expression of the bipolar see-saw in Antarctic climate records during the last deglaciation, *Nature Geoscience*, 4, 46-49, 2011.
- Stenni, B., Caprioli, R., Cimino, L., Cremisini, C., Flora, O., Gragnani, R., Longinelli, A., Maggi, V., and Torcini, S.: 200 years of isotope and chemical records in a firn core from Hercules Neve, northern Victoria Land, Antarctica, *Annals of Glaciology*, 29, 106-112, 1999.
- 45 Stenni, B., Proposito, M., Gragnani, R., Flora, O., Jouzel, J., Falourd, S., and Frezzotti, M.: Eight centuries of volcanic signal and climate change at Talos Dome (East Antarctica), *Journal of Geophysical Research: Atmospheres*, 107, ACL 3-1-ACL 3-13, 2002.
- Stenni, B., Scarchilli, C., Masson-Delmotte, V., Schlosser, E., Ciardini, V., Dreossi, G., Grigioni, P., Bonazza, M., Cagnati, A., Karlicek, D., Risi, C., Udisti, R., and Valt, M.: Three-year monitoring of stable isotopes of precipitation at Concordia Station, East Antarctica, *The Cryosphere*, 10, 2415-2428, 2016.
- 50 Stenni, B., Serra, F., Frezzotti, M., Maggi, V., Traversi, R., Becagli, S., and Udisti, R.: Snow accumulation rates in northern Victoria Land, Antarctica, by firn-core analysis, *Journal of Glaciology*, 46, 541-552, 2000.
- Thomas, E. R., Bracegirdle, T. J., Turner, J., and Wolff, E. W.: A 308 year record of climate variability in West Antarctica, *Geophysical Research Letters*, 40, 5492-5496, 2013.
- 55 Thomas, E. R., Dennis, P. F., Bracegirdle, T. J., and Franzke, C.: Ice core evidence for significant 100-year regional warming on the Antarctic Peninsula, *Geophysical Research Letters*, 36, n/a-n/a, 2009.

- Thomas, E. R., Marshall, G. J., and McConnell, J. R.: A doubling in snow accumulation in the western Antarctic Peninsula since 1850, *Geophysical research letters*, 35, 2008.
- Thompson, L. G., Davis, M. E., and Mosley-Thompson, E.: Glacial records of global climate: A 1500-year tropical ice core record of climate, *Human Ecology*, 22, 83-95, 1994.
- 5 Vimeux, F., Masson, V., Delaygue, G., Jouzel, J., Petit, J., and Stievenard, M.: A 420,000 year deuterium excess record from East Antarctica: Information on past changes in the origin of precipitation at Vostok, *Journal of Geophysical Research: Atmospheres*, 106, 31863-31873, 2001.
- Wagenhach, D., Graf, W., Minikin, A., Trefzer, U., Kipfstuhl, J., Oerter, H., and Blindow, N.: Reconnaissance of chemical and isotopic firn properties on top of Berkner Island, Antarctica, *Annals of Glaciology*, 20, 307-312, 1994.
- 10 Watanabe, O.: Stratigraphic observations of surface snow cover (*Glaciology* 4), *JARE data reports*, 36, 61-125, 1977.
- Xiao, C., Mayewski, P. A., Qin, D., Li, Z., Zhang, M., and Yan, Y.: Sea level pressure variability over the southern Indian Ocean inferred from a glaciochemical record in Princess Elizabeth Land, east Antarctica, *Journal of Geophysical Research: Atmospheres*, 109, 2004.
- Yao, T., Petit, J., Jouzel, J., Lorius, C., and Duval, P.: Climatic record from an ice margin area in East Antarctica, *Ann. Glaciol*, 14, 323-327, 1990.

15