

**Annex 2.** List of all benthic foraminifera species identified in this thesis, together with the references used for identification (see below for reference list).

Species	Original name	References used for identification
<i>Adelosina laevigata</i> d'Orbigny, 1826	<i>Adelosina laevigata</i> d'Orbigny, 1826	Milker and Schmiedl, 2012 (Fig. 12. 18-19)
<i>Alabaminella weddellensis</i> (Earland, 1936)	<i>Eponides weddellensis</i> Earland, 1936	Erdem and Schönfeld, 2017 (Fig. 8. 24); Setoyama and Kaminski, 2015 (Fig. 5. 3)
<i>Ammonia beccarii</i> (Linnaeus, 1758)	<i>Nautilus beccarii</i> Linnaeus, 1758	Milker and Schmiedl, 2012 (Fig. 27. 1-2)
<i>Amphistegina lessonii</i> d'Orbigny, 1826	<i>Amphistegina lessonii</i> d'Orbigny, 1826	Hottinger, 1993 (Pl. 184, Fig. 1-11)
<i>Amphicoryna scalaris</i> (Batsch, 1791)	<i>Nautilus scalaris</i> Batsch, 1791	Murray, 2003 (Fig. 5. 1); Milker and Schmiedl, 2012 (Fig. 18. 22-25)
<i>Anomalinoidea globulosus</i> (Chapman and Parr, 1937)	<i>Anomalina globulosa</i> Chapman and Parr, 1937	Margreth, 2010 (Pl. 39, Fig. 1)
<i>Astrononion antarcticus</i> Parr, 1950	<i>Astrononion antarcticus</i> Parr, 1950	Margreth, 2010 (Pl. 37, Fig. 4)
<i>Astrononion gallowayi</i> Loeblich and Tappan, 1953	<i>Astrononion gallowayi</i> Loeblich and Tappan, 1953	Margreth, 2010 (Pl. 37, Fig. 3)
<i>Astrononion stelligerum</i> (d'Orbigny, 1839)	<i>Nonionina stelligera</i> d'Orbigny, 1839	Cimerman and Langer, 1991 (Pl. 84, Fig. 13-15)
<i>Bigenerina nodosaria</i> d'Orbigny, 1826	<i>Bigenerina nodosaria</i> d'Orbigny, 1826	Margreth, 2010 (Pl. 5, Fig. 5); Milker and Schmiedl, 2012 (Fig. 10. 10-11)
<i>Biloculinella depressa</i> (d'Orbigny, 1826)	<i>Biloculina depressa</i> d'Orbigny, 1826	Margreth, 2010 (Pl. 8, Fig. 3); Murray, 2003 (Fig. 4. 2-3)
<i>Biloculinella globulus</i> (Bornemann, 1855)	<i>Biloculina globulus</i> Bornemann, 1855	Margreth, 2010 (Pl. 8, Fig. 2); Milker and Schmiedl, 2012 (Fig. 16. 19)
<i>Biloculinella inflata</i> (Wright, 1902)	<i>Biloculina inflata</i> Wright, 1902	Milker and Schmiedl, 2012 (Fig. 16. 20)
<i>Biloculinella labiata</i> (Schlumberger, 1891)	<i>Biloculina labiata</i> Schlumberger, 1891	Milker and Schmiedl, 2012 (Fig. 16. 21-22)
<i>Bolivina alata</i> (Seguenza, 1862)	<i>Vulvulina alata</i> Seguenza, 1862	Margreth, 2010 (Pl. 24, Fig. 1)
<i>Bolivina difformis</i> (Williamson, 1858)	<i>Textularia variabilis</i> var. <i>difformis</i> Williamson, 1858	Margreth, 2010 (Pl. 24, Fig. 6); Milker and Schmiedl, 2012 (Fig. 19. 28-29)
<i>Bolivina pseudoplicata</i> Heron-Allen an Earland, 1930	<i>Bolivina pseudoplicata</i> Heron-Allen an Earland, 1930	Milker and Schmiedl, 2012 (Fig- 19. 22-23); Murray, 2003 (Fig. 5. 17)
<i>Bolivina spathulata</i> (Williamson, 1858)	<i>Textularia variabilis</i> var. <i>spathulata</i> Williamson, 1858	Milker and Schmiedl, 2012 (Fig. 20. 1-2)
<i>Bolivina spinescens</i> Cushman, 1911	<i>Bolivina spinescens</i> Cushman, 1911	Margreth, 2010 (Pl. 24, Fig. 7)
<i>Bolivina striatula</i> Cushman, 1922	<i>Bolivina striatula</i> Cushman, 1922	Margreth, 2010 (Pl. 24, Fig. 5); Milker and Schmiedl, 2012 (Fig. 20. 3)
<i>Bolivina subspinescens</i> Cushman, 1922	<i>Bolivina subspinescens</i> Cushman, 1922	Margreth, 2010 (Pl. 24, Fig. 8); Milker and Schmiedl, 2012 (Fig. 19. 24)
<i>Bolivina variabilis</i> (Williamson, 1858)	<i>Textularia variabilis</i> Williamson, 1858	Milker and Schmiedl, 2012 (Fig. 19. 25-26)
<i>Bulimina aculeata</i> d'Orbigny, 1826	<i>Bulimina aculeata</i> d'Orbigny, 1826	Margreth, 2010 (Pl. 27, Fig. 8); Milker and Schmiedl, 2012 (Fig. 20. 19)
<i>Bulimina marginata</i> d'Orbigny, 1826	<i>Bulimina marginata</i> d'Orbigny, 1826	Milker and Schmiedl, 2012 (Fig. 20. 23); Murray, 2003 (Fig. 6. 4-5)
<i>Bulimina striata</i> d'Orbigny, 1826	<i>Bulimina striata</i> d'Orbigny, 1826	Frontalini et al., 2014 (Fig. 6. 5); Margreth, 2010 (Pl. 27, Fig. 10)
<i>Cancris auricula</i> (Fichtel and Moll, 1798)	<i>Nautilus auricula</i> Fichtel and Moll, 1798	Milker and Schmiedl, 2012 (Fig. 21. 14-15); Murray, 2003 (Fig. 6. 6-7)
<i>Cassidulina carinata</i> (Silvestri, 1896)	<i>Cassidulina laevigata</i> var. <i>carinata</i> Silvestri, 1896	Margreth, 2010 (Pl. 25, Fig. 5); Milker and Schmiedl, 2012 (Fig. 20. 5)
<i>Cassidulina crassa</i> d'Orbigny, 1839	<i>Cassidulina crassa</i> d'Orbigny, 1839	Jones, 1994 (Pl. 54, Fig. 4); Margreth, 2010 (Pl. 26, Fig. 3)
<i>Cassidulina laevigata</i> d'Orbigny, 1826	<i>Cassidulina laevigata</i> d'Orbigny, 1826	Margreth, 2010 (Pl. 25, Fig. 4); Murray, 2003 (Fig. 6. 8-10)

## Annex 2. continuation

Species	Original name	References used for identification
<i>Cassidulina reniforme</i> (Nørvang, 1945)	<i>Cassidulina crassa</i> var. <i>reniforme</i> Nørvang, 1945	Margreth, 2010 (Pl. 25, Fig. 3)
<i>Cassidulinoides bradyi</i> (Norman, 1881)	<i>Cassidulina bradyi</i> Norman, 1881	Margreth, 2010 (Pl. 26, Fig. 6); Milker and Schmiedl, 2012 (Fig. 20. 9)
<i>Chilostomella oolina</i> Schwager, 1878	<i>Chilostomella oolina</i> Schwager, 1878	Jones, 1994 (Pl. 55, Fig. 12-14, 17-18); Margreth, 2010 (Pl. 38, Fig. 5)
<i>Cibicides aravaensis</i> Perelis and Reiss, 1975	<i>Cibicides aravaensis</i> Perelis and Reiss, 1975	Margreth, 2010 (Pl. 34, Fig. 5)
<i>Cibicides lobatulus</i> (Walker and Jacob, 1798)	<i>Echinus lobatulus</i> Walker and Jacob, 1798	Holbourn and Henderson, 2002 (Fig. 3. 1-3); Murray, 2003 (Fig. 6. 13-15)
<i>Cibicides mundulus</i> (Brady, Parker and Jones, 1888)	<i>Truncatulina mundula</i> Brady, Parker and Jones, 1888	Holbourn and Henderson, 2002 (Fig. 4. 1-9); Margreth, 2010 (Pl. 33, Fig. 1)
<i>Cibicides refulgens</i> Montfort, 1808	<i>Cibicides refulgens</i> Montfort, 1808	Margreth, 2010 (Pl. 34, Fig. 4); Murray, 2003 (Fig. 7. 1-2)
<i>Cibicides ungerianus</i> (d'Orbigny, 1846)	<i>Rotalina ungeriana</i> d'Orbigny, 1846	Margreth, 2010 (Pl. 34, Fig. 3)
<i>Cibicides wuellerstorfi</i> (Schwager, 1866)	<i>Anomalina wuellerstorfi</i> Schwager, 1866	Holbourn and Henderson, 2002 (Fig. 5. 6-8); Margreth, 2010 (Pl. 35, Fig. 2)
<i>Clavulina cylindrica</i> d'Orbigny, 1826	<i>Clavulina cylindrica</i> d'Orbigny, 1826	Milker and Schmiedl, 2012 (Fig. 11. 7)
<i>Cornuspira foliacea</i> (Philippi, 1844)	<i>Orbis foliaceus</i> Philippi, 1844	Milker and Schmiedl, 2012 (Fig. 11. 24-25)
<i>Cycloforina stalker</i> (Loeblich and Tappan, 1953)	<i>Quinqueloculina stalker</i> Loeblich and Tappan, 1953	Margreth, 2010 (Pl. 7, Fig. 6)
<i>Dentalina advena</i> (Cushman, 1923)	<i>Nodosaria advena</i> Cushman, 1923	Jones, 1994 (Pl. 63, Fig. 1)
<i>Dentalina bradyensis</i> (Dervieux, 1894)	<i>Laevidentalina haueri</i> Neugeboren, 1856	Jones, 1994 (Pl. 62, Fig. 19-20)
<i>Dentalina guttifer</i> d'Orbigny, 1846	<i>Dentalina guttifer</i> d'Orbigny, 1846	Milker and Schmiedl, 2012 (Fig. 18. 13)
<i>Discanomalina coronata</i> (Parker and Jones, 1865)	<i>Anomalina coronata</i> Parker and Jones, 1865	Margreth, 2010 (Pl. 39, Fig. 2)
<i>Discanomalina japonica</i> Asano, 1951	<i>Discanomalina japonica</i> Asano, 1951	Margreth, 2010 (Pl. 39, Fig. 3)
<i>Discanomalina semipunctata</i> (Bailey, 1851)	<i>Rotalina semipunctata</i> Bailey, 1851	Milker and Schmiedl, 2012 (Fig. 26. 24-25)
<i>Discanomalina vermiculata</i> (d'Orbigny, 1839)	<i>Truncatulina vermiculata</i> d'Orbigny, 1839	Jones, 1994 (Pl. 97, Fig. 7)
<i>Discorbinella bertheloti</i> (d'Orbigny, 1839)	<i>Rosalina bertheloti</i> d'Orbigny, 1839	Kaminski et al., 2002 (Pl- 5, Fig. 1-2); Milker and Schmiedl, 2012 (Fig. 23. 29-30)
<i>Eggerella bradyi</i> (Cushman, 1911)	<i>Verneuilina bradyi</i> Cushman, 1911	Holbourn and Henderson, 2002 (Fig. 1. 12-13)
<i>Eggerella humboldti</i> Todd and Brönniman, 1957	<i>Eggerella humboldti</i> Todd and Brönniman, 1957	Margreth, 2010 (Pl. 5, Fig. 2)
<i>Elphidium aculeatum</i> (d'Orbigny, 1846)	<i>Polystomella aculeata</i> d'Orbigny, 1846	Milker and Schmiedl, 2012 (Fig. 27. 5-6)
<i>Elphidium crispum</i> (Linnaeus, 1758)	<i>Nautilus crispus</i> Linnaeus, 1758	Cimerman and Langer, 1991 (Pl. 90, Fig. 1-6)
<i>Elphidium excavatum</i> (Terquem, 1875)	<i>Polystomella excavata</i> Terquem, 1875	Darling et al., 2016 (Fig. 3, F)
<i>Favulina hexagona</i> (Williamson, 1848)	<i>Entosolenia squamosa</i> var. <i>hexagona</i> Williamson, 1848	Margereel, 2016 (Fig. 2, A-I); Milker and Schmiedl, 2012 (Fig. 19. 4)
<i>Favulina squamosa</i> (Montagu, 1803)	<i>Vermiculum squamosum</i> Montagu, 1803	Margereel, 2016 (Fig. 3, A-B); Margreth, 2010 (Pl. 14, Fig. 5)
<i>Fissurina alveolata</i> (Brady, 1884)	<i>Lagena alveolata</i> Brady, 1884	Jones, 1994 (Pl. 60, Fig. 30-32)

## Annex 2. continuation

Species	Original name	References used for identification
<i>Fissurina eburnea</i> (Buchner, 1940)	<i>Lagena eburnea</i> Buchner, 1940	Margreth, 2010 (Pl. 16, Fig. 2)
<i>Fissurina fasciata</i> (Egger, 1857)	<i>Oolina fasciata</i> Egger, 1857	Milker and Schmiedl, 2012 (Fig. 19. 8-9)
<i>Fissurina lacunata</i> (Burows and Holland, 1895)	<i>Lagena lacunata</i> Burrows and Holland, 1895	Margreth, 2010 (Pl. 17, Fig. 6); Milker and Schmiedl, 2012 (Fig. 19. 10-11)
<i>Fissurina orbignyana</i> Seguenza, 1862	<i>Fissurina orbignyana</i> Seguenza, 1862	Milker and Schmiedl, 2012 (Fig. 19. 13); Murray, 2003 (Fig. 5. 5-6)
<i>Fursenkoina acuta</i> (d'Orbigny, 1846)	<i>Polymorphina acuta</i> d'Orbigny, 1846	Milker and Schmiedl, 2012 (Fig. 21. 10-11)
<i>Gaudryina pseudotrochus</i> (Cushman 1922)	<i>Textularia pseudotrochus</i> Cushman, 1922	Margreth, 2010 (Pl. 5, Fig. 1)
<i>Gaudryina rudis</i> Wright, 1900	<i>Gaudryina rugosa</i> Wright, 1900	Milker and Schmiedl, 2012 (Fig. 10. 6); Murray, 2003 (Fig. 2. 12-13)
<i>Gavelinopsis praegeri</i> (Heron-Allen and Earland, 1913)	<i>Discorbina praegeri</i> Heron-Allen and Earland, 1913	Margreth, 2010 (Pl. 31, Fig. 2); Murray, 2003 (Fig. 8. 5-6)
<i>Glabratella patelliformis</i> (Brady, 1884)	<i>Discorbina patelliformis</i> Brady, 1884	Margreth, 2010 (Pl. 32, Fig. 3); Milker and Schmiedl, 2012 (Fig. 23. 16-17)
<i>Glandulina ovula</i> d'Orbigny, 1846	<i>Glandulina ovula</i> d'Orbigny, 1846	Jones, 1994 (Pl. 63, Fig. 6)
<i>Globobulimina affinis</i> (d'Orbigny, 1839)	<i>Bulimina affinis</i> d'Orbigny, 1839	Margreth, 2010 (Pl. 28, Fig. 2-3); Milker and Schmiedl, 2012 (Fig. 20. 24)
<i>Globobulimina doliolum</i> (Terquem and Terquem, 1886)	<i>Bulimina doliolum</i> Terquem and Terquem, 1886	Margreth, 2010 (Pl. 28, Fig. 5)
<i>Globobulimina ovula</i> (d'Orbigny, 1839)	<i>Bulimina ovula</i> d'Orbigny, 1839	Loeblich and Tappan, 1994 (Pl. 244, Fig. 15-16)
<i>Globobulimina pyrula</i> (d'Orbigny, 1846)	<i>Bulimina pyrula</i> d'Orbigny, 1846	Fontanier et al., 2013 (Fig. 3. 30)
<i>Globobulimina turgida</i> (Bailey, 1851)	<i>Bulimina turgida</i> Bailey, 1851	Margreth, 2010 (Pl. 28, Fig. 1)
<i>Globocassidulina subglobosa</i> (Brady, 1881)	<i>Cassidulina subglobosa</i> Brady, 1881	Milker and Schmiedl, 2012 (Fig. 20. 13-14); Murray, 2003 (Fig. 8. 7)
<i>Glomospira charoides</i> (Jones and Parker, 1860)	<i>Trochammina squamata</i> var. <i>charoides</i> Jones and Parker, 1860	Margreth, 2010 (Pl. 2, Fig. 5)
<i>Grigelis orectus</i> Loeblich and Tappan, 1994	<i>Grigelis orectus</i> Loeblich and Tappan, 1994	Margreth, 2010 (Pl. 12, Fig. 3)
<i>Gyroidina altiformis</i> Stewart and Stewart, 1930	<i>Gyroidina altiformis</i> Stewart and Stewart, 1930	Margreth, 2010 (Pl. 40, Fig. 3)
<i>Gyroidina lamarckiana</i> (d'Orbigny, 1839)	<i>Rotalina lamarckiana</i> d'Orbigny, 1839	Kaminski et al., 2002 (Pl. 4, Fig. 11-12); Margreth, 2010 (Pl. 39, Fig. 5)
<i>Gyroidina soldanii</i> d'Orbigny, 1826	<i>Gyroidina soldanii</i> d'Orbigny, 1826	Margreth, 2010 (Pl. 40, Fig. 1)
<i>Homalohedra eucostata</i> (McCulloch, 1977)	<i>Oolina eucostata</i> McCulloch, 1977	Margreth, 2010 (Pl. 15, Fig. 2)
<i>Homalohedra williamsoni</i> (Alcock, 1865)	<i>Entosolenia williamsoni</i> Alcock, 1865	Margreth, 2010 (Pl. 14, Fig. 8)
<i>Hoeglundina elegans</i> (d'Orbigny, 1826)	<i>Rotalia (Turbinuline) elegans</i> d'Orbigny, 1826	Margreth, 2010 (Pl. 18, Fig. 3); Milker and Schmiedl, 2012 (Fig. 19. 15-16)
<i>Hyalinea balthica</i> (Schröter in Gmelin, 1791)	<i>Nautilus balthicus</i> Schröter, 1791	Milker and Schmiedl, 2012 (Fig. 24. 1-2); Murray, 2003 (Fig. 8. 8-10)
<i>Hyalinonetrion gracillimum</i> (Seguenza, 1862)	<i>Amphorina gracillima</i> Seguenza, 1862	Margreth, 2010 (Pl. 14, Fig. 1); Milker and Schmiedl, 2012 (Fig. 18. 30)
<i>Hyrrokkin sarcophaga</i> Cedhagen, 1994	<i>Hyrrokkin sarcophaga</i> Cedhagen, 1994	Margreth, 2010 (Pl. 30, Fig. 5)
<i>Karrerella bradyi</i> (Cushman, 1911)	<i>Gaudryina bradyi</i> Cushman, 1911	Holbourn and Henderson, 2002 (Fig. 2.1. 4-5); Margreth, 2010 (Pl. 5, Fig. 3)

## Annex 2. continuation

Species	Original name	References used for identification
<i>Lachlanella bradyana</i> Cushman, 1917	<i>Lachlanella bradyana</i> Cushman, 1917	Milker and Schmiedl, 2012 (Figure 14. 19-21)
<i>Lagena doveyensis</i> Haynes, 1973	<i>Lagena doveyensis</i> Haynes, 1973	Milker and Schmiedl, 2012 (Figure 18. 31)
<i>Lenticulina calcar</i> (Linnaeus, 1758)	<i>Nautilus calcar</i> Linnaeus, 1758	Margreth, 2010 (Pl. 12, Fig. 5); Milker and Schmiedl, 2012 (Fig. 18. 17-18)
<i>Lenticulina gibba</i> (d'Orbigny, 1839)	<i>Cristellaria gibba</i> d'Orbigny, 1839	Margreth, 2010 (Pl. 12, Fig. 7)
<i>Lenticulina orbicularis</i> (d'Orbigny, 1826)	<i>Robulina orbicularis</i> d'Orbigny, 1826	Margreth, 2010 (Pl. 12, Fig. 8); Milker and Schmiedl, 2012 (Fig. 18. 19-20)
<i>Lenticulina vortex</i> (Fichtel and Mol, 1798)	<i>Nautilus vortex</i> Fichtel and Moll, 1798	Margreth, 2010 (Pl. 12, Fig. 6)
<i>Marginulina obesa</i> (Cushman, 1923)	<i>Marginulina glabra</i> var. <i>obesa</i> Terquem, 1866	Jones, 1994 (Pl. 65, Fig. 5-6)
<i>Melonis barleeaanum</i> (Williamson, 1858)	<i>Nonionina barleeana</i> Williamson, 1858	Milker and Schmiedl, 2012 (Fig. 26. 11-12); Murray, 2003 (Fig. 8. 11, 14)
<i>Melonis pompiloides</i> (Fichtel and Moll, 1798)	<i>Nautilus pompiloides</i> Fichtel and Moll, 1798	Margreth, 2010 (Pl. 37, Fig. 5)
<i>Miliolinella elongata</i> (Kruit, 1955)	<i>Miolinella circularis</i> var. <i>elongata</i> Kruit, 1955	Margreth, 2010 (Pl. 9, Fig. 1); Milker and Schmiedl, 2012 (Fig. 16. 23-24)
<i>Miliolinella subrotunda</i> (Montagu, 1803)	<i>Vermiculum subrotundum</i> Montagu, 1803	Milker and Schmiedl, 2012 (Fig. 16. 31-32); Murray, 2003 (Fig. 4. 6)
<i>Neoconorbina terquemi</i> (Rzehak, 1888)	<i>Discorbina terquemi</i> Rzehak, 1888	Milker and Schmiedl, 2012 (Fig. 22. 5-6)
<i>Neolenticulina variabilis</i> (Reuss, 1850)	<i>Cristellaria variabilis</i> Reuss, 1850	Jones, 1994 (Pl. 68, Fig. 11-16)
<i>Nodosaria lamnulifera</i> Boomgaart, 1950	<i>Nodosaria lamnulifera</i> Boomgaart, 1950	Jones, 1994 (Pl. 64, Fig. 6-10)
<i>Nonion fabum</i> (Fichtel and Moll, 1798)	<i>Nautilus faba</i> Fichtel and Moll, 1798	Margreth, 2010 (Pl. 36, Fig. 2); Milker and Schmiedl, 2012 (Fig. 25. 22-24)
<i>Nonionella turgida</i> (Williamson, 1858)	<i>Rotalina turgida</i> Williamson, 1858	Milker and Schmiedl, 2012 (Fig. 26. 1-6); Murray, 2003 (Fig. 9. 4-5)
<i>Nuttallides umbonifera</i> (Cushman, 1933)	<i>Pulvinulina umbonifera</i> Cushman, 1933	Margreth, 2010 (Pl. 35, Fig. 4)
<i>Oolina globosa</i> (Montagu, 1803)	<i>Vermiculum globosum</i> Montagu, 1803	Margreth, 2010 (Pl. 15, Fig. 5)
<i>Oolina lineata</i> (Williamson, 1848)	<i>Entosolenia lineata</i> Williamson, 1848	Margreth, 2010 (Pl. 15, Fig. 3)
<i>Oolina melo</i> d'Orbigny, 1839	<i>Oolina melo</i> d'Orbigny, 1839	Margreth, 2010 (Pl. 14, Fig. 6)
<i>Parabrizalina porrecta</i> (Brady, 1881)	<i>Bulimina porrecta</i> Brady, 1881	Margreth, 2010 (Pl. 25, Fig. 2)
<i>Parafissurina lateralis</i> (Cushman, 1913)	<i>Lagena lateralis</i> Cushman, 1913	Jones, 1994 (Pl. 56, Fig. 17-18); Milker and Schmiedl, 2012 (Fig. 19. 14)
<i>Patellina corrugata</i> Williamson, 1858	<i>Patellina corrugata</i> Williamson, 1858	Milker and Schmiedl, 2012 (Fig. 11. 21-23); Murray, 2003 (Fig. 9. 7)
<i>Planispirinoides bucculentus</i> (Brady, 1884)	<i>Miliolina bucculenta</i> Brady, 1884	Jones, 1994 (Pl. 114, Fig. 3)
<i>Planodiscorbis rarescens</i> (Brady, 1884)	<i>Discorbina rarescens</i> Brady, 1884	Milker and Schmiedl, 2012 (Fig. 22. 7-8)
<i>Planulina ariminensis</i> d'Orbigny, 1826	<i>Planulina ariminensis</i> d'Orbigny, 1826	Margreth, 2010 (Pl. 34, Fig. 1); Milker and Schmiedl, 2012 (Fig. 24. 3-4)
<i>Planulina mediterranensis</i> d'Orbigny, 1826	<i>Planulina mediterranensis</i> d'Orbigny, 1826	Milker and Schmiedl, 2012 (Fig. 24. 21-24)
<i>Pullenia subcarinata</i> (d'Orbigny, 1839)	<i>Nonionina subcarinata</i> d'Orbigny, 1839	Margreth, 2010 (Pl. 38, Fig. 2)
<i>Pygmaeoseistron laevis ovalis</i> Williamson, 1848	<i>Pygmaeoseistron laevis ovalis</i> Williamson, 1848	Margreth, 2010 (Pl. 13, Fig. 10)

## Annex 2. continuation

Species	Original name	References used for identification
<i>Pyrgo comata</i> (Brady, 1881)	<i>Biloculina comata</i> Brady, 1881	Jones, 1994 (Pl. 3, Fig. 9); Margreth, 2010 (Pl. 9, Fig. 3)
<i>Pyrgo depressa</i> (d'Orbigny, 1826)	<i>Biloculina depressa</i> d'Orbigny, 1826	Milker and Schmiedl, 2012 (Fig. 17. 10-11)
<i>Pyrgo elongata</i> (d'Orbigny, 1826)	<i>Biloculina elongata</i> d'Orbigny, 1826	Margreth, 2010 (Pl. 10, Fig. 5); Milker and Schmiedl, 2012 (Fig. 17. 12)
<i>Pyrgo sarsi</i> (Schlumberger, 1891)	<i>Biloculina sarsi</i> Schlumberger, 1891	Margreth, 2010 (Pl. 10, Fig. 1-2)
<i>Pyrgoella sphaera</i> (d'Orbigny, 1839)	<i>Biloculina sphaera</i> d'Orbigny, 1839	Milker and Schmiedl, 2012 (Fig. 17. 7)
<i>Quinqueloculina berthelotiana</i> d'Orbigny, 1839	<i>Quinqueloculina berthelotiana</i> d'Orbigny, 1839	Milker and Schmiedl, 2012 (Fig. 15. 3-6)
<i>Quinqueloculina laevigata</i> d'Orbigny, 1839	<i>Quinqueloculina laevigata</i> d'Orbigny, 1839	Milker and Schmiedl, 2012 (Fig. 15. 13-15)
<i>Quinqueloculina neapolitana</i> Sgarrella and Moncharmont Zei, 1993	<i>Quinqueloculina neapolitana</i> Sgarrella and Moncharmont Zei, 1993	Milker and Schmiedl, 2012 (Fig. 15. 20-22)
<i>Quinqueloculina parvula</i> Schlumberger, 1894	<i>Quinqueloculina parvula</i> Schlumberger, 1894	Milker and Schmiedl, 2012 (Fig. 15. 25-27)
<i>Quinqueloculina semiluna</i> Terquem, 1758	<i>Quinqueloculina semiluna</i> Terquem, 1758	Margreth, 2010 (Pl. 7, Fig. 8); Milker and Schmiedl, 2012 (Fig. 15. 30-31)
<i>Quinqueloculina stelligera</i> Schlumberger, 1893	<i>Quinqueloculina stelligera</i> Schlumberger, 1893	Milker and Schmiedl, 2012 (Fig. 16. 1-4)
<i>Quinqueloculina viennensis</i> Le Calvez and Le Calvez, 1958	<i>Quinqueloculina viennensis</i> Le Calvez and Le Calvez, 1958	Margreth, 2010 (Pl. 7, Fig. 7); Milker and Schmiedl, 2012 (Fig. 16. 5-7)
<i>Reussella spinulosa</i> (Reuss, 1850)	<i>Verneuilina spinulosa</i> Reuss, 1850	Milker and Schmiedl, 2012 (Fig. 21. 6-7)
<i>Robertinoides bradyi</i> (Cushman and Parker, 1936)	<i>Robertina bradyi</i> Cushman and Parker, 1936	Jones, 1994 (Pl. 50, Fig. 18); Margreth, 2010 (Pl. 18, Fig. 7)
<i>Rosalina anomala</i> Terquem, 1875	<i>Rosalina anomala</i> Terquem, 1875	Murray, 2003 (Fig. 9. 9-10)
<i>Rosalina bradyi</i> (Cushman, 1915)	<i>Discorbis globularis</i> var. <i>bradyi</i> Cushman, 1915	Margreth, 2010 (Pl. 31, Fig. 5); Milker and Schmiedl, 2012 (Fig. 22. 11-14)
<i>Sigmoilopsis schlumbergeri</i> (Silvestri, 1904)	<i>Sigmoilina schlumbergeri</i> Silvestri, 1904	Jones, 1994 (Pl. 8, Fig. 1-4); Milker and Schmiedl, 2012 (Fig. 18. 7-8)
<i>Siphonotextularia fretensis</i> Vella, 1957	<i>Siphonotextularia fretensis</i> Vella, 1957	Loeblich and Tappan, 1994 (Pl. 41, Fig. 1-4)
<i>Sphaeroidina bulloides</i> d'Orbigny, 1828	<i>Sphaeroidina bulloides</i> d'Orbigny, 1828	Margreth, 2010 (Pl. 32, Fig. 2); Milker and Schmiedl, 2012 (Fig. 23. 3-4)
<i>Spirillina limbata</i> Brady, 1879	<i>Spirillina limbata</i> Brady, 1879	Milker and Schmiedl, 2012 (Fig. 11. 13-14)
<i>Spirillina vivipara</i> Ehrenberg, 1843	<i>Spirillina vivipara</i> Ehrenberg, 1843	Milker and Schmiedl, 2012 (Fig. 11. 15-16); Murray, 2003 (Fig. 4. 1)
<i>Spiroloculina asperula</i> Karrer, 1868	<i>Spiroloculina asperula</i> Karrer, 1868	Jones, 1994 (Pl. 8, Fig. 14)
<i>Spiroloculina bradyi</i> Barker, 1960	<i>Spiroloculina bradyi</i> Barker, 1960	Jones, 1994 (Pl. 10, Fig. 1-2)
<i>Spiroloculina excavata</i> d'Orbigny, 1846	<i>Spiroloculina excavata</i> d'Orbigny, 1846	Milker and Schmiedl, 2012 (Fig. 13. 3-4); Murray, 2003 (Fig. 4. 13-14)
<i>Spiroloculina rostrata</i> Reuss, 1850	<i>Spiroloculina rostrata</i> Reuss, 1850	Milker and Schmiedl, 2012 (Fig. 13. 5-6)
<i>Spiroloculina tenuissima</i> Reuss, 1867	<i>Spiroloculina tenuissima</i> Reuss, 1867	Jones, 1994 (Pl. 10, Fig. 9-10)
<i>Spiroplectammina expansa</i> (Plummer, 1927)	<i>Textularia carinata</i> var. <i>expansa</i> Plummer, 1927	Plummer, 1926 (Pl. 3, Fig. 3)
<i>Spiroplectammina wrightii</i> (Silvestri, 1903)	<i>Spiroplecta wrightii</i> Silvestri, 1903	Jones, 1994 (Pl. 42, Fig. 17-18); Margreth, 2010 (Pl. 3, Fig. 6)
<i>Stomatorbina concentrica</i> (Parker and Jones, 1864)	<i>Pulvinulina concentrica</i> Parker and Jones, 1864	Margreth, 2010 (Pl. 30, Fig. 3); Milker and Schmiedl, 2012 (Fig. 21. 24-25)

## Annex 2. continuation

Species	Original name	References used for identification
<i>Textularia agglutinans</i> d'Orbigny, 1839	<i>Textularia agglutinans</i> d'Orbigny, 1839	Milker and Schmiedl, 2012 (Fig. 10. 15-16)
<i>Textularia calva</i> Lalicker, 1935	<i>Textularia calva</i> Lalicker, 1935	Milker and Schmiedl, 2012 (Fig. 10. 17)
<i>Textularia conica</i> d'Orbigny, 1839	<i>Textularia conica</i> d'Orbigny, 1839	Milker and Schmiedl, 2012 (Fig. 10. 18)
<i>Textularia gramen</i> d'Orbigny, 1846	<i>Textularia gramen</i> d'Orbigny, 1846	Milker and Schmiedl, 2012 (Fig. 10. 19-20)
<i>Textularia pala</i> Čížek, 1848	<i>Textularia pala</i> Čížek, 1848	Frontalini et al., 2014 (Fig. 4. 3); Milker and Schmiedl, 2012 (Fig. 10. 21-22)
<i>Textularia pseudorugosa</i> Lacroix, 1931	<i>Textularia pseudorugosa</i> Lacroix, 1931	Milker and Schmiedl, 2012 (Fig. 10. 23-24)
<i>Textularia truncata</i> Höglund, 1947	<i>Textularia truncata</i> Höglund, 1947	Margreth, 2010 (Pl. 6, Fig. 1); Murray, 2003 (Fig. 3. 17-18)
<i>Trifarina angulosa</i> (Williamson, 1858)	<i>Uvigerina angulosa</i> Williamson, 1858	Margreth, 2010 (Pl. 29, Fig. 6); Murray, 2003 (Fig. 10. 5)
<i>Trifarina bradyi</i> Cushman, 1923	<i>Trifarina bradyi</i> Cushman, 1923	Margreth, 2010 (Pl. 29, Fig. 7)
<i>Triloculina marioni</i> Schlumberger, 1893	<i>Triloculina marioni</i> Schlumberger, 1893	Margreth, 2010 (Pl. 11, Fig. 1); Milker and Schmiedl, 2012 (Fig. 17. 17-18)
<i>Triloculina tricarinata</i> d'Orbigny in Deshayes, 1832	<i>Triloculina tricarinata</i> d'Orbigny in Deshayes, 1832	Margreth, 2010 (Pl. 11, Fig. 3); Milker and Schmiedl, 2012 (Fig. 17. 23-24)
<i>Uvigerina auberiana</i> d'Orbigny, 1839	<i>Uvigerina auberiana</i> d'Orbigny, 1839	Erdem and Schönfeld, 2017 (Fig. 10. 17); Margreth, 2010 (Pl. 29, Fig. 3)
<i>Uvigerina mediterranea</i> Hofker, 1932	<i>Uvigerina mediterranea</i> Hofker, 1932	Margreth, 2010 (Pl. 29, Fig. 1); Milker and Schmiedl, 2012 (Fig. 20. 28)
<i>Uvigerina peregrina</i> Cushman, 1923	<i>Uvigerina peregrina</i> Cushman, 1923	Milker and Schmiedl, 2012 (Fig. 20. 29); Murray, 2003 (Fig. 10. 6)
<i>Valvulineria bradyana</i> (Fornasini, 1900)	<i>Discorbina bradyana</i> Fornasini, 1900	Margreth, 2010 (Pl. 30, Fig. 1)

## Annex 2 - References

- Cimerman, F., Langer, M.R., 1991. Mediterranean Foraminifera. Academia Scientarium et Artium Slovenica, Dela, Opera 30, Classis IV: Historia Naturalis, Ljubljana, 107 pp.
- Darling, K., Schweizer, M., Knudsen, K., Evans, K., Bird, C., Roberts, A., Filipsson, H., Kim, J., Gudmundsson, G., Wade, C., Sayer, M., Austin, W., 2016. The genetic diversity, phylogeography and morphology of Elphidiidae (Foraminifera) in the Northeast Atlantic. *Marine Micropaleontology* 129, 1-23.
- Erdem, Z., Schönfeld, J., 2017. Pleistocene to Holocene benthic foraminiferal assemblages from the Peruvian continental margin. *Palaeontologia Electronica* 20.2.35A, 1-32.
- Fontanier, C., Metzger, E., Waelbroeck, C., Jouffreau, M., LeFloch, N., Jorissen, F., Etcheber, H., Bichon, S., Chabaud, G., Poirier, D., Grémare, A., Deflandre, B., 2013. Live (Stained) Benthic Foraminifera Off Walvis Bay, Namibia: A Deep-Sea Ecosystem under the Influence of Bottom Nepheloid Layers. *Journal of Foraminiferal Research* 43(1), 55-71.
- Fornasini, C., 1908. Illustrazione di specie orbignyane di Nodosaridi, di Rotalidi e d'altri foraminiferi. *Memorie della Reale Accademie della Scienze dell'Istituto di Bologna, Scienze Naturali* 6(5).
- Frontalini, F., Kaminski, M., Mikellidou, I., Armynot du Châtelet, E., 2014. Checklist of benthic foraminifera (class Foraminifera: d'Orbigny 1826; phylum Granuloreticulosa) from Saros Bay, northern Aegean Sea: a biodiversity hotspot. *Marine Biodiversity* 45(3), 549-567.
- Holbourn, A.E., Hendreson, A.S., 2002. Re-illustration and Revised Taxonomy for Selected Deep-sea Benthic Foraminifers. *Palaeontologia Electronica* 4(2), 34 pp.
- Hottinger, L., Halicz, E., Reiss, Z., 1993. Recent Foraminifera from the Gulf of Aqaba, Red Sea. *Academia Scientarium et Artium Slovenica, Dela, Opera 33, Classis IV: Historia Naturalis, Ljubljana*, 423 pp.
- Jones, R.W., 1994. *The Challenger Foraminifera*. Oxford University Press. 291 pp.
- Kaminski, M.A., Aksu, A., Box, M., Hiscott, R.N., Filipescu, S., Al-Salameen, M., 2002. Late Glacial to Holocene benthic foraminifera in the Marmara Sea: implications for Black Sea Mediterranean Sea connections following the last deglaciation. *Marine Geology* 190, 165-202.
- Loeblich, A.R., Tappan, H., 1988. *Foraminiferal Genera and Their Classification*. Van Nostrand Reinhold Company, New York, 2 Volumes, 970 pp.
- Loeblich, A.R., Tappan, H., 1994. Foraminifera of the Sahul Shelf and Timor Sea. *Cushman Foundation for Foraminiferal Research Special Publication* 31, 13–630.
- Margerel, J-P., 2016. Étude critique des genres Favulina, Homalohedra, Oolina, Entosolenia et Pseudofavulina n. gen. du Pliocène et du Pléistocène inférieur de la France occidentale et du Sud de l'Angleterre. *Geodiversitas* 38(4), 559-578.
- Margreth, S., 2010. Benthic foraminifera associated to cold-water coral ecosystems. PhD Thesis n°1686, University of Fribourg. *Geofocus* 24, 248 pp.
- Milker, Y., Schmiedl, G., 2012. A taxonomic guide to modern benthic shelf foraminifera of the western Mediterranean Sea. *Palaeontologia Electronica* 15.2. 16A, 134 pp.
- Murray, J.W., 2003. An illustrated guide to the benthic foraminifera of the Hebridean Shelf, West of Scotland, with notes on their mode of life. *Palaeontologia Electronica* 5(1), 31 pp.
- Plummer, H.J., 1926. Foraminifera of the Midway Formation in Texas. *University of Texas Bulletin* 2644, 209 pp.
- Setoyama, E., Kaminski, M., 2015. Neogene benthic foraminifera from the southern Bering Sea (IODP Expedition 323). 18.2.38A, 1-30.